


ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>FRIDAY MARCH 21, 2003 080-081</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p> <p>RTLTL : 24h 15m 34s VOYAGER 1 FDSL : 11AF CCSL : A046 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=24h 15m 34s   0000 RTLTL=24h 15m 32s</p> <p>↓ 1308 SLEW-&gt;HELIO-11A</p> <p>0226   0227 PWS/RH</p> <p>2324   -   2352 TAPPOS 0433   -   0447 TAPPOS</p> <p>0226 GS-4B 0227</p> <p>CR-5T CR-5T</p> <p>160 (32) 160(32)</p>
<p>31 HPTXR DSN COVERAGE 32 HPTXR</p>	<p>0815 54 [D]   1050   ----- 25 [D]   -----   1545   0150   ----- 54 [D]   -----   25 [D] 0755  </p> <p>1400   ----- 45 [D]   -----   2335</p>
<p>RTLTL : 19h 24m 30s VOYAGER 2 FDSL : 11AF CCSL : B119 TWNC : ON SB : OFF XB : HIGH PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=19h 24m 28s   0000 RTLTL=19h 24m 24s</p> <p>----- COMMAND MORATORIUM -----   0624</p> <p>CR-5T CR-5T</p> <p>160 (32) 160 (32)</p>
<p>VOYAGER COVERAGE</p>	<p>----- ON CALL -----</p>
<p>NOTES</p>	<p>[1] S/C 31=GS-4B @ 0226 XB=2.8K(41) NOT RECOVERABLE</p>

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 22, 2003  
081-082

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 15m 32s

1200 RTLT=24h 15m 30s

0000 RTLT=24h 15m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 | 0815 54 [D]  
----- 25 [D] ----- | 1245

0335 - 0725 |----- 54 [D] ----- |

DSN COVERAGE  
HPTXR

1820 |----- 45 [D] ----- | 0535

HPTXR

RTLT : 19h 24m 24s

1200 RTLT=19h 24m 22s

0000 RTLT=19h 24m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : HIGH  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 23, 2003  
082-083

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 15m 28s

1200 RTLTL=24h 15m 26s

0000 RTLTL=24h 15m 24s

VOYAGER 1

↓ 1008 SLEW->MIDPNT

↓ 1308 SLEW->HELIO-10A

FDSL : 11AF

CCSL : A046

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

0905 |----- 25 [D] -----| 1745

0140 |----- 54 [D] -----| 0505

HPTXR

DSN COVERAGE

32

2245 |----- 43 [o] -----| 0315

HPTXR

RTLTL : 19h 24m 18s

1200 RTLTL=19h 24m 16s

0000 RTLTL=19h 24m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B119

TWNC : ON

SB : OFF XB : HIGH

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MARCH 24, 2003  
083-084

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 15m 24s

1200 RTLT=24h 15m 22s

0000 RTLT=24h 15m 20s

VOYAGER 1

↓ 1308 SLEW->HELIO-9A

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

1200 |----- 24 [D] -----| 1600

0135 - 0715 |----- 54 [D] -----|

DSN COVERAGE  
HPTXR

32

1350 |----- 45 [D] -----| 0530

HPTXR

RTLT : 19h 24m 12s

1200 RTLT=19h 24m 10s

0000 RTLT=19h 24m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : HIGH  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE


----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MARCH 26, 2003  
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 15m 18s

1200 RTLT=24h 15m 16s

0000 RTLT=24h 15m 14s

VOYAGER 1

↓ 1308 SLEW->HELIO-7A

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- 1110 0645 | - 14 - -

1110 |----- 25 [D] ----- | 1740

0205 |----- 54 [D] ----- | 0645

DSN COVERAGE  
HPTXR

32

1340 | - 45 [D] - - | 1535

2035 |----- 43 [D] ----- | 0105

HPTXR

RTLT : 19h 24m 0s

1200 RTLT=19h 23m 58s

0000 RTLT=19h 23m 54s

VOYAGER 2

- COMMAND MORATORIUM -

↓ 0246 X/B LOW POWER  
↓ 0250 BAY 1 HTR ON

FDSL : 11AF

↓ 2124 BML SS GATE U/D

CCSL : B119  
TWNC : ON  
SB : OFF XB : HIGH  
PYR : .05/ .10/ .25  
GYROS : OFF

↓ 2124 FCP SWAP TABLE U/D

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- ON CALL -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 27, 2003  
086-087

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 15m 14s

1200 RTLT=24h 15m 12s

0000 RTLT=24h 15m 10s

VOYAGER 1

↓ 1308 SLEW->HELIO-6A

▼ 0220 DUMMY (02:35)

FDSL : 11AF

U/L 0330 | - | - - TLC (SHORT-FORM) - - -

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 14 -- | 0930 25 [D] 0735 | - -

0910 | - - - - - 25 [D] - - - - - | 1730

0125 | - - - - - 54 [T] - - - - - | 0700

DSN COVERAGE  
HPTXR

1315 | - - - - - 26 [D,1] - - - - - | 1715

32 1340 | - - - - - 45 [D] - - - - - | 1910 2355 | - - - - - 45 [D] - - - - - | 0525

HPTXR

RTLT : 19h 23m 54s

1200 RTLT=19h 23m 52s

0000 RTLT=19h 23m 48s

----- COMMAND MORATORIUM ----- 0726 |

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - | ----- ON CALL ----- |

NOTES

[1] NSP DEMO TRACK, PUT TLM MON TO VGRTIS B5, NO TDS LOGGING

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 28, 2003  
087-088

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 15m 10s

1200 RTLTL=24h 15m 8s

0000 RTLTL=24h 15m 8s

VOYAGER 1

↓ 1308 SLEW->HELIO-5A

0202 | 0203 PWS/RH

FDSL : 11AF

2259 | - | 2328 TAPPOS

0409 | | 0423 TAPPOS

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

TLC (SHORT-FORM)

D/L - | 0513

0202  
GS-4B 0203

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

31 ----- 25 [D] ----- | 1315

0120 | ----- 54 [D] ----- | 0650

DSN COVERAGE  
HPTXR

32 1400 | ----- 34 [D,2] ----- | 1800  
1330 | ----- 45 [D] ----- | 2015

HPTXR

RTLTL : 19h 23m 48s

1200 RTLTL=19h 23m 44s

0000 RTLTL=19h 23m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 31=GS-4B @ 0202 XB=2.8K(41) NOT RECOVERABLE  
[2] NSP DEMO TRACK, PUT TLM MON TO VGRTIS B5, NO TDS LOGGING

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 29, 2003  
088-089

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 15m 8s

1200 RTLT=24h 15m 6s

0000 RTLT=24h 15m 4s

VOYAGER 1

↓ 1308 SLEW->HELIO-4A

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 0900 |-----25 [D]-----| 1720  
0115 |-----54 [D]-----| 0645  
25 [D] 0720 |---

DSN COVERAGE  
HPTXR

32 1330 |---45 [D]---| 1605  
1840 |-----45 [D]-----| 0025

HPTXR

RTLT : 19h 23m 42s

1200 RTLT=19h 23m 38s

0000 RTLT=19h 23m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 30, 2003  
089-090

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 15m 4s

1200 RTLTL=24h 15m 2s

0000 RTLTL=24h 15m 2s

VOYAGER 1

↓ 1308 SLEW->HELIO-3A

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1715

0620 | - - 14 [D] - -

2340 | - 65 [D] - - | 0125

DSN COVERAGE  
HPTXR

32

1325 | - - - - - 45 [D] - - - - - | 1735

2205 | 45 [D] - | 2325

2305 | - - - - - 43 [o] - - - - - | 0330

HPTXR

RTLTL : 19h 23m 36s

1200 RTLTL=19h 23m 32s

0000 RTLTL=19h 23m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MARCH 31, 2003  
090-091

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 15m 2s

1200 RTLT=24h 15m 0s

0000 RTLT=24h 14m 58s

VOYAGER 1

↓ 1308 SLEW->HELIO-2A

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 14 [D] - 0930  
0910 |----- 25 [D] -----| 1720

0620 |-- 14 [D] --

DSN COVERAGE  
HPTXR

32

1615 |----- 45 [D] -----| 0505

HPTXR

RTLT : 19h 23m 30s

1200 RTLT=19h 23m 26s

0000 RTLT=19h 23m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
APRIL 1, 2003  
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 14m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

1200 RTLTL=24h 14m 58s

0000 RTLTL=24h 14m 56s

↓ 1308 SLEW->HELIO-1A

1938 | 1938 PWS/RH

U/L 1525 | - - - - - TLC (SHORT-FORM) - - - - -

▼ 1515 DUMMY (15:30)

1938  
GS-4B 1938

CR-5T  
160(32)

CR-5T  
160(32)

31 14 [D] | 0905 0100 | - - - - - 54 [D] | - - - - - 0800 [D] 0800

15 [D] | - - - - - 0845- 1245 1415 | - - - - - 43 [T] | - - - - - 2025

DSN COVERAGE  
HPTXR

32 1610 | - - - - - 45 [D] | - - - - - 2015 2125 | - - - - - 43 [B] | - - - - - 0455

HPTXR

RTLTL : 19h 23m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

1200 RTLTL=19h 23m 20s

0000 RTLTL=19h 23m 16s

1834 | 1835 PWS/RH

DUMMY (5 MIN BRACKETED 21:46) 0222 ▼

1834  
GS-4B 1835

CR-5T  
160(32)

CR-5T  
160(32)

VOYAGER COVERAGE - - - - - ON CALL - - - - - VGR - - - - - ON CALL - - - - - VGR - - - - - ON CALL - - - - -

NOTES

[1] S/C 32=GS-4B @ 1834 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 1938 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
APRIL 2, 2003  
092-093

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 14m 56s

1200 RTLT=24h 14m 54s

0000 RTLT=24h 14m 54s

VOYAGER 1

1153 | PLSCAL - | 1335

1153 | --- MAGCAL --- | 1455

1153 | --- PESCAL --- | 1513

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

----- TLC (SHORT-FORM) ----- | D/L - | 1708

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 0800 - 1710

26 [D] 0710 | ---

DSN COVERAGE  
HPTXR

32

1310 | --- 45 [D] --- | 1650

2130 | --- 43 [D] --- | 0245

HPTXR

RTLT : 19h 23m 16s

1200 RTLT=19h 23m 12s

0000 RTLT=19h 23m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
APRIL 3, 2003  
093-094

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 14m 54s

1200 RTLT=24h 14m 52s

0000 RTLT=24h 14m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 26 [D] ----- | 1700

0100 | ----- 54 [D] ----- | 0615

DSN COVERAGE HPTXR

32 1240 | ----- 43 [D] ----- | 1825

1645 | ----- 34 ----- | 2045

HPTXR

RTLT : 19h 23m 10s

1200 RTLT=19h 23m 6s

0000 RTLT=19h 23m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
APRIL 4, 2003  
094-095

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 14m 50s

1200 RTLTL=24h 14m 50s

0000 RTLTL=24h 14m 48s

VOYAGER 1

- ↓ 1600 GYROS BC ON
- ↓ 1601 GYRO INIT
- ↓ 1610 GYRO FAULT TEST

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

0138 | 0138 PWS/RH

2235 | 2236 TAPPOS

0345 | 0359 TAPPOS

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

0138  
GS-4B 0138

31

-----26 [D]----- | 1655

0050 | -----54 [D]----- | 0700 | 26 [D] | 0615

DSN COVERAGE  
HPTXR

32

1435 | --- 45 [D] --- | 1645

2025 | ----- 45 [D] ----- | 0320

HPTXR

RTLTL : 19h 23m 4s

1200 RTLTL=19h 23m 0s

0000 RTLTL=19h 22m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR - | ----- ON CALL -----

NOTES

[1] S/C 31=GS-4B @ 0138 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
APRIL 5, 2003  
095-096

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 14m 48s

1200 RTLT=24h 14m 48s

0000 RTLT=24h 14m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : BC ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 26 [D] ----- | 1650

26 [D] 0735 | - -

DSN COVERAGE  
HPTXR

32

1700 | ----- 43 [D] ----- | 2100

0030 | ----- 43 [D] ----- | 0520

HPTXR

RTLT : 19h 22m 56s

1200 RTLT=19h 22m 54s

0000 RTLT=19h 22m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/20/03 - 08:33

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1

SUNDAY  
APRIL 6, 2003  
096-097

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 14m 46s

1200 RTLTL=24h 14m 46s

0000 RTLTL=24h 14m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A046  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : BC ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 26 [D] ----- | 1650  
1630 | ----- 45 [D] ----- | 2000  
0040 | ----- 54 [D] ----- | 0600 0650 | 26 [D] |

DSN COVERAGE HPTXR

32 1600 | ----- 43 [B] ----- | 0515

HPTXR

RTLTL : 19h 22m 50s

1200 RTLTL=19h 22m 46s

0000 RTLTL=19h 22m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B119  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8