

# VOYAGER

## Space Flight Operations Schedule (SFOS)

Issue Date: May 26, 2004

For the Period: 05/27/04 to 06/13/04 (04-148 - 04-165)

**DSN OPSCHIEF (1) 230-102**

**DSOT (1) 230-102**

\*Zsarina.Bulchand@jpl.nasa.gov  
 \*gdyke@airmail.ftops.jpl.nasa.gov  
 \*John.M.Grant@jpl.nasa.gov  
 \*dmcclena@airmail.ftops.jpl.nasa.gov  
 \*pquach@airmail.ftops.jpl.nasa.gov  
 \*mrobles@airmail.ftops.jpl.nasa.gov  
 \*rwilliam@airmail.ftops.jpl.nasa.gov

**OTHER**

\* KMassey@jgld.gdscc.nasa.gov  
 \* Byron.G.Yetter@jpl.nasa.gov  
 \* Belinda.Arroyo@jpl.nasa.gov  
 \* Ruben.P.Espinueva@jpl.nasa.gov  
 \* Karen.E.Yetter@jpl.nasa.gov  
 \* MCarmichael@jftl.jpl.nasa.gov

**SCIENCE (1) 600-100**

Wong, R.  
 CRS \*bryant@mail630.gsfc.nasa.gov  
 LECP \*r.decker@jhuapl.edu  
 UVS \*holburg@argus.lpl.arizona.edu  
 MAG \*u2mha@lepvax.gsfc.nasa.gov  
 PLS \*vgr@space.mit.edu  
 PWS \*wsk@space.physics.uiowa.edu  
 \*Leonard.F.Burlaga@nasa.gov  
 \*Donald-Gurnett@uiowa.edu

**FLIGHT TEAM (17) 600-100**


Hall, J.  
 Hogle, T. (2)  
 Howard, S. (3)  
 Ludwig, R. (2)  
 Massey, Ed  
 Matsumoto, S.  
 Medina (AACS)  
 Poynter, R.  
 Presley (3) (DSE)  
 Weeks, T.  
 Zottarelli, L.  
 \*charlotte.m.weiss@jpl.nasa.gov  
 \*odivers@san.rr.com

**NOPES (1) 507-120**  
 Millner, I

**LEGEND:** ∇ = R/T Command (Last chance or Contingency)  
 ▼ = R/T Command (Scheduled)  
 \* = Result of R/T Command  
 n = (where n = 1,2,3 ..) Special Note, see bottom of page  
 D = Downlink only pass  
 A = Arrayed station  
 U = Uplink only pass  
 B = BLF  
 [o] = Ramp-through  
 H = High Power Transmitter  
 T = TLC Uplink


\*Electronic Copy Only  
 (21 – Dist/N: Paper Copies)  
 04/02/04

ISSUE DATE: 05/26/04 14:33







ISSUE DATE: 05/26/04 14:33




ISSUE DATE: 05/26/04 14:33




ISSUE DATE: 05/26/04 14:33



ISSUE DATE: 05/26/04 14:33




ISSUE DATE: 05/26/04 14:33







ISSUE DATE: 05/26/04 14:33




ISSUE DATE: 05/26/04 14:33




ISSUE DATE: 05/26/04 14:33



ISSUE DATE: 05/26/04 14:33



ISSUE DATE: 05/26/04 14:33



ISSUE DATE: 05/26/04 14:33

TUESDAY JUNE 8, 2004 160-161		PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0																																																																																																																																																																																																																																																									
		UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7																																																																																																																																																																																																																																																									
S/C 31 INITIAL CONDITIONS RTLT: 25h 18m 44s CCSL: A051 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF				1200 RTLT 25h 18m 50s											0000 RTLT 25h 18m 56s																																																																																																																																																																																																																																																																					
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)											CR-5T 160(32)																																																																																																																																																																																																																																																																							
31 DSN COVERAGE		25 [D]   1210 10     40											0520   14 [D]   10   2140   65 [D]   0500 60																																																																																																																																																																																																																																																																							
32 DSN COVERAGE		1650   43 [D]   0115 40																																																																																																																																																																																																																																																																																		
S/C 32 INITIAL CONDITIONS RTLT: 20h 10m 32s CCSL: B124 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF				1200 RTLT 20h 10m 34s											0000 RTLT 20h 10m 34s																																																																																																																																																																																																																																																																					
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)											CR-5T 160(32)																																																																																																																																																																																																																																																																							
VGR COVERAGE		ON CALL											VGR	ON CALL											VGR	ON CALL																																																																																																																																																																																																																																																										
NOTES		[1] S/C 31=GS-4B @ 1546 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 1434 XB=2.8K(41) NOT RECOVERABLE																																																																																																																																																																																																																																																																																		
UTC:		7											8											9											10											11											12											13											14											15											16											17											18											19											20											21											22											23											0											1											2											3											4											5											6											7										
UTC:		JUN 08																JUN 09																																																																																																																																																																																																																																																																		

1546 | 1546 PWS/RH


\*  
2220 | 2230 AACS MRO

↓ 1546 GS-4B 1546


↓ 1805 CLEAR GYRO FAILURE FLAGS  
1806 || 1810 AACS MRO

↓ 1434 GS-4B 1435

ISSUE DATE: 05/26/04 14:33




ISSUE DATE: 05/26/04 14:33







ISSUE DATE: 05/26/04 14:33



ISSUE DATE: 05/26/04 14:33



ISSUE DATE: 05/26/04 14:33



ISSUE DATE: 05/26/04 14:33

