

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: September 22, 2004

For the Period: 09/24/04 to 10/10/04 (04-267 - 04-284)

DSN OPSCHIEF (1) 230-102

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * Ruben.P.Espinueva@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov

SCIENCE (1) 600-100

Wong, R.
 CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holburg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu


FLIGHT TEAM (17) 600-100

Hall, J.
 Hogle, T. (2)
 Howard, S. (3)
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina (AACS)
 Poynter, R.
 Presley (3) (DSE)
 Weeks, T.
 Zottarelli, L.
 *odivers@san.rr.com


LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 D = Downlink only pass
 A = Arrayed station
 U = Uplink only pass
 B = BLF
 [o] = Ramp-through
 H = High Power Transmitter
 T = TLC Uplink

*Electronic Copy Only
 (20 – Dist/N: Paper Copies)
 09/08/04


ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48



ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48

PDT:	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																												
TUESDAY SEPTEMBER 28, 2004 272-273	7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																												
UTC:																													
S/C 31 INITIAL CONDITIONS RTLT: 25h 56m 10s CCSL: A052 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF FDS MODE XB DATA RATE(MI)	<div style="display: flex; justify-content: space-between;"> 1200 RTLT 25h 56m 22s 0000 RTLT 25h 56m 32s </div> <p style="text-align: right;">PWS/RH 0604 0605</p> <p style="text-align: center;">▼ 1900 DUMMY (20:57)</p> <p style="text-align: center;">U/L 2000 - - - - - - TLC (SHORT-FORM) - - - - -</p> <p style="text-align: right;">0604 GS-4B 0605 ↓</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">CR-5T</td> <td style="width: 50%;">CR-5T</td> </tr> <tr> <td>160(32)</td> <td>160(32)</td> </tr> </table>																								CR-5T	CR-5T	160(32)	160(32)	
CR-5T	CR-5T																												
160(32)	160(32)																												
31 DSN COVERAGE	<p style="text-align: right;">2330 26 [D] 0120</p> <p style="text-align: right;">0100 15 [D] 0515</p> <p style="text-align: right;">10 40</p> <p style="text-align: center;">1810 63 [T] 2135</p> <p style="text-align: center;">60</p>																												
32 DSN COVERAGE	<p style="text-align: center;">43 [H] 0700 - 1425</p> <p style="text-align: center;">40</p> <p style="text-align: right;">40</p>																												
S/C 32 INITIAL CONDITIONS RTLT: 20h 36m 0s CCSL: B125 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF FDS MODE XB DATA RATE(MI)	<div style="display: flex; justify-content: space-between;"> 1200 RTLT 20h 36m 10s 0000 RTLT 20h 36m 22s </div> <p style="text-align: right;">0447 0448 PWS/RH</p> <ul style="list-style-type: none"> ▼ 1236 ECR 103170 (09:12) (CANCELLED) ▼ 1245 2ND UL OF ECR (09:21) (CANCELLED) ▼ 1310 CCS MRO ECR 103170 (09:46) (CANCELLED) ▼ 1340 DUMMY (10:16) (CANCELLED) <p style="text-align: right;">0447 GS-4B 0448 ↓</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">CR-5T</td> <td style="width: 50%;">CR-5T</td> </tr> <tr> <td>160(32)</td> <td>160(32)</td> </tr> </table>																								CR-5T	CR-5T	160(32)	160(32)	
CR-5T	CR-5T																												
160(32)	160(32)																												
VGR COVERAGE	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">ON CALL</td> <td style="width: 10%;">VGR</td> <td style="width: 25%;">ON CALL</td> <td style="width: 10%;">VGR</td> <td style="width: 30%;">ON CALL</td> </tr> </table>																								ON CALL	VGR	ON CALL	VGR	ON CALL
ON CALL	VGR	ON CALL	VGR	ON CALL																									
NOTES	[1] S/C 31=GS-4B @ 0604 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 0447 XB=2.8K(41) NOT RECOVERABLE																												
UTC:	7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																												
	UTC: SEP 28												SEP 29																


ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48



ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
TUESDAY OCTOBER 5, 2004 279-280																												
S/C 31 INITIAL CONDITIONS RTLTL: 25h 58m 46s CCSL: A052 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 25h 58m 58s												0000 RTLT 25h 59m 8s												PWS/RH 0542 0543			
FDS MODE	CR-5T												CR-5T												CR-5T			
XB DATA RATE(MI)	160(32)												160(32)												160(32)			
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLTL: 20h 38m 42s CCSL: B125 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 20h 38m 54s												0000 RTLT 20h 39m 6s												0424 0425 PWS/RH			
FDS MODE	CR-5T												CR-5T												CR-5T			
XB DATA RATE(MI)	160(32)												160(32)												160(32)			
VGR COVERAGE	ON CALL																											
NOTES	[1] S/C 31=GS-4B @ 0542 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 0424 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	OCT 05														OCT 06													


ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48




ISSUE DATE: 09/28/04 17:48



ISSUE DATE: 09/28/04 17:48



ISSUE DATE: 09/28/04 17:48



ISSUE DATE: 09/28/04 17:48

