

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: August 10, 2005

For the Period: 08/11/2005 to 08/29/2005 (05-223 – 05-241)

DSN OPSCHIEF (1) 230-102

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov

SCIENCE

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu


FLIGHT TEAM (18) 600-100

Hall, J.
 Hogle, T. (2)
 Howard, S. (3)
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina (AACS)
 Poynter, R.
 Presley (3) (DSE)
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 D = Downlink only pass
 A = Arrayed station
 U = Uplink only pass
 B = BLF
 [o] = Ramp-through
 H = High Power Transmitter
 T = TLC Uplink

*Electronic Copy Only
 (20 – Dist/N: Paper Copies)
 05/13/05


ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20



ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0																												
TUESDAY AUGUST 23, 2005 235-236	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7																												
S/C 31 INITIAL CONDITIONS RTLTL: 26h 41m 42s CCSL: A056 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	<div style="display: flex; justify-content: space-between;"> 1200 RTLTL 26h 41m 52s 0000 RTLTL 26h 42m 4s </div> <div style="display: flex; justify-content: center; margin-top: 10px;"> 1139 1140 PWS/RH </div> <div style="text-align: center; margin-top: 20px;"> ↓ 1139 GS-4B 1140 </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">FDS MODE</td> <td style="width: 50%;">CR-5T</td> </tr> <tr> <td>XB DATA RATE(MI)</td> <td>160(32)</td> </tr> </table>																										FDS MODE	CR-5T	XB DATA RATE(MI)	160(32)																							
FDS MODE	CR-5T																																																				
XB DATA RATE(MI)	160(32)																																																				
31 DSN COVERAGE																																																					
32 DSN COVERAGE																																																					
S/C 32 INITIAL CONDITIONS RTLTL: 21h 15m 16s CCSL: B128 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="display: flex; justify-content: space-between;"> 1200 RTLTL 21h 15m 24s 0000 RTLTL 21h 15m 34s </div> <div style="display: flex; justify-content: center; margin-top: 10px;"> 1018 1019 PWS/RH </div> <div style="margin-left: 100px; margin-top: 10px;"> <table border="0"> <tr> <td>1156</td><td> </td><td>PLSCAL</td><td>-</td><td> </td><td>1339</td> </tr> <tr> <td>1156</td><td> </td><td>MAGCAL</td><td>-</td><td>-</td><td>-</td><td> </td><td>1459</td> </tr> <tr> <td>1156</td><td> </td><td>PESCAL</td><td>-</td><td>-</td><td>-</td><td>-</td><td> </td><td>1516</td> </tr> </table> </div> <div style="text-align: center; margin-top: 20px;"> ↓ 1018 GS-4B 1019 </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">FDS MODE</td> <td style="width: 50%;">CR-5T</td> </tr> <tr> <td>XB DATA RATE(MI)</td> <td>160(32)</td> </tr> </table>																										1156		PLSCAL	-		1339	1156		MAGCAL	-	-	-		1459	1156		PESCAL	-	-	-	-		1516	FDS MODE	CR-5T	XB DATA RATE(MI)	160(32)
1156		PLSCAL	-		1339																																																
1156		MAGCAL	-	-	-		1459																																														
1156		PESCAL	-	-	-	-		1516																																													
FDS MODE	CR-5T																																																				
XB DATA RATE(MI)	160(32)																																																				
VGR COVERAGE	ON CALL																																																				
NOTES	<p>[1] S/C 31=GS-4B @ 1139 XB=2.8K(41) NOT RECOVERABLE</p> <p>[2] S/C 32=GS-4B @ 1018 XB=2.8K(41) NOT RECOVERABLE</p>																																																				
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7																												
UTC:	AUG 23														AUG 24																																						


ISSUE DATE: 08/11/05 22:20




ISSUE DATE: 08/11/05 22:20



ISSUE DATE: 08/11/05 22:20



ISSUE DATE: 08/11/05 22:20



ISSUE DATE: 08/11/05 22:20

