

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: September 14, 2005

For the Period: 09/15/2005 to 10/03/2005 (05-258 – 05-276)

DSN OPSCHIEF (1) 230-102

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov

SCIENCE

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu


FLIGHT TEAM (18) 600-100

Hall, J.
 Hogle, T. (2)
 Howard, S. (3)
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina (AACS)
 Poynter, R.
 Presley (3) (DSE)
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 D = Downlink only pass
 A = Arrayed station
 U = Uplink only pass
 B = BLF
 [o] = Ramp-through
 H = High Power Transmitter
 T = TLC Uplink

*Electronic Copy Only
 (20 – Dist/N: Paper Copies)
 05/13/05


ISSUE DATE: 09/14/05 15:12




ISSUE DATE: 09/14/05 15:12




ISSUE DATE: 09/14/05 15:12



ISSUE DATE: 09/14/05 15:12



ISSUE DATE: 09/14/05 15:12



ISSUE DATE: 09/14/05 15:12

TUESDAY SEPTEMBER 20, 2005 263-264		PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
		UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 26h 52m 44s CCSL: A056 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF		1200 RTLT 26h 52m 56s		0000 RTLT 26h 53m 8s																							
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)																									
31 DSN COVERAGE		2245 ----- 25 [D] ----- 0415 10 40 1510 --- 54 [D] --- 1700 1645 ----- 63 [D] ----- 1955 60																									
32 DSN COVERAGE		0805 ----- 45 [D] ----- 1225 1205 ----- 34 [D] ----- 1625 40 0245 ----- 45 [D] -----																									
S/C 32 INITIAL CONDITIONS RTLT: 21h 24m 56s CCSL: B128 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF		1200 RTLT 21h 25m 8s		0000 RTLT 21h 25m 18s																							
FDS MODE XB DATA RATE(MI)		1803 ----- COMMAND MORATORIUM -----																									
VGR COVERAGE		ON CALL																									
NOTES [1] S/C 31=GS-4B @ 0633 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 0511 XB=2.8K(41) NOT RECOVERABLE																											
UTC:		7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7																									
UTC:		SEP 20											SEP 21														

PWS/RH 0633- 0634 |

0633 GS-4B 0634 ↓

PWS/RH 0511 | 0512

PLSCAL 0625 | - -

MAGCAL 0625 | - -


PESCAL 0625 | - -

0511 GS-4B 0512 ↓ 0512


CR-5T

160(32)


ISSUE DATE: 09/14/05 15:12




ISSUE DATE: 09/14/05 15:12




ISSUE DATE: 09/14/05 15:12




ISSUE DATE: 09/14/05 15:12



ISSUE DATE: 09/14/05 15:12




ISSUE DATE: 09/14/05 15:12




ISSUE DATE: 09/14/05 15:12

TUESDAY SEPTEMBER 27, 2005 270-271		PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
		UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 26h 55m 26s CCSL: A056 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON		1200 RTLT 26h 55m 38s													0000 RTLT 26h 55m 48s												
		PWS/RH 0610- 0611 ↓																									
FDS MODE		CR-5T																									
XB DATA RATE(MI)		160(32)																									
31 DSN COVERAGE		<p>Timeline for 31 DSN COVERAGE:</p> <ul style="list-style-type: none"> 40 (start to end) 1430 (start) — 65 [D] — 1855 (end) 1835 (start) — 63 [D] — 2015 (end) 2335 (start) — 10 (duration) — 24 [D] — 0345 (end) 40 (start to end) 60 (start to end) 																									
32 DSN COVERAGE		<p>Timeline for 32 DSN COVERAGE:</p> <ul style="list-style-type: none"> 45 [D] (start to end) 40 (start to end) 1310 (start to end) 0125 (start) — 45 [D] — 40 (end) 																									
S/C 32 INITIAL CONDITIONS RTLT: 21h 27m 36s CCSL: B128 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF		1200 RTLT 21h 27m 46s													0000 RTLT 21h 27m 58s												
		0449 0450 PWS/RH																									
FDS MODE		CR-5T																									
XB DATA RATE(MI)		160(32)																									
VGR COVERAGE		ON CALL																									
NOTES		<p>[1] S/C 31=GS-4B @ 0610 XB=2.8K(41) NOT RECOVERABLE</p> <p>[2] S/C 32=GS-4B @ 0449 XB=2.8K(41) NOT RECOVERABLE</p>																									
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:		SEP 27													SEP 28												


ISSUE DATE: 09/14/05 15:12




ISSUE DATE: 09/14/05 15:12




ISSUE DATE: 09/14/05 15:12



ISSUE DATE: 09/14/05 15:12



ISSUE DATE: 09/14/05 15:12



ISSUE DATE: 09/14/05 15:12

