

# VOYAGER

## Space Flight Operations Schedule (SFOS)

Issue Date: February 28, 2007

For the Period: 03/01/07 to 03/19/07 (07-060 – 07-078)

**DSN OPSCHIEF (1) 230-102**

**SCIENCE**

**FLIGHT TEAM (16) 600-100**

**DSOT (1) 230-102**

\*Zsarina.Bulchand@jpl.nasa.gov  
 \*gdyke@airmail.ftops.jpl.nasa.gov  
 \*John.M.Grant@jpl.nasa.gov  
 \*dmcclena@airmail.ftops.jpl.nasa.gov  
 \*pquach@airmail.ftops.jpl.nasa.gov  
 \*mrobles@airmail.ftops.jpl.nasa.gov  
 \*rwilliam@airmail.ftops.jpl.nasa.gov

CRS \*bryant@mail630.gsfc.nasa.gov  
 LECP \*r.decker@jhuapl.edu  
 UVS \*holberg@argus.lpl.arizona.edu  
 MAG \*u2mha@lepvox.gsfc.nasa.gov  
 PLS \*vgr@space.mit.edu  
 PWS \*wsk@space.physics.uiowa.edu  
 \*Leonard.F.Burlaga@nasa.gov  
 \*Donald-Gurnett@uiowa.edu

Hall, J.  
 Howard, S. (3)  
 Jaeger, J.  
 Ludwig, R. (2)  
 Massey, Ed  
 Matsumoto, S.  
 Medina  
 Poynter, R.  
 Uffelman, H. (2)  
 Weeks, T.  
 Wong, R.  
 Zottarelli, L.  
 \*odivers@san.rr.com


**OTHER**

\* KMassey@jgld.gdscc.nasa.gov  
 \* Belinda.Arroyo@jpl.nasa.gov  
 \* Peter.T.Poon@jpl.nasa.gov  
 \* DSN-MPSETA@jjpl.jpl.nasa.gov

**LEGEND:** ∇ = R/T Command (Last chance or Contingency)  
 ▼ = R/T Command (Scheduled)  
 \* = Result of R/T Command  
 n = (where n = 1,2,3 ..) Special Note, see bottom of page  
 D = Downlink only pass  
 A = Arrayed station  
 U = Uplink only pass  
 B = BLF  
 [o] = Ramp-through  
 H = High Power Transmitter  
 T = TLC Uplink

\*Electronic Copy Only  
 (18 – Dist/N: Paper Copies)  
 03/22/06


ISSUE DATE: 02/28/07 17:08




ISSUE DATE: 02/28/07 17:08

| PST:                               |  | 0   | 1 | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10                               | 11 | 12                      | 13 | 14 | 15                         | 16 | 17 | 18 | 19 | 20                 | 21 | 22 | 23                           | 0 |  |  |
|------------------------------------|--|---|---|----|----|----|----|----|----|----|----|----------------------------------|----|-------------------------|----|----|----------------------------|----|----|----|----|--------------------|----|----|------------------------------|---|--|--|
| FRIDAY<br>MARCH 2, 2007<br>061-062 |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| UTC:                               |  | 8   | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18                               | 19 | 20                      | 21 | 22 | 23                         | 0  | 1  | 2  | 3  | 4                  | 5  | 6  | 7                            | 8 |  |  |
| S/C 31<br>INITIAL CONDITIONS       |  | █ 1200 RTLT 28h 16m 26s                             |   |    |    |    |    |    |    |    |    |                                  |    | █ 0000 RTLT 28h 16m 24s |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| RTLT: 28h 16m 28s                  |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| CCSL: A062                         |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    | 2300   - - -   2356 TAPPOS |    |    |    |    |                    |    |    |                              |   |  |  |
| FDSL: 11AF                         |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    | 0202   0203 PWS/RH |    |    |                              |   |  |  |
| TWNC: ON                           |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    | 0410   - - - -   0519 TAPPOS |   |  |  |
| SB: OFF                            |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| XB: LOW                            |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| PYR: .05/.10/.25                   |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| GYROS: OFF                         |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| FDS MODE                           |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    | CR-5T                      |    |    |    |    | CR-5T              |    |    |                              |   |  |  |
| XB DATA RATE(MI)                   |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    | 160(32)                    |    |    |    |    | 160(32)            |    |    |                              |   |  |  |
| 31 DSN COVERAGE                    |  | 1145  -----  14 [D]  -----  1545                    |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
|                                    |  | -----  10  -----                                    |   |    |    |    |    |    |    |    |    | -----  40  -----                 |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
|                                    |  | -----  60  -----                                    |   |    |    |    |    |    |    |    |    | 0035  -----  63 [D]  -----  0435 |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
|                                    |  | -----   |   |    |    |    |    |    |    |    |    | -----  60  -----                 |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| 32 DSN COVERAGE                    |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    | 0115  -----  43 [D]  -----   |   |  |  |
|                                    |  | -----  40  -----                                    |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| S/C 32<br>INITIAL CONDITIONS       |  | █ 1200 RTLT 22h 54m 12s                             |   |    |    |    |    |    |    |    |    |                                  |    | █ 0000 RTLT 22h 54m 12s |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| RTLT: 22h 54m 14s                  |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| CCSL:                              |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| FDSL: 11AF                         |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| TWNC: ON                           |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| SB: OFF                            |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| XB: LOW                            |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| PYR: .05/.10/.25                   |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| GYROS: OFF                         |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| FDS MODE                           |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    | CR-5T                      |    |    |    |    |                    |    |    |                              |   |  |  |
| XB DATA RATE(MI)                   |  |   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    | 160(32)                    |    |    |    |    |                    |    |    |                              |   |  |  |
| VGR COVERAGE                       |  | ON CALL   |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| NOTES                              |  | [1] S/C 31=GS-4B @ 0202 XB=2.8K(41) NOT RECOVERABLE |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    |                            |    |    |    |    |                    |    |    |                              |   |  |  |
| UTC:                               |  | 8   | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18                               | 19 | 20                      | 21 | 22 | 23                         | 0  | 1  | 2  | 3  | 4                  | 5  | 6  | 7                            | 8 |  |  |
| UTC:                               |  | MAR 02  |   |    |    |    |    |    |    |    |    |                                  |    |                         |    |    | MAR 03                     |    |    |    |    |                    |    |    |                              |   |  |  |


ISSUE DATE: 02/28/07 17:08




ISSUE DATE: 02/28/07 17:08



ISSUE DATE: 02/28/07 17:08



ISSUE DATE: 02/28/07 17:08



ISSUE DATE: 02/28/07 17:08

| PST:  |  | 0                                   | 1 | 2  | 3  | 4  | 5  | 6  | 7   | 8  | 9  | 10 | 11 | 12 | 13 | 14                    | 15 | 16 | 17 | 18 | 19 | 20 | 21               | 22 | 23 | 0 |  |  |  |         |  |  |  |  |  |  |
|---|--|-------------------------------------|---|----|----|----|----|----|-----|----|----|----|----|----|----|-----------------------|----|----|----|----|----|----|------------------|----|----|---|--|--|--|---------|--|--|--|--|--|--|
| UTC:  |  | 8                                   | 9 | 10 | 11 | 12 | 13 | 14 | 15  | 16 | 17 | 18 | 19 | 20 | 21 | 22                    | 23 | 0  | 1  | 2  | 3  | 4  | 5                | 6  | 7  | 8 |  |  |  |         |  |  |  |  |  |  |
| WEDNESDAY<br>MARCH 7, 2007<br>066-067   |  |                                     |   |    |    |    |    |    |     |    |    |    |    |    |    |                       |    |    |    |    |    |    |                  |    |    |   |  |  |  |         |  |  |  |  |  |  |
| S/C 31<br>INITIAL CONDITIONS<br>RTLT: 28h 16m 6s<br>CCSL: A062<br>FDSL: 11AF<br>TWNC: ON<br>SB: OFF<br>XB: LOW<br>PYR: .05/.10/.25<br>GYROS: OFF  |  | 1200 RTLT 28h 16m 4s                |   |    |    |    |    |    |     |    |    |    |    |    |    | 0000 RTLT 28h 16m 2s  |    |    |    |    |    |    |                  |    |    |   |  |  |  |         |  |  |  |  |  |  |
| FDS MODE<br>XB DATA RATE(MI)  |  |                                     |   |    |    |    |    |    |     |    |    |    |    |    |    | CR-5T<br>160(32)      |    |    |    |    |    |    |                  |    |    |   |  |  |  |         |  |  |  |  |  |  |
| 31 DSN COVERAGE   |  |                                     |   |    |    |    |    |    |     |    |    |    |    |    |    |                       |    |    |    |    |    |    |                  |    |    |   |  |  |  |         |  |  |  |  |  |  |
| 32 DSN COVERAGE   |  |                                     |   |    |    |    |    |    |     |    |    |    |    |    |    |                       |    |    |    |    |    |    |                  |    |    |   |  |  |  |         |  |  |  |  |  |  |
| S/C 32<br>INITIAL CONDITIONS<br>RTLT: 22h 53m 58s<br>CCSL: B135<br>FDSL: 11AF<br>TWNC: ON<br>SB: OFF<br>XB: LOW<br>PYR: .05/.10/.25<br>GYROS: OFF |  | 1200 RTLT 22h 53m 56s               |   |    |    |    |    |    |     |    |    |    |    |    |    | 0000 RTLT 22h 53m 54s |    |    |    |    |    |    |                  |    |    |   |  |  |  |         |  |  |  |  |  |  |
| FDS MODE<br>XB DATA RATE(MI)  |  | CR-5T<br>160(32)                    |   |    |    |    |    |    |     |    |    |    |    |    |    | PB-14<br>1.4K(39)     |    |    |    |    |    |    | CR-5T<br>160(32) |    |    |   |  |  |  |         |  |  |  |  |  |  |
| VGR COVERAGE  |  | ON CALL                             |   |    |    |    |    |    | VGR |    |    |    |    |    |    | ON CALL               |    |    |    |    |    |    | VGR              |    |    |   |  |  |  | ON CALL |  |  |  |  |  |  |
| NOTES   |  | [1] S/C 32=PB-14 @ 1958 XB=1.4K(39) |   |    |    |    |    |    |     |    |    |    |    |    |    |                       |    |    |    |    |    |    |                  |    |    |   |  |  |  |         |  |  |  |  |  |  |
| UTC:  |  | MAR 07                              |   |    |    |    |    |    |     |    |    |    |    |    |    | MAR 08                |    |    |    |    |    |    |                  |    |    |   |  |  |  |         |  |  |  |  |  |  |

▼ 0110 DUMMY (05:26)

U/L 0445 | - |  
TLC (SHORT-FORM) | - - - - -

----- COMMAND MORATORIUM -----

↓ 1849 BAY 1 HTR OFF

↓ 1853 X/B HI POWER

↓ 1949 YAW=.05

1958 | - - - - - PLAYBACK - - - - - | 0233


↓ 0248 YAW=.10

↓ 1958


↓ 0233




ISSUE DATE: 02/28/07 17:08




ISSUE DATE: 02/28/07 17:08




ISSUE DATE: 02/28/07 17:08



ISSUE DATE: 02/28/07 17:08




ISSUE DATE: 02/28/07 17:08




ISSUE DATE: 02/28/07 17:08

| TUESDAY  |  | PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 |  |  |  |  |  |  |  |  |  |  |   |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--------|--|--|--|--|--|---------|--|--|--|--|--|---|--|
| MARCH 13, 2007   |  | UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8 |  |  |  |  |  |  |  |  |  |  |   |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
| S/C 31<br>INITIAL CONDITIONS<br>RTLT: 28h 15m 40s<br>CCSL: A062<br>FDSL: 11AF<br>TWNC: ON<br>SB: OFF<br>XB: LOW<br>PYR: .05/.10/.25<br>GYROS: OFF  | 1200 RTLT 28h 15m 38s  |  |  |  |  |  |  |  |  |  |  |  | 0000 RTLT 28h 15m 36s   |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
|  | 1914   1915 PWS/RH   |  |  |  |  |  |  |  |  |  |  |  | EL-40 0503 ↓ *<br>A062C MINI-SEQ CHKSUM 0527    0531 *<br>CCS SID MRO 0542   0543 *<br>CR-5T 0546 ↓ * |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
|  | ----- TLC (SHORT-FORM) -----<br>↓ 1914 GS-4B 1915 - 0744   D/L -   |  |  |  |  |  |  |  |  |  |  |  |   |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
|  | FDS MODE CR-5T<br>XB DATA RATE(MI) 160(32)   |  |  |  |  |  |  |  |  |  |  |  | CR-5T<br>160(32)  |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
| 31 DSN COVERAGE  | <p>0845  ----- 15 [D] -----  1215<br/>           1155  ----- 14 [D] -----  1445<br/>           ..... 10 .....<br/>           ..... 40 .....<br/>           ..... 2350  ----- 63 [D] -----  0645<br/>           ..... 60 ..... 60</p> |  |  |  |  |  |  |  |  |  |  |  |   |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
| 32 DSN COVERAGE  | <p>1405  ----- 45 [D] -----  2205<br/>           ..... 40 .....</p>  |  |  |  |  |  |  |  |  |  |  |  |   |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
| S/C 32<br>INITIAL CONDITIONS<br>RTLT: 22h 53m 34s<br>CCSL: B135<br>FDSL: 11AF<br>TWNC: ON<br>SB: OFF<br>XB: HI<br>PYR: .05/.10/.25<br>GYROS: BC ON | 1200 RTLT 22h 53m 32s  |  |  |  |  |  |  |  |  |  |  |  | 0000 RTLT 22h 53m 28s   |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
|  | 1926   1927 PWS/RH   |  |  |  |  |  |  |  |  |  |  |  | ↓ 1926 GS-4B 1927   |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
|  | FDS MODE CR-5T<br>XB DATA RATE(MI) 160(32)   |  |  |  |  |  |  |  |  |  |  |  | CR-5T<br>160(32)  |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
|  | VGR COVERAGE   | ON CALL  |  |  |  |  |  |  |  |  |  |  |   | VGR    |  |  |  |  |  | ON CALL |  |  |  |  |  |   |  |
| NOTES  | [1] S/C 31=GS-4B @ 1914 XB=2.8K(41) NOT RECOVERABLE<br>[2] S/C 32=GS-4B @ 1925 XB=2.8K(41) NOT RECOVERABLE<br>[3] S/C 31=EL-40 @ 0503 XB=40(30)  |  |  |  |  |  |  |  |  |  |  |  |   |        |  |  |  |  |  |         |  |  |  |  |  |   |  |
| UTC: 8   |  | MAR 13   |  |  |  |  |  |  |  |  |  |  |   | MAR 14 |  |  |  |  |  |         |  |  |  |  |  | 8 |  |

ISSUE DATE: 02/28/07 17:08




ISSUE DATE: 02/28/07 17:08







ISSUE DATE: 02/28/07 17:08



ISSUE DATE: 02/28/07 17:08



ISSUE DATE: 02/28/07 17:08



ISSUE DATE: 02/28/07 17:08

