

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: April 18, 2007

For the Period: 04/19/07 to 05/06/07 (07-109 – 07-126)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (16) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Jaeger, J.
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina
 Poynter, R.
 Uffelman, H. (2)
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND: ∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (18 – Dist/N: Paper Copies)
 03/22/06


ISSUE DATE: 04/18/07 14:01




ISSUE DATE: 04/18/07 14:01




ISSUE DATE: 04/18/07 14:01



ISSUE DATE: 04/18/07 14:01



ISSUE DATE: 04/18/07 14:01



ISSUE DATE: 04/18/07 14:01

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY APRIL 24, 2007 114-115	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 28h 14m 0s CCSL: FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 28h 14m 0s												0000 RTLTL 28h 14m 0s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	0815 ----- 15 [D] ----- 1445												0600 15 [D]												
60.....											60.....												
32 DSN COVERAGE	1115 ----- 45 [D] ----- 1735											40.....												
S/C 32 INITIAL CONDITIONS RTLTL: 22h 49m 36s CCSL: B135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	1200 RTLTL 22h 49m 34s												0000 RTLTL 22h 49m 32s												
	----- COMMAND MORATORIUM -----																								
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
VGR COVERAGE	ON CALL												VGR ON CALL												
NOTES	[2] S/C 32=GS-4B @ 1700 XB=2.8K(41) NOT RECOVERABLE [1] S/C 31=GS-4B @ 1649 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	APR 24												APR 25												

1649 | 1650 PWS/RH

↓ 1649 GS-4B 1650

----- COMMAND MORATORIUM -----


↓ 1554 BAY 1 HTR OFF

↓ 1558 X/B HI POWER


1700 | 1701 PWS/RH

↓ 1700 GS-4B 1701

ISSUE DATE: 04/18/07 14:01




ISSUE DATE: 04/18/07 14:01




ISSUE DATE: 04/18/07 14:01

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY APRIL 27, 2007 117-118																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 28h 14m 2s CCSL: FDL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON	1200 RTLT 28h 14m 2s												0000 RTLT 28h 14m 4s												
	0719 - 0726 CCSTIMB												1947 2001 TAPPOS 2249 2250 PWS/RH 0056 0057 TAPPOS												
	----- TLC (SHORT-FORM) -----																								
													CCS CHKSUM 0428 0432 * CCS SID MRO'S 0442 0443 * ↓ 2249 GS-4B 2250 EL-40 0401 ↓ * ↓ 0444 CR-5T *												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	15 [D] 1005												0540 15 [D]												
 10 10												
 60												2245 65 [D] 0600 60												
32 DSN COVERAGE	1105 45 [D] 1935																								
 40 40												
S/C 32 INITIAL CONDITIONS RTLT: 22h 49m 20s CCSL: B135 FDL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 22h 49m 18s												0000 RTLT 22h 49m 16s												
	----- COMMAND MORATORIUM ----- 1709																								
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
VGR COVERAGE	ON CALL												VGR						ON CALL						
NOTES	[1] S/C 31=GS-4B @ 2249 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=EL-40 @ 0401 XB=40(30)																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	APR 27												APR 28												


ISSUE DATE: 04/18/07 14:01




ISSUE DATE: 04/18/07 14:01




ISSUE DATE: 04/18/07 14:01




ISSUE DATE: 04/18/07 14:01




ISSUE DATE: 04/18/07 14:01




ISSUE DATE: 04/18/07 14:01




ISSUE DATE: 04/18/07 14:01



ISSUE DATE: 04/18/07 14:01



ISSUE DATE: 04/18/07 14:01



ISSUE DATE: 04/18/07 14:01

