

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: May 02, 2007

For the Period: 05/03/07 to 05/21/07 (07-123 – 07-141)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (16) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Jaeger, J.
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina
 Poynter, R.
 Uffelman, H. (2)
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND: ∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (18 – Dist/N: Paper Copies)
 03/22/06


ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37



ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0					
TUESDAY MAY 8, 2007 128-129	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7					
S/C 31 INITIAL CONDITIONS RTLT: 28h 14m 26s CCSL: FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 28h 14m 28s 1601 1602 PWS/RH												0000 RTLT 28h 14m 30s																	
FDS MODE	CR-5T												CR-5T																	
XB DATA RATE(MI)	160(32)												160(32)																	
31 DSN COVERAGE	15 [D] 0715 - 1045												0445 14 [T]																	
	10												10																	
	40												2200 65 [D] 0215																	
	60												60																	
32 DSN COVERAGE	1540 43 [H] 1945																													
	40																													
S/C 32 INITIAL CONDITIONS RTLT: 22h 48m 26s CCSL: B135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 22h 48m 24s 1611 1612 PWS/RH												0000 RTLT 22h 48m 22s																	
	1700 DUMMY (15:48)												1736 MAGBAM CAL (16:25)																	
	1611 GS-4B 1612																													
FDS MODE	CR-5T												CR-5T																	
XB DATA RATE(MI)	160(32)												160(32)																	
VGR COVERAGE	ON CALL												VGR						ON CALL						VGR					
NOTES	[1] S/C 31=GS-4B @ 1601 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 1611 XB=2.8K(41) NOT RECOVERABLE																													
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7					
UTC:	MAY 08												MAY 09																	


ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37



ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY MAY 15, 2007 135-136	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 28h 14m 54s CCSL: FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 28h 14m 56s 1538 1538 PWS/RH												0000 RTLTL 28h 15m 0s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	25 [D] 1210 40 60												0530 25 [D] 10 60												
32 DSN COVERAGE	0930 43 [B] 1555 40																								
S/C 32 INITIAL CONDITIONS RTLTL: 22h 48m 0s CCSL: B135 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 22h 47m 58s 1547 1547 PWS/RH												0000 RTLTL 22h 47m 56s												
	1437 DUMMY (BRACKETED 13:25)																								
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL						VGR						ON CALL												
NOTES	[1] S/C 31=GS-4B @ 1538 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 1547 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAY 15												MAY 16												


ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37




ISSUE DATE: 05/09/07 21:37



ISSUE DATE: 05/09/07 21:37



ISSUE DATE: 05/09/07 21:37



ISSUE DATE: 05/09/07 21:37

