

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: July 5, 2007

For the Period: 07/05/07 to 07/23/07 (07-186 – 07-204)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (16) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Jaeger, J.
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina
 Poynter, R.
 Uffelman, H. (2)
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND: ∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (18 – Dist/N: Paper Copies)
 03/22/06


ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20



ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
TUESDAY JULY 10, 2007 191-192																												
S/C 31 INITIAL CONDITIONS RTLTL: 28h 25m 28s CCSL: A063 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 28h 25m 38s 1231 1232 PWS/RH												0000 RTLT 28h 25m 46s															
FDS MODE	CR-5T												CR-5T															
XB DATA RATE(MI)	160(32)												160(32)															
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLTL: 22h 49m 48s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 22h 49m 52s 1236 1237 PWS/RH												0000 RTLT 22h 49m 56s															
FDS MODE	CR-5T												CR-5T															
XB DATA RATE(MI)	160(32)												160(32)															
VGR COVERAGE	ON CALL																											
NOTES	[1] S/C 31=GS-4B @ 1231 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 1236 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	JUL 10														JUL 11													


ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20




ISSUE DATE: 07/05/07 20:20



ISSUE DATE: 07/05/07 20:20



ISSUE DATE: 07/05/07 20:20



ISSUE DATE: 07/05/07 20:20

