

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: August 22, 2007

For the Period: 08/23/07 to 09/10/07 (07-235 – 07-253)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (16) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Jaeger, J.
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina
 Poynter, R.
 Uffelman, H. (2)
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND: ∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (18 – Dist/N: Paper Copies)
 03/22/06


ISSUE DATE: 08/23/07 13:05




ISSUE DATE: 08/23/07 13:05




ISSUE DATE: 08/23/07 13:05



ISSUE DATE: 08/23/07 13:05




ISSUE DATE: 08/23/07 13:05




ISSUE DATE: 08/23/07 13:05

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY AUGUST 28, 2007 240-241																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 28h 42m 36s CCSL: A064 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="text-align: right;">0000 RTLTL 28h 43m 12s</div> <div style="text-align: center;">0950 0951 PWS/RH</div> <div style="text-align: center;">↓ 0950 GS-4B 0951</div>																								
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
31 DSN COVERAGE	<div style="text-align: right;">0310 ----- 15 [D] -----</div> <div style="text-align: center;">..... 10 </div> <div style="text-align: center;">..... 40 </div> <div style="text-align: center;">1650 ----- 65 [D] ----- 2115</div> <div style="text-align: center;">..... 60 </div>																								
32 DSN COVERAGE	<div style="text-align: center;">0745 ----- 34 [D] ----- 1225</div> <div style="text-align: center;">..... 40 </div> <div style="text-align: right;"> ----- 34 [D] 0630 </div> <div style="text-align: center;">..... 40 </div>																								
S/C 32 INITIAL CONDITIONS RTLTL: 23h 1m 6s CCSL: B137 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="text-align: right;">0000 RTLTL 23h 1m 34s</div> <div style="text-align: center;">0952 0953 PWS/RH</div> <div style="text-align: center;">↓ 0952 GS-4B 0953</div>																								
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
VGR COVERAGE	ON CALL																								
NOTES	[1] S/C 31=GS-4B @ 0950 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 0952 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	AUG 28														AUG 29										

ISSUE DATE: 08/23/07 13:05




ISSUE DATE: 08/23/07 13:05




ISSUE DATE: 08/23/07 13:05

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY AUGUST 31, 2007 243-244	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 28h 44m 0s CCSL: A064 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 28h 44m 10s												0000 RTLTL 28h 44m 22s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	10 40												2330 26 [D] 0500 10 40												
	1435 65 [D] 2245 60																								
32 DSN COVERAGE	34 [D] 40 1730												43 [D] 0655 40												
S/C 32 INITIAL CONDITIONS RTLTL: 23h 2m 14s CCSL: B137 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 23h 2m 24s												0000 RTLTL 23h 2m 34s												
	----- COMMAND MORATORIUM -----																								
	↓ 1527 MEMUPD - END PWSREC CALLS - ECR 105750 ↓ 1528 MEMUPD - END DAIN CALLS 1530 1531 CCS SID MRO'S ↓ 1558 PWS HR RCVR OFF ↓ 1629 GYROS AC ON ↓ 1630 GYRO INIT ↓ 1639 GYRO FAULT TEST																								
FDS MODE																									
XB DATA RATE(MI)																									
VGR COVERAGE	ON CALL												VGR						ON CALL						
NOTES	[1] S/C 31=GS-4B @ 1552 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	AUG 31												SEP 01												


ISSUE DATE: 08/23/07 13:05



ISSUE DATE: 08/23/07 13:05




ISSUE DATE: 08/23/07 13:05




ISSUE DATE: 08/23/07 13:05

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY SEPTEMBER 4, 2007 247-248																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 28h 45m 34s CCSL: A064 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 28h 45m 46s												0000 RTLTL 28h 45m 58s												
	0929 0930 PWS/RH																								
	↓ 0929 GS-4B 0929																								
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	-----												0110 - 0630 ----- 15 [D] -----												
	-----												-----												
32 DSN COVERAGE	----- 34 [D] ----- 1235												----- 34 [D] 0630 -----												
S/C 32 INITIAL CONDITIONS RTLTL: 23h 3m 34s CCSL: B137 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: AC	1200 RTLTL 23h 3m 44s												0000 RTLTL 23h 3m 54s												
	0820 ----- COMMAND MORATORIUM -----												TAPPOS 0510 - 0620 -----												
	0930 0931 PWS/RH												↓ 1630 GYRO INIT												
	↓ 0930 GS-4B 0931												BAY 1 HTR OFF 0654 ↓ X/B HI POWER 0658 ↓												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE	ON CALL																								
NOTES	[1] S/C 31=GS-4B @ 0929 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 0930 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	SEP 04												SEP 05												


ISSUE DATE: 08/23/07 13:05




ISSUE DATE: 08/23/07 13:05




ISSUE DATE: 08/23/07 13:05



ISSUE DATE: 08/23/07 13:05



ISSUE DATE: 08/23/07 13:05



ISSUE DATE: 08/23/07 13:05

