

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: November 21, 2007

For the Period: 11/22/07 to 12/10/07 (07-326 – 07-344)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (14) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhupl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Jaeger, J.
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina
 Poynter, R.
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov

LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 08/30/07


ISSUE DATE: 11/20/07 23:35




ISSUE DATE: 11/20/07 23:35


PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
FRIDAY NOVEMBER 23, 2007 327-328																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS	1200 RTLT 29h 12m 28s												0000 RTLT 29h 12m 34s													
RTLT: 29h 12m 22s																										
CSSL: BASELINE																										
FDSL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .05/.10/.25																										
GYROS: OFF																										
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
31 DSN COVERAGE	<p>1845 ----- 15 [D] ----- 2310</p> <p>10 ----- 40</p> <p>1755 63 [D] 1855</p> <p>60 ----- 60</p>																									
32 DSN COVERAGE	<p>0810 45 [D]</p> <p>40 ----- 40</p> <p>0425 ----- 45 [D]</p> <p>40 ----- 40</p>																									
S/C 32 INITIAL CONDITIONS	1200 RTLT 23h 33m 10s												0000 RTLT 23h 33m 18s													
RTLT: 23h 33m 0s																										
CSSL: BASELINE																										
FDSL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .05/.10/.25																										
GYROS: OFF																										
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
VGR COVERAGE	ON CALL																									
NOTES	<p>[1] S/C 31=GS-4B @ 0742 XB=2.8K(41) NOT RECOVERABLE</p> <p>JPL HOLIDAY</p>																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	NOV 23												NOV 24													

ISSUE DATE: 11/20/07 23:35






ISSUE DATE: 11/20/07 23:35




ISSUE DATE: 11/20/07 23:35

PST:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
TUESDAY																													
NOVEMBER 27, 2007																													
331-332																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS		1200 RTLT 29h 13m 18s														0000 RTLT 29h 13m 24s													
RTLT: 29h 13m 12s																													
CCSL: BASELINE																													
FDSL: 11AF																													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .05/.10/.25																													
GYROS: OFF																													
FDS MODE		CR-5T														CR-5T													
XB DATA RATE(MI)		160(32)														160(32)													
31 DSN COVERAGE																													
32 DSN COVERAGE																													
S/C 32 INITIAL CONDITIONS		1200 RTLT 23h 34m 26s														0000 RTLT 23h 34m 34s													
RTLT: 23h 34m 16s																													
CCSL: B138																													
FDSL: 11AF																													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .05/.10/.25																													
GYROS: OFF																													
FDS MODE		CR-5T																											
XB DATA RATE(MI)		160(32)																											
VGR COVERAGE		ON CALL														VGR				ON CALL									
NOTES		[1] S/C 31=GS-4B @ 0119 XB=2.8K(41) NOT RECOVERABLE																											
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:		NOV 27														NOV 28													


ISSUE DATE: 11/20/07 23:35





ISSUE DATE: 11/20/07 23:35




ISSUE DATE: 11/20/07 23:35











PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY DECEMBER 4, 2007 338-339	UTC: 8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTL: 29h 14m 30s CCSL: BASELINE FDL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 29h 14m 34s												0000 RTLT 29h 14m 40s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	1715 ----- 14 [D] ----- 2245 ----- 10 -----												----- 40 -----												
32 DSN COVERAGE	----- 40 -----												----- 40 0400 - 0755 ----- 45 [D] -----												
S/C 32 INITIAL CONDITIONS RTL: 23h 36m 22s CCSL: B138 FDL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: AC	1200 RTLT 23h 36m 32s												0000 RTLT 23h 36m 40s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
VGR COVERAGE	ON CALL																								
NOTES	[1] S/C 31=GS-4B @ 0055 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	DEC 04												DEC 05												

ISSUE DATE: 11/20/07 23:35




ISSUE DATE: 11/20/07 23:35




PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY DECEMBER 7, 2007 341-342																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 29h 15m 0s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 29h 15m 4s												0000 RTLTL 29h 15m 8s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	<p>1100 63 [D] 1400</p> <p>60 60</p> <p>40</p>																								
32 DSN COVERAGE	<p>34 [D] 1025</p> <p>40</p> <p>0445 34 [o]</p> <p>40</p>																								
S/C 32 INITIAL CONDITIONS RTLTL: 23h 37m 14s CCSL: B138 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON	1200 RTLTL 23h 37m 22s												0000 RTLTL 23h 37m 30s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL																								
NOTES	[1] S/C 31=GS-4B @ 0656 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	DEC 07												DEC 08												

ISSUE DATE: 11/20/07 23:35



ISSUE DATE: 11/20/07 23:35



ISSUE DATE: 11/20/07 23:35

