

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: March 6, 2008

For the Period: 03/06/08 to 03/24/08 (08-066 – 08-084)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (15) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Poynter, R.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.
 *odivers1@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (17 – Dist/N: Paper Copies)
 02/21/08


ISSUE DATE: 03/12/08 12:53



ISSUE DATE: 03/12/08 12:53



ISSUE DATE: 03/12/08 12:53



ISSUE DATE: 03/12/08 12:53

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1	
SUNDAY MARCH 9, 2008 069-070	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
S/C 31 INITIAL CONDITIONS RTLT: 29h 15m 40s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	<p>1200 RTLT 29h 15m 36s</p> <p>0000 RTLT 29h 15m 34s</p> <p>U/L 0200 - - - - - - TLC (SHORT FORM) - - - - -</p>
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)
31 DSN COVERAGE	<p>..... 10</p> <p>..... 40</p> <p>..... 10</p> <p> 0825 65 [D] 0105 63 [T] 0410</p> <p> 63 [D] 0805 - 1105 0350 65 [D] </p> <p>..... 60</p> <p>..... 60</p>
32 DSN COVERAGE	<p>1340 43 [D] 1815</p> <p>..... 40</p>
S/C 32 INITIAL CONDITIONS RTLT: 23h 46m 6s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON	<p>1200 RTLT 23h 46m 4s</p> <p>0000 RTLT 23h 46m 2s</p>
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)
VGR COVERAGE	ON CALL
NOTES	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
UTC: MAR 09 MAR 10	

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
MONDAY MARCH 10, 2008 070-071																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
S/C 31 INITIAL CONDITIONS RTLTL: 29h 15m 34s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	1200 RTLTL 29h 15m 32s												0000 RTLTL 29h 15m 30s																			
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)																			
31 DSN COVERAGE	<p>1120 26 [D] 1220 1200 25 [D] 1700 65 [D] 1015 0200 65 [D]</p>																															
32 DSN COVERAGE	<p>1350 43 [B] 2045 2025 2115 45 [D]</p>																															
S/C 32 INITIAL CONDITIONS RTLTL: 23h 46m 2s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON	1200 RTLTL 23h 46m 0s												0000 RTLTL 23h 45m 58s																			
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												1812 DUMMY (5 MIN BRACKETED 17:58) ↓ 2000 ALL DB=.05 ↓ 2016 AAI 2017 - 2054 ASCAL ↓ 2051 RAI ↓ 2054 CRU ↓ 2102 ROLL=.25 ↓ 2104 GYRO FAULT TEST 1945 ↓				EL-40 40(30)				2057 CR-5T 160(32)											
VGR COVERAGE	ON CALL												VGR				ON CALL															
NOTES	<p>[1] S/C 32 - D/L /SNR VARIATIONS EXPECTED DURING ASCAL (2017-2054) [2] S/C 32=EL-40 @ 1945 XB=40(30)</p>																															
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
UTC:	MAR 10																MAR 11															

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
TUESDAY MARCH 11, 2008 071-072																																	
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8								
S/C 31 INITIAL CONDITIONS RTLT: 29h 15m 30s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	1200 RTLT 29h 15m 28s														0000 RTLT 29h 15m 26s																		
D/L 0844	1601 BAY 1 HTR OFF 1605 X/B HI POWER														1725 DUMMY (22:40)																		
	1920 1921 PWS/RH														1920 GS-4B 1921																		
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)														CR-5T 160(32)																		
31 DSN COVERAGE																																	
32 DSN COVERAGE																																	
S/C 32 INITIAL CONDITIONS RTLT: 23h 45m 58s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON	1200 RTLT 23h 45m 56s														0000 RTLT 23h 45m 54s																		
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																																
VGR COVERAGE	ON CALL														VGR							ON CALL											
NOTES	[1] S/C 31=GS-4B @ 1919 XB=2.8K(41) NOT RECOVERABLE																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8								
UTC:	MAR 11														MAR 12																		

ISSUE DATE: 03/12/08 12:53

PDT:		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
WEDNESDAY																												
MARCH 12, 2008																												
072-073																												
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS		1200 RTLT 29h 15m 24s												0000 RTLT 29h 15m 22s														
RTLT: 29h 15m 26s																												
CCSL: A066																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: HI																												
PYR: .05/.10/.25																												
GYROS: BC ON																												
FDS MODE														CR-5T														
XB DATA RATE(MI)														160(32)														
31 DSN COVERAGE		<p>0845 ----- 14 [D] ----- 1645</p> <p>1725 ----- 2045 45 [TRACK DELETED FROM SCHEDULE]</p> <p>0230 ----- 65 [D]</p>																										
32 DSN COVERAGE		<p>1645 ----- 34 [o] ----- 2030</p>																										
S/C 32 INITIAL CONDITIONS		1200 RTLT 23h 45m 52s												0000 RTLT 23h 45m 50s														
RTLT: 23h 45m 54s																												
CCSL: B139																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: HI																												
PYR: .05/.10/.25																												
GYROS: BC ON																												
FDS MODE														CR-5T														
XB DATA RATE(MI)														160(32)														
VGR COVERAGE		ON CALL									VGR									ON CALL								
NOTES		[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1014-1609)																										
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:		MAR 12												MAR 13														

ISSUE DATE: 03/12/08 12:53

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
THURSDAY MARCH 13, 2008 073-074																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLTL: 29h 15m 22s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 29h 15m 20s												█ 0000 RTLTL 29h 15m 18s														
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
31 DSN COVERAGE																											
32 DSN COVERAGE																											
S/C 32 INITIAL CONDITIONS RTLTL: 23h 45m 50s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON	█ 1200 RTLTL 23h 45m 48s												█ 0000 RTLTL 23h 45m 46s														
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
VGR COVERAGE	ON CALL						VGR			ON CALL						VGR						ON CALL					
NOTES	[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1957-0153)																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 13												MAR 14														

ISSUE DATE: 03/12/08 12:53

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
FRIDAY MARCH 14, 2008 074-075																												
S/C 31 INITIAL CONDITIONS RTLT: 29h 15m 18s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 29h 15m 16s														0000 RTLT 29h 15m 14s													
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
31 DSN COVERAGE	<p>1035 ----- 25 [D] ----- 1645</p> <p>1655 ----- 1750 14 [D2] ----- 10</p> <p>65 [D] 0905</p> <p>0845 ----- 63 [D] ----- 1050</p> <p>2020 ----- 45 [D] ----- 2225</p> <p>0220 ----- 65 [D] ----- 0630</p>																											
32 DSN COVERAGE	<p>2030 ----- 43 [o] ----- 0350</p>																											
S/C 32 INITIAL CONDITIONS RTLT: 23h 45m 46s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 23h 45m 42s														0000 RTLT 23h 45m 40s													
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
VGR COVERAGE	ON CALL																											
NOTES	<p>[1] S/C 31=GS-4B @ 0120 XB=2.8K(41) NOT RECOVERABLE</p> <p>[2] DTT PIT</p>																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 14														MAR 15													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
SUNDAY MARCH 16, 2008 076-077																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 29h 15m 10s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 29h 15m 8s												█ 0000 RTLTL 29h 15m 6s															
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
31 DSN COVERAGE	1055 ----- 1150 26 [D] 1145 ----- 25 [D] ----- 1635 ----- ----- 40 ----- -----											 ----- 0400 ----- 65 [D] ----- ----- 60 -----															
32 DSN COVERAGE	1425 ----- 45 [D] ----- 2045 ----- 40 -----																											
S/C 32 INITIAL CONDITIONS RTLTL: 23h 45m 36s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 23h 45m 34s												█ 0000 RTLTL 23h 45m 32s															
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
VGR COVERAGE													ON CALL															
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 16														MAR 17													

ISSUE DATE: 03/12/08 12:53

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
MONDAY MARCH 17, 2008 077-078																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS	█ 1200 RTLT 29h 15m 4s												█ 0000 RTLT 29h 15m 2s															
RTLT: 29h 15m 6s																												
CCSL: A066																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/10/25																												
GYROS: OFF																												
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE	<p>1245 24 [D] 1445 1425 25 [D] 1635 10 40 10 65 [D] 0950 0225 65 [D] 0645 60 60 </p>																											
32 DSN COVERAGE	<p>1420 45 [D] 0610 40 </p>																											
S/C 32 INITIAL CONDITIONS	█ 1200 RTLT 23h 45m 28s												█ 0000 RTLT 23h 45m 26s															
RTLT: 23h 45m 32s																												
CCSL: B139																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/10/25																												
GYROS: OFF																												
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
VGR COVERAGE	ON CALL																											
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 17														MAR 18													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
TUESDAY MARCH 18, 2008 078-079																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 29h 15m 2s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 29h 15m 0s												█ 0000 RTLTL 29h 14m 58s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	1050 24 [D] 1200 1140 25 [D] 1255 1640 45 [D] 1905 60.....												1856 1856 PWS/RH 1908 ----- DTR MAINT ----- 0032 0036 0038 TAPPOS ↓ 1856 GS-4B 1856													
32 DSN COVERAGE	1300 43 [D] 1630 1625 34 [o] 1900 40.....												0130 65 [D] 60.....													
S/C 32 INITIAL CONDITIONS RTLTL: 23h 45m 26s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 23h 45m 24s												█ 0000 RTLTL 23h 45m 22s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												ON CALL													
NOTES	[1] S/C 31=GS-4B @ 1856 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 18												MAR 19													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
WEDNESDAY MARCH 19, 2008 079-080																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 29h 14m 58s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 29h 14m 56s												█ 0000 RTLT 29h 14m 54s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	0945 14 [T] 1135 1115 26 [D] 1530 40												10 60													
32 DSN COVERAGE 1620 34 [o] 2245 40																									
S/C 32 INITIAL CONDITIONS RTLT: 23h 45m 22s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 23h 45m 18s												█ 0000 RTLT 23h 45m 16s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												ON CALL													
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 19												MAR 20													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
THURSDAY MARCH 20, 2008 080-081																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 29h 14m 54s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 29h 14m 52s												█ 0000 RTLTL 29h 14m 50s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	1235 ----- 24 [D] ----- 1450 ----- 10 ----- ----- 40 -----												0155 ----- 65 [D] ----- ----- 60 -----													
32 DSN COVERAGE	1405 ----- 45 [D] ----- 1930												2245 ----- 43 [o] ----- 0410 ----- 40 -----													
S/C 32 INITIAL CONDITIONS RTLTL: 23h 45m 16s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 23h 45m 14s												█ 0000 RTLTL 23h 45m 12s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												ON CALL													
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 20												MAR 21													

ISSUE DATE: 03/12/08 12:53

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
FRIDAY MARCH 21, 2008 081-082																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 29h 14m 50s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 29h 14m 48s												█ 0000 RTLTL 29h 14m 46s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	1035 ----- 26 [D] ----- 1315 ----- 40 ----- 												----- 10 ----- 												
	65 [D] ----- 0935 ----- 												0225 ----- 65 [D] ----- 												
32 DSN COVERAGE	1530 ----- 43 [B] ----- 1720												0015 ----- 45 [D] ----- 0555												
S/C 32 INITIAL CONDITIONS RTLTL: 23h 45m 12s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 23h 45m 8s												█ 0000 RTLTL 23h 45m 6s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL						VGR						ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0056 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 21												MAR 22												

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
SATURDAY MARCH 22, 2008 082-083																												
S/C 31 INITIAL CONDITIONS RTLTL: 29h 14m 46s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 29h 14m 44s														0000 RTLTL 29h 14m 42s													
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLTL: 23h 45m 6s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 23h 45m 4s														0000 RTLTL 23h 45m 0s													
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
VGR COVERAGE	ON CALL																											
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 22														MAR 23													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SUNDAY MARCH 23, 2008 083-084																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 29h 14m 42s CCSL: A066 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 29h 14m 40s												█ 0000 RTLTL 29h 14m 38s													
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
31 DSN COVERAGE	0930 25 [D] 1140 1140 14 [D] 185010.....40..... 65 [D] 092560.....												0110 65 [D] 60.....													
32 DSN COVERAGE	1325 43 [o] 181040.....												2110 43 [D] 0300													
S/C 32 INITIAL CONDITIONS RTLTL: 23h 45m 0s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 23h 44m 58s												█ 0000 RTLTL 23h 44m 56s													
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 23												MAR 24													

