

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: April 16, 2008

For the Period: 04/17/08 to 05/05/08 (08-108 – 08-126)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (15) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Poynter, R.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.
 *odivers1@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (17 – Dist/N: Paper Copies)
 02/21/08


ISSUE DATE: 04/23/08 21:28




ISSUE DATE: 04/23/08 21:28




ISSUE DATE: 04/23/08 21:28



ISSUE DATE: 04/23/08 21:28




ISSUE DATE: 04/23/08 21:28




PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY APRIL 22, 2008 113-114	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 29h 13m 42s CCSL: A067A FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 29h 13m 42s												0000 RTLT 29h 13m 42s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	25 [D] 0830 0730 - 0850 24 [D] 10 1315 1420 45 [D] 40 1900 60 0045 65 [D] 60												10 1800 34 [o] 2205 1755 40												
32 DSN COVERAGE	1240 43 [oB] 1800												1755 34 [o] 2205												
S/C 32 INITIAL CONDITIONS RTLT: 23h 42m 8s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON	1200 RTLT 23h 42m 4s												0000 RTLT 23h 42m 2s 2335 COMMAND MORATORIUM												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
VGR COVERAGE	ON CALL												VGR ON CALL												
NOTES	[1] S/C 31=GS-4B @ 1655 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	APR 22												APR 23												


ISSUE DATE: 04/23/08 21:28



ISSUE DATE: 04/23/08 21:28



ISSUE DATE: 04/23/08 21:28




PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY APRIL 27, 2008 118-119	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 29h 13m 46s CCSL: A067A FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON	1200 RTLT 29h 13m 46s TLC (SHORT-FORM) ----- D/L - 1337 * ↓ 0806 EL-40 * * ↓ 1031 EL-40 * ↓ 0822 TLMPRG * * ↓ 0841 CR-5T * * ↓ 1128 1129 CCS SID MRO'S * ↓ 1131 CR-5T												0000 RTLT 29h 13m 48s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)	CR-5T 160(32)	EL-40 40(30)													CR-5T 160(32)									
31 DSN COVERAGE	0750 ----- 25 [D] ----- 1350 ----- 10 ----- 40 ----- 10 ----- 60 ----- 60 ----- 65 [D] ----- 0545																								
32 DSN COVERAGE	1210 ----- 45 [D] ----- 2035 ----- 40 ----- 2330 ----- 43 [D] ----- 0205																								
S/C 32 INITIAL CONDITIONS RTLT: 23h 41m 40s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 23h 41m 38s												0000 RTLT 23h 41m 36s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
VGR COVERAGE	VGR												ON CALL												
NOTES	[1] S/C 31=EL-40 @ 0806 XB=40(30) [2] S/C 31=CR-5T @ 0841 XB=160(32)												[3] S/C 31=EL-40 @ 1031 XB=160(32) [4] S/C 31=CR-5T @ 1131 XB=160(32)												
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	APR 27												APR 28												


ISSUE DATE: 04/23/08 21:28

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
MONDAY APRIL 28, 2008 119-120																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 29h 13m 48s CCSL: A067A FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON	1200 RTLT 29h 13m 48s												0000 RTLT 29h 13m 48s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
31 DSN COVERAGE	0805 ----- 24 [D] ----- 1250												14 [D] 0645 ----- 10 -----												
 10												----- 40 -----												
 60												----- 60 -----												
	----- 60 -----												0040 - 0700 ----- 65 [D] -----												
32 DSN COVERAGE													1845 ----- 43 [o] ----- 2145												
	----- 40 -----												2125 ----- 34 [D] ----- 2340												
S/C 32 INITIAL CONDITIONS RTLT: 23h 41m 36s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 23h 41m 34s												0000 RTLT 23h 41m 30s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	APR 28												APR 29												


ISSUE DATE: 04/23/08 21:28



ISSUE DATE: 04/23/08 21:28



ISSUE DATE: 04/23/08 21:28



ISSUE DATE: 04/23/08 21:28

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY MAY 5, 2008 126-127																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 29h 14m 2s CCSL: A067A FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	<div style="text-align: center;"> <p>1200 RTLT 29h 14m 4s</p> </div>																										
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)													
31 DSN COVERAGE	<div style="text-align: center;"> <p>0810 ----- 24 [D] ----- 1225 ----- 40 ----- ----- 60 ----- </p> </div>																										
32 DSN COVERAGE	<div style="text-align: center;"> <p>1200 ----- 45 [D] ----- 1720</p> </div>																										
S/C 32 INITIAL CONDITIONS RTLT: 23h 41m 2s CCSL: B139 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	<div style="text-align: center;"> <p>1200 RTLT 23h 41m 0s</p> </div>																										
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)													
VGR COVERAGE														ON CALL													
NOTES																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	MAY 05													MAY 06													