

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: June 11, 2008

For the Period: 06/12/08 to 06/30/08 (08-164 – 08-182)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (15) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Poynter, R.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.
 *odivers1@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov

LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (17 – Dist/N: Paper Copies)
 02/21/08

ISSUE DATE: 06/12/08 14:45



ISSUE DATE: 06/12/08 14:45

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
FRIDAY JUNE 13, 2008 165-166																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 29h 18m 42s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 29h 18m 48s												0000 RTLT 29h 18m 54s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	25 [D] 1045 10 1125 45 [D] 1615 40												0400 25 [D] 0605 0545 15 [D] 10 2300 65 [D] 0400 60												
32 DSN COVERAGE	1120 43 [D] 0145 40																								
S/C 32 INITIAL CONDITIONS RTLT: 23h 40m 0s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	1200 RTLT 23h 40m 2s												0000 RTLT 23h 40m 2s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
VGR COVERAGE	ON CALL												VGR												
NOTES	[1] S/C 31=GS-4B @ 2010 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=D/L AGC VARIATIONS EXPECTED DURING MAGROL (1418-2013)																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	JUN 13												JUN 14												

ISSUE DATE: 06/12/08 14:45

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
SATURDAY JUNE 14, 2008 166-167																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 29h 18m 54s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						1200												0000								
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE																										
32 DSN COVERAGE																										
S/C 32 INITIAL CONDITIONS RTLT: 23h 40m 2s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF						1200												0000								
COMMAND MORATORIUM													2033													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE													ON CALL													
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	JUN 14													JUN 15												

ISSUE DATE: 06/12/08 14:45

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
SUNDAY JUNE 15, 2008 167-168																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 29h 19m 6s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						1200												0000							
FDS MODE XB DATA RATE(MI)																									
31 DSN COVERAGE				14 [D]				1320																	
				10				40																	10
32 DSN COVERAGE								1445																	
S/C 32 INITIAL CONDITIONS RTLTL: 23h 40m 6s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF						1200												0000							
FDS MODE XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	JUN 15													JUN 16											

ISSUE DATE: 06/12/08 14:45

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
MONDAY JUNE 16, 2008 168-169																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 29h 19m 18s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF																									
FDS MODE XB DATA RATE(MI)																									
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLT: 23h 40m 8s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF																									
FDS MODE XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	JUN 16													JUN 17											

ISSUE DATE: 06/12/08 14:45


GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
TUESDAY JUNE 17, 2008 169-170																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLTL: 29h 19m 30s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 29h 19m 36s												0000 RTLT 29h 19m 42s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE																										
32 DSN COVERAGE																										
S/C 32 INITIAL CONDITIONS RTLTL: 23h 40m 10s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 23h 40m 12s												0000 RTLT 23h 40m 14s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE	ON CALL												VGR													
NOTES	[1] S/C 31=GS-4B @ 1346 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	JUN 17													JUN 18												

ISSUE DATE: 06/12/08 14:45


GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
WEDNESDAY JUNE 18, 2008 170-171																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLTL: 29h 19m 42s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 29h 19m 50s												0000 RTLT 29h 19m 56s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	<p>Timeline for 31 DSN COVERAGE:</p> <ul style="list-style-type: none"> 1140 - 15 [D] (solid line) 1140 - 40 (dotted line) 2245 - 65 [D] (solid line) 2245 - 60 (dotted line) 0520 - 25 [D] (solid line) 0520 - 10 (dotted line) 0340 - 63 [D] (solid line) 0340 - 60 (dotted line) 0540 (solid line) 																									
32 DSN COVERAGE	<p>Timeline for 32 DSN COVERAGE:</p> <ul style="list-style-type: none"> 1345 - 45 [D] (solid line) 1345 - 40 (dotted line) 1730 - 43 [D] (solid line) 1730 - 40 (dotted line) 1750 (solid line) 0005 (solid line) 																									
S/C 32 INITIAL CONDITIONS RTLTL: 23h 40m 14s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 23h 40m 16s												0000 RTLT 23h 40m 18s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE													ON CALL													
NOTES	<p>1550 ----- COMMAND MORATORIUM -----</p> <p>↓ 1500 ECR 106217 AP BR2 HTRS OFF @ 2011-033/08:56:47 SCE 1503 1509 8 CCSA SID MRO'S</p> <p>↓ 1516 ECR 106217 REMOVE CC22A FROM POST PWRCHK RESPONSE LIST 1519 1519 2 CCSB SID MRO'S</p>																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	JUN 18												JUN 19													

ISSUE DATE: 06/12/08 14:45

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
THURSDAY JUNE 19, 2008 171-172																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 29h 19m 56s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█ 1200												█ 0000							
												▼ 1420 DUMMY (19:40)													
												U/L 1500 -													
FDS MODE XB DATA RATE(MI)																									
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLTL: 23h 40m 18s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF						█ 1200												█ 0000							
FDS MODE XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:																									



ISSUE DATE: 06/12/08 14:45



GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
SUNDAY JUNE 22, 2008 174-175																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS	1200 RTLT 29h 20m 44s												0000 RTLT 29h 20m 50s													
RTLT: 29h 20m 36s																										
CCSL: A067B																										
FDSL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .05/10/25																										
GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE																										
32 DSN COVERAGE																										
S/C 32 INITIAL CONDITIONS	1200 RTLT 23h 40m 30s												0000 RTLT 23h 40m 32s													
RTLT: 23h 40m 28s																										
CCSL: B140																										
FDSL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .05/10/25																										
GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	JUN 22												JUN 23													

ISSUE DATE: 06/12/08 14:45

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
MONDAY JUNE 23, 2008 175-176																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 29h 20m 50s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█ 1200												█ 0000							
FDS MODE XB DATA RATE(MI)																									
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLTL: 23h 40m 32s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█ 1200												█ 0000							
FDS MODE XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:																									

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
TUESDAY JUNE 24, 2008 176-177																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS	1200 RTLT 29h 21m 12s												0000 RTLT 29h 21m 18s													
RTLT: 29h 21m 4s																										
CCSL: A067B																										
FDSL: 11AF	1323 1324 PWS/RH																									
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .05/10/25																										
GYROS: OFF																										
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	15 [D] 1115										0500 15 [D]															
	10										10															
	40																									
											2235 63 [D] 0515															
											60															
32 DSN COVERAGE	1100 45 [D] 1905																									
	40																									
S/C 32 INITIAL CONDITIONS	1200 RTLT 23h 40m 40s												0000 RTLT 23h 40m 42s													
RTLT: 23h 40m 38s																										
CCSL: B140																										
FDSL: 11AF	1438 PLSCAL - 1620																									
TWNC: ON	1438 --- MAGCAL --- 1740																									
SB: OFF	1438 --- PESCAL --- 1758																									
XB: LOW																										
PYR: .05/10/25																										
GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE	ON CALL																									
NOTES	[1] S/C 31=GS-4B @ 1323 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	JUN 24																		JUN 25							

ISSUE DATE: 06/12/08 14:45

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
WEDNESDAY JUNE 25, 2008 177-178																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 29h 21m 18s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 29h 21m 26s												█ 0000 RTLTL 29h 21m 34s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLTL: 23h 40m 42s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 23h 40m 44s												█ 0000 RTLTL 23h 40m 46s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	JUN 25													JUN 26											

ISSUE DATE: 06/12/08 14:45

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
THURSDAY JUNE 26, 2008 178-179																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 29h 21m 34s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						1200													0000						
FDS MODE XB DATA RATE(MI)																									
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLTL: 23h 40m 46s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						1200													0000						
FDS MODE XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:																									

ISSUE DATE: 06/12/08 14:45


GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
FRIDAY JUNE 27, 2008 179-180																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS																									
RTLT: 29h 21m 48s																									
CCSL: A067B																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: LOW																									
PYR: .05/.10/.25																									
GYROS: OFF																									
FDS MODE																									
XB DATA RATE(MI)																									
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS																									
RTLT: 23h 40m 52s																									
CCSL: B140																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: LOW																									
PYR: .05/.10/.25																									
GYROS: OFF																									
FDS MODE																									
XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:																									

[1] S/C 31=GS-4B @ 1923 XB=2.8K(41) NOT RECOVERABLE

ISSUE DATE: 06/12/08 14:45

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
SATURDAY JUNE 28, 2008 180-181																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLTL: 29h 22m 4s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█	1200											█	0000								
FDS MODE												CR-5T															
XB DATA RATE(MI)												160(32)															
31 DSN COVERAGE	<p>0700 14 [D] 15 [D] 1100 0440 15 [D] 0100 0500 10 40 60 65 [D] 63 [D]</p>																										
32 DSN COVERAGE	<p>1055 45 [D] 1850 2205 43 [D] 0045 40</p>																										
S/C 32 INITIAL CONDITIONS RTLTL: 23h 40m 58s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█	1200											█	0000								
FDS MODE												CR-5T															
XB DATA RATE(MI)												160(32)															
VGR COVERAGE												ON CALL															
NOTES																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	JUN 28													JUN 29													

ISSUE DATE: 06/12/08 14:45



ISSUE DATE: 06/12/08 14:45

GMT:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
MONDAY JUNE 30, 2008 182-183																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 29h 22m 34s CCSL: A067B FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 29h 22m 42s																								
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLT: 23h 41m 8s CCSL: B140 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 23h 41m 12s																								
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	JUN 30												JUL 01												