

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: March 11, 2009

For the Period: 03/12/09 to 03/30/09 (09-071– 09-089)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (15) 600-100

DSOT (1) 230-102

- *Zsarina.Bulchand@jpl.nasa.gov
- *gdyke@airmail.ftops.jpl.nasa.gov
- *John.M.Grant@jpl.nasa.gov
- *dmcclena@airmail.ftops.jpl.nasa.gov
- *pquach@airmail.ftops.jpl.nasa.gov
- *mrobles@airmail.ftops.jpl.nasa.gov
- *rwilliam@airmail.ftops.jpl.nasa.gov

- CRS *bryant@mail630.gsfc.nasa.gov
- LECP *r.decker@jhupl.edu
- UVS *holberg@argus.lpl.arizona.edu
- MAG *u2mha@lepvox.gsfc.nasa.gov
- PLS *vgr@space.mit.edu
- PWS *wsk@space.physics.uiowa.edu
- *Leonard.F.Burlaga@nasa.gov
- *Donald-Gurnett@uiowa.edu

- Hall, J.
- Howard, S. (3)
- Ludwig, R. (2)
- Massey, Ed
- Matsumoto, S.
- Medina, E.
- Peralta, F.
- Poynter, R.
- Weeks, T.
- Wong, R.
- Yang, L
- Zottarelli, L.
- *odivers1@san.rr.com

OTHER

- * KMassey@jgld.gdscc.nasa.gov
- * Belinda.Arroyo@jpl.nasa.gov
- * Peter.T.Poon@jpl.nasa.gov
- * DSN-MPSETA@jjpl.jpl.nasa.gov

- LEGEND:**
- ∇ = R/T Command (Last chance or Contingency)
 - ▼ = R/T Command (Scheduled)
 - * = Result of R/T Command
 - n = (where n = 1,2,3 ..) Special Note, see bottom of page
 - A = Arrayed station
 - B = 7-Point BLF
 - D = Downlink only pass
 - H = High Power Transmitter
 - R = Array Reference Antenna
 - T = TLC Uplink
 - U = Uplink only pass
 - [o] = Ramp-through

*Electronic Copy Only
(17 – Dist/N: Paper Copies)
02/21/08

ISSUE DATE: 03/11/09 20:05

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SATURDAY MARCH 14, 2009 073-074	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 30h 15m 0s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	1200 RTLT 30h 14m 58s												0000 RTLT 30h 14m 56s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
31 DSN COVERAGE	14 [D] 1255 1425 26 [D] 1810 10 40												10 0805 65 [D] 60 0330 65 [D] 60													
32 DSN COVERAGE	1845 34 [o] 0005 40																									
S/C 32 INITIAL CONDITIONS RTLT: 24h 38m 10s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: BC ON	1200 RTLT 24h 38m 8s												0000 RTLT 24h 38m 4s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
VGR COVERAGE													ON CALL													
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 14													MAR 15												

ISSUE DATE: 03/11/09 20:05

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
SUNDAY MARCH 15, 2009 074-075																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
S/C 31 INITIAL CONDITIONS	1200 RTLT 30h 14m 54s													0000 RTLT 30h 14m 52s																		
RTLT: 30h 14m 56s																																
CCSL: A070																																
FDSL: 11AF																																
TWNC: ON																																
SB: OFF																																
XB: HI																																
PYR: .05/10/25																																
GYROS: OFF																																
FDS MODE														CR-5T																		
XB DATA RATE(MI)														160(32)																		
31 DSN COVERAGE																																
32 DSN COVERAGE																																
S/C 32 INITIAL CONDITIONS	1200 RTLT 24h 38m 2s													0000 RTLT 24h 38m 0s																		
RTLT: 24h 38m 4s																																
CCSL: B142																																
FDSL: 11AF																																
TWNC: ON																																
SB: OFF																																
XB: LOW																																
PYR: .05/10/25																																
GYROS: BC ON																																
FDS MODE														CR-5T																		
XB DATA RATE(MI)														160(32)																		
VGR COVERAGE	ON CALL																															
NOTES																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
UTC:	MAR 15													MAR 16																		

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1										
MONDAY MARCH 16, 2009 075-076																																			
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8										
S/C 31 INITIAL CONDITIONS RTLT: 30h 14m 52s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 30h 14m 50s														█ 0000 RTLT 30h 14m 48s																				
FDS MODE	CR-5T														CR-5T																				
XB DATA RATE(MI)	160(32)														160(32)																				
31 DSN COVERAGE	<p>1005 ----- 14 [D] ----- 1445</p> <p>..... ----- 10 ----- 40 ----- 2355 ----- 63 [T] ----- 0645</p> <p>..... ----- 60 ----- 60</p>																																		
32 DSN COVERAGE	<p>1850 ----- 34 [DAR] ----- 2350</p> <p>..... ----- 2015 ----- 45 [DA] ----- 2215</p> <p>..... ----- 40 ----- </p>																																		
S/C 32 INITIAL CONDITIONS RTLT: 24h 38m 0s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	█ 1200 RTLT 24h 37m 58s														█ 0000 RTLT 24h 37m 56s																				
FDS MODE	CR-5T														EL-40				CR-5T																
XB DATA RATE(MI)	160(32)														40(30)				160(32)																
VGR COVERAGE	ON CALL							VGR							ON CALL							VGR							ON CALL						
NOTES	[1] S/C 32=EL-40 @ 2034 XB=40(30)																																		
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8										
UTC:	MAR 16														MAR 17																				

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
TUESDAY MARCH 17, 2009 076-077																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 30h 14m 48s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	█ 1200 RTLT 30h 14m 46s												█ 0000 RTLT 30h 14m 44s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)													
31 DSN COVERAGE	0900 ----- 15 [D] ----- 1350										14 [D] 0710 ----- 10															
	----- 60 -----										----- 40 -----															
	----- 60 -----										0155 ----- 65 [D] ----- 0645															
32 DSN COVERAGE	1815 ----- 34 [o] ----- 2215												----- 40 -----													
S/C 32 INITIAL CONDITIONS RTLT: 24h 37m 56s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON	█ 1200 RTLT 24h 37m 54s												█ 0000 RTLT 24h 37m 50s													
FDS MODE XB DATA RATE(MI)	COMMAND MORATORIUM												1925													
VGR COVERAGE	ON CALL																									
NOTES	[1] S/C 31=GS-4B @ 1838 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 17												MAR 18													

ISSUE DATE: 03/11/09 20:05

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
THURSDAY MARCH 19, 2009 078-079																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 30h 14m 40s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	█ 1200 RTLT 30h 14m 38s												█ 0000 RTLT 30h 14m 36s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
31 DSN COVERAGE	0850 ----- 15 [D] ----- 1445 ----- 10 ----- ----- 40 -----												----- 60 ----- ----- 0310 ----- 65 [D] ----- ----- 60 -----													
32 DSN COVERAGE													2015 ----- 34 [DAR] ----- 0315 2015 ----- 45 [DA] ----- 0605 ----- 40 -----													
S/C 32 INITIAL CONDITIONS RTLT: 24h 37m 46s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON	█ 1200 RTLT 24h 37m 44s												█ 0000 RTLT 24h 37m 42s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
VGR COVERAGE	ON CALL												VGR						ON CALL							
NOTES	[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (2046-0241)																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 19																		MAR 20							

ISSUE DATE: 03/11/09 20:05

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
FRIDAY MARCH 20, 2009 079-080																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 30h 14m 36s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	█ 1200 RTLT 30h 14m 34s													█ 0000 RTLT 30h 14m 32s														
FDS MODE	CR-5T													CR-5T														
XB DATA RATE(MI)	160(32)													160(32)														
31 DSN COVERAGE	0845 ----- 15 [D] ----- 1245 ----- 10 -----													----- 40 -----														
	65 [D] 0900 ----- 60 -----													0200 - 0725 ----- 65 [D] ----- ----- 60 -----														
32 DSN COVERAGE	----- 40 -----													0050 ----- 45 [D] ----- 0600 ----- 40 -----														
S/C 32 INITIAL CONDITIONS RTLT: 24h 37m 42s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	█ 1200 RTLT 24h 37m 38s													█ 0000 RTLT 24h 37m 36s														
FDS MODE	CR-5T													CR-5T														
XB DATA RATE(MI)	160(32)													160(32)														
VGR COVERAGE	ON CALL													ON CALL														
NOTES	[1] S/C 31=GS-4B @ 0037 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 20														MAR 21													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SATURDAY MARCH 21, 2009 080-081	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 30h 14m 32s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 30h 14m 30s												█ 0000 RTLT 30h 14m 28s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
31 DSN COVERAGE	0845 ----- 15 [D] ----- 1430 ----- 10 ----- ----- 40 ----- 0115 ----- 63 [D] ----- 0440 0425 ----- 65 [D] ----- 60												----- 10 -----													
32 DSN COVERAGE	1520 ----- 45 [D] ----- 1955 ----- 40 -----																									
S/C 32 INITIAL CONDITIONS RTLT: 24h 37m 36s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 24h 37m 34s												█ 0000 RTLT 24h 37m 32s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
VGR COVERAGE													ON CALL													
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 21													MAR 22												

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
SUNDAY MARCH 22, 2009 081-082																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 30h 14m 28s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	█ 1200 RTLTL 30h 14m 26s												█ 0000 RTLTL 30h 14m 24s															
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
31 DSN COVERAGE	1025 ----- 25 [D] ----- 1425												----- 63 [D] ----- 0450															
32 DSN COVERAGE	1600 ----- 45 [D] ----- 1805												1745 ----- 34 [D] ----- 2045															
S/C 32 INITIAL CONDITIONS RTLTL: 24h 37m 32s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	█ 1200 RTLTL 24h 37m 28s												█ 0000 RTLTL 24h 37m 26s															
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
VGR COVERAGE													ON CALL															
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 22														MAR 23													

ISSUE DATE: 03/11/09 20:05

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
MONDAY MARCH 23, 2009 082-083																											
S/C 31 INITIAL CONDITIONS RTLT: 30h 14m 24s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 30h 14m 22s												0000 RTLT 30h 14m 20s														
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
31 DSN COVERAGE	<p>..... 10 </p> <p>..... 40 </p> <p>..... 2330 63 [D] 0435</p> <p>..... 60 </p>																										
32 DSN COVERAGE	<p>..... 1355 45 [D] 1755</p> <p>..... 40 0035 34 [D] 0325</p> <p>..... </p>																										
S/C 32 INITIAL CONDITIONS RTLT: 24h 37m 26s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 24h 37m 24s												0000 RTLT 24h 37m 20s														
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
VGR COVERAGE	ON CALL																										
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 23													MAR 24													

ISSUE DATE: 03/11/09 20:05

PDT:		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
TUESDAY																											
MARCH 24, 2009																											
083-084																											
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS		1200 RTLT 30h 14m 18s													0000 RTLT 30h 14m 16s												
RTLT: 30h 14m 20s															1813 1814 PWS/RH												
CCSL: A070															1825 ----- DTR MAINT ----- 2349												
FDSL: 11AF															2353 2356 TAPPOS												
TWNC: ON															0308 --- TAPPOS --- 0528												
SB: OFF															U/L 0300 --- TLC (SHORT-FORM) ---												
XB: HI																											
PYR: .05/.10/.25																											
GYROS: OFF																											
FDS MODE		CR-5T													CR-5T												
XB DATA RATE(MI)		160(32)													160(32)												
31 DSN COVERAGE		1110 ----- 26 [D] ----- 1440													0645 14 [DA]												
	 ----- 10 -----													24 [DAR] 0740												
		----- 40 -----													----- 10 -----												
	 ----- 60 -----													0225 ----- 63 [T] ----- 0645												
		----- 60 -----													----- 60 -----												
32 DSN COVERAGE		1410 ----- 45 [D] ----- 1910																									
		----- 40 -----																									
S/C 32 INITIAL CONDITIONS		1200 RTLT 24h 37m 18s													0000 RTLT 24h 37m 16s												
RTLT: 24h 37m 20s																											
CCSL: B142																											
FDSL: 11AF																											
TWNC: ON																											
SB: OFF																											
XB: LOW																											
PYR: .05/.10/.25																											
GYROS: OFF																											
FDS MODE		CR-5T													CR-5T												
XB DATA RATE(MI)		160(32)													160(32)												
VGR COVERAGE		ON CALL																									
NOTES		[1] S/C 31=GS-4B @ 1813 XB=2.8K(41) NOT RECOVERABLE																									
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:		MAR 24													MAR 25												

ISSUE DATE: 03/11/09 20:05

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
FRIDAY MARCH 27, 2009 086-087																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 30h 14m 10s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 30h 14m 8s												█ 0000 RTLT 30h 14m 6s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
31 DSN COVERAGE	----- 15 [D] ----- 0820 - 1220 ----- 10 ----- ----- 40 ----- ----- 10 -----												0115 ----- 65 [D] ----- 0450 ----- 60 -----													
32 DSN COVERAGE	1340 ----- 45 [D] ----- 1835 ----- 40 -----																									
S/C 32 INITIAL CONDITIONS RTLT: 24h 37m 4s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 24h 37m 2s												█ 0000 RTLT 24h 37m 0s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
VGR COVERAGE													ON CALL													
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 27													MAR 28												

ISSUE DATE: 03/11/09 20:05

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SATURDAY MARCH 28, 2009 087-088																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 30h 14m 6s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 30h 14m 4s												0000 RTLT 30h 14m 4s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	15 [D] 0815 - 1205 1145 10 14 [D] 1815												0650 15 [DA] 24 [DAR] 0650 10													
	60												0115 63 [D] 0425 60													
32 DSN COVERAGE	1845 45 [D] 2025 2020 34 [o] 0250												40													
S/C 32 INITIAL CONDITIONS RTLTL: 24h 37m 0s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 24h 36m 56s												0000 RTLT 24h 36m 54s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												VGR ON CALL													
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 28												MAR 29													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
SUNDAY MARCH 29, 2009 088-089																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS	1200 RTLT 30h 14m 2s												0000 RTLT 30h 14m 0s															
RTLT: 30h 14m 4s																												
CCSL: A070																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/.10/.25																												
GYROS: OFF																												
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS	1200 RTLT 24h 36m 50s												0000 RTLT 24h 36m 48s															
RTLT: 24h 36m 54s																												
CCSL: B142																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/.10/.25																												
GYROS: OFF																												
FDS MODE													CR-5T															
XB DATA RATE(MI)													160(32)															
VGR COVERAGE	ON CALL																											
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 29														MAR 30													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
MONDAY MARCH 30, 2009 089-090																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLT: 30h 14m 0s CCSL: A070 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="text-align: center;"> <p>1200 RTLT 30h 13m 58s</p> </div>																										
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)													
31 DSN COVERAGE	<div style="text-align: center;"> <p>15 [D] 0810 - 1200 1145 14 [D] 1255 10 40 60</p> </div>																										
32 DSN COVERAGE																											
S/C 32 INITIAL CONDITIONS RTLT: 24h 36m 48s CCSL: B142 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="text-align: center;"> <p>1200 RTLT 24h 36m 46s</p> </div>																										
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)													
VGR COVERAGE														ON CALL													
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 30													MAR 31													