

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: January 20, 2009

For the Period: 01/21/2010 to 02/08/2010 (10-021 – 10-039)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (15) 600-100

DSOT (1) 230-102

- *Zsarina.Bulchand@jpl.nasa.gov
- *gdyke@airmail.ftops.jpl.nasa.gov
- *John.M.Grant@jpl.nasa.gov
- *dmcclena@airmail.ftops.jpl.nasa.gov
- *pquach@airmail.ftops.jpl.nasa.gov
- *mrobles@airmail.ftops.jpl.nasa.gov
- *rwilliam@airmail.ftops.jpl.nasa.gov

- CRS *bryant@mail630.gsfc.nasa.gov
- LECP *r.decker@jhupl.edu
- UVS *holberg@argus.lpl.arizona.edu
- MAG *u2mha@lepvox.gsfc.nasa.gov
- PLS *vgr@space.mit.edu
- PWS *wsk@space.physics.uiowa.edu
- *Leonard.F.Burlaga@nasa.gov
- *Donald-Gurnett@uiowa.edu

- Hall, J.
- Howard, S. (3)
- Ludwig, R. (2)
- Massey, Ed
- Matsumoto, S.
- Medina, E.
- Peralta, F.
- Poynter, R.
- Weeks, T.
- Wong, R.
- Yang, L
- Zottarelli, L.

*odivers1@san.rr.com

OTHER


- * KMassey@jgld.gdscc.nasa.gov
- * Belinda.Arroyo@jpl.nasa.gov
- * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = 7-Point BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through


*Electronic Copy Only
(17 – Dist/N: Paper Copies)
04/02/09


ISSUE DATE: 01/21/10 13:56







ISSUE DATE: 01/21/10 13:56












ISSUE DATE: 01/21/10 13:56




PST:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
FRIDAY JANUARY 29, 2010 029-030																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 31h 17m 22s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF		1200 RTLTL 31h 17m 20s												0000 RTLTL 31h 17m 20s															
FDS MODE		CR-5T												CR-5T															
XB DATA RATE(MI)		160(32)												160(32)															
31 DSN COVERAGE		<p>1100 ----- 25 [DA] ----- 2225 1100 ----- 26 [DAR] ----- 2225 ----- 10 ----- ----- 40 ----- ----- 60 ----- 60</p>																											
32 DSN COVERAGE		<p>43 [D] ----- 0930 ----- 1930 ----- 43 [o] ----- 40 ----- 40</p>																											
S/C 32 INITIAL CONDITIONS RTLTL: 25h 31m 6s CCSL: B146 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF		1200 RTLTL 25h 31m 8s												0000 RTLTL 25h 31m 10s															
FDS MODE		CR-5T												CR-5T															
XB DATA RATE(MI)		160(32)												160(32)															
VGR COVERAGE		ON CALL												ON CALL															
NOTES		[1] S/C 31=GS-4B @ 0333 XB=2.8K(41) NOT RECOVERABLE																											
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:		JAN 29														JAN 30													

ISSUE DATE: 01/21/10 13:56







ISSUE DATE: 01/21/10 13:56




ISSUE DATE: 01/21/10 13:56




ISSUE DATE: 01/21/10 13:56





ISSUE DATE: 01/21/10 13:56





ISSUE DATE: 01/21/10 13:56





ISSUE DATE: 01/21/10 13:56

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY FEBRUARY 8, 2010 039-040																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLT: 31h 16m 58s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="text-align: center;"> <p>1200 RTLT 31h 16m 58s</p> </div>																										
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
31 DSN COVERAGE	<div style="text-align: center;"> <p>0845 55 [DAR] 0845 65 [DA]</p> </div>																										
32 DSN COVERAGE	<div style="text-align: center;"> <p>0905 43 [D] 0905 0940 40 [D]</p> </div>																										
S/C 32 INITIAL CONDITIONS RTLT: 25h 31m 34s CCSL: B146 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="text-align: center;"> <p>1200 RTLT 25h 31m 34s</p> </div>																										
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
VGR COVERAGE														ON CALL													
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	FEB 08													FEB 09													