

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: April 7, 2010

For the Period: 4/8/2010 to 04/26/2010 (10-098 – 10-116)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (15) 600-100

DSOT (1) 230-102

- *Zsarina.Bulchand@jpl.nasa.gov
- *gdyke@airmail.ftops.jpl.nasa.gov
- *John.M.Grant@jpl.nasa.gov
- *dmcclena@airmail.ftops.jpl.nasa.gov
- *pquach@airmail.ftops.jpl.nasa.gov
- *mrobles@airmail.ftops.jpl.nasa.gov
- *rwilliam@airmail.ftops.jpl.nasa.gov

- CRS *bryant@mail630.gsfc.nasa.gov
- LECP *r.decker@jhupl.edu
- UVS *holberg@argus.lpl.arizona.edu
- MAG *u2mha@lepvox.gsfc.nasa.gov
- PLS *vgr@space.mit.edu
- PWS *wsk@space.physics.uiowa.edu
- *Leonard.F.Burlaga@nasa.gov
- *Donald-Gurnett@uiowa.edu

- Hall, J.
- Howard, S. (3)
- Ludwig, R. (2)
- Massey, Ed
- Matsumoto, S.
- Medina, E.
- Peralta, F.
- Poynter, R.
- Weeks, T.
- Wong, R.
- Yang, L
- Zottarelli, L.

*odivers1@san.rr.com


OTHER

- * KMassey@jgld.gdscc.nasa.gov
- * Belinda.Arroyo@jpl.nasa.gov
- * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND:


- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = 7-Point BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

*Electronic Copy Only
(17 – Dist/N: Paper Copies)
04/02/09





ISSUE DATE: 04/07/10 13:49






ISSUE DATE: 04/07/10 13:49






ISSUE DATE: 04/07/10 13:49





ISSUE DATE: 04/07/10 13:49


PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
WEDNESDAY APRIL 14, 2010 104-105																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 31h 13m 6s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 31h 13m 4s												0000 RTLTL 31h 13m 4s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	15 [DA] ————— 0705 - 1320 25 [DAR] ————— 0705 - 1320 10 10 40 40 60 60												0400 ——— 63 [D] ——— 60 60												
32 DSN COVERAGE	1245 —— 45 [D] —— 1455 40 40												1745 —— 45 [D] —— 1950 1940 —— 43 [D] —— 2300 40 40												
S/C 32 INITIAL CONDITIONS RTLTL: 25h 27m 52s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 25h 27m 48s												0000 RTLTL 25h 27m 46s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE													ON CALL												
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	APR 14												APR 15												


ISSUE DATE: 04/07/10 13:49














ISSUE DATE: 04/07/10 13:49




ISSUE DATE: 04/07/10 13:49




ISSUE DATE: 04/07/10 13:49



ISSUE DATE: 04/07/10 13:49





ISSUE DATE: 04/07/10 13:49

