

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: April 21, 2010

For the Period: 4/22/2010 to 05/10/2010 (10-112 – 10-130)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (15) 600-100

DSOT (1) 230-102

- *Zsarina.Bulchand@jpl.nasa.gov
- *gdyke@airmail.ftops.jpl.nasa.gov
- *John.M.Grant@jpl.nasa.gov
- *dmcclena@airmail.ftops.jpl.nasa.gov
- *pquach@airmail.ftops.jpl.nasa.gov
- *mrobles@airmail.ftops.jpl.nasa.gov
- *rwilliam@airmail.ftops.jpl.nasa.gov

- CRS *bryant@mail630.gsfc.nasa.gov
- LECP *r.decker@jhuapl.edu
- UVS *holberg@argus.lpl.arizona.edu
- MAG *u2mha@lepvox.gsfc.nasa.gov
- PLS *vgr@space.mit.edu
- PWS *wsk@space.physics.uiowa.edu
- *Leonard.F.Burlaga@nasa.gov
- *Donald-Gurnett@uiowa.edu

- Hall, J.
- Howard, S. (3)
- Ludwig, R. (2)
- Massey, Ed
- Matsumoto, S.
- Medina, E.
- Peralta, F.
- Poynter, R.
- Weeks, T.
- Wong, R.
- Yang, L
- Zottarelli, L.

*odivers1@san.rr.com

OTHER

- * KMassey@jgld.gdscc.nasa.gov
- * Belinda.Arroyo@jpl.nasa.gov
- * DSN-MPSETA@jjpl.jpl.nasa.gov

LEGEND:


- ∇ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = 7-Point BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

*Electronic Copy Only
(17 – Dist/N: Paper Copies)
04/02/09


ISSUE DATE: 04/29/10 11:30

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
FRIDAY APRIL 23, 2010 113-114																												
S/C 31 INITIAL CONDITIONS RTLT: 31h 13m 0s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 31h 13m 0s														0000 RTLT 31h 13m 0s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)														CR-5T 160(32)													
31 DSN COVERAGE	1005 24 [DAR] 1345 1005 26 [DA] 1345														0155 55 [DAR] 10 0155 65 [DA] 0505 0505 54 [DA]													
32 DSN COVERAGE	1405 43 [HB] 0310																											
S/C 32 INITIAL CONDITIONS RTLT: 25h 27m 2s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: BC ON	1200 RTLT 25h 26m 58s														0000 RTLT 25h 26m 56s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																											
VGR COVERAGE	ON CALL														VGR							ON CALL						
NOTES	[1] S/C 31=GS-4B @ 2243 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	APR 23														APR 24													


ISSUE DATE: 04/29/10 11:30




ISSUE DATE: 04/29/10 11:30




ISSUE DATE: 04/29/10 11:30




ISSUE DATE: 04/29/10 11:30




ISSUE DATE: 04/29/10 11:30




ISSUE DATE: 04/29/10 11:30




ISSUE DATE: 04/29/10 11:30






ISSUE DATE: 04/29/10 11:30




ISSUE DATE: 04/29/10 11:30




ISSUE DATE: 04/29/10 11:30

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0					
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7					
<p>TUESDAY MAY 4, 2010 124-125</p>																															
S/C 31 INITIAL CONDITIONS		1200 RTLT 31h 13m 16s													0000 RTLT 31h 13m 18s																
RTLT: 31h 13m 14s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON		↓ 0705 ALL DB=.05 ↓ 0721 AAI - 0722 - 0755 ASCAL ↓ 0756 RAI ↓ 0808 YAW=.10 ↓ 0808 ROLL=.25 ↓ 0809 GYRO FAULT TEST ↓ 0802													1555 1556 PWS/RH 1554 GS-4B 1555 2 SID MRO'S (10:08) 0254 ▼ DUMMY (10:38) 0325 ▼ 2 SID MRO'S (11:08) 0354 ▼ U/L 0540 - TLC (SHORT-FORM) - - -																
FDS MODE		EL-40											CR-5T											CR-5T							
XB DATA RATE(MI)		40(30)											160(32)											160(32)							
31 DSN COVERAGE		0805 ----- 26 [D] ----- 1330 10 1315 ----- 43 [D] ----- 1755 0140 ----- 63 [T] ----- 0610 65 [D] 0805 ----- 40 ----- 60 55 [D] 0610 -----																													
32 DSN COVERAGE		1150 ----- 45 [D] ----- 2145 40																													
S/C 32 INITIAL CONDITIONS		1200 RTLT 25h 26m 4s													0000 RTLT 25h 26m 2s																
RTLT: 25h 26m 6s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: BC ON		1705 PLSCAL - 1847 1705 - - - MAGCAL - - - 2007 1705 - - - - PESCAL - - - - 2025																													
FDS MODE		CR-5T																													
XB DATA RATE(MI)		160(32)																													
VGR COVERAGE		VGR													ON CALL													VGR		ON CALL	
NOTES		[1] S/C 31=EL-40 @ 0650 XB=40(30) [2] S/C 31=GS-4B @ 1554 XB=2.8K(41) NOT RECOVERABLE																													
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7					
UTC:		MAY 04													MAY 05																


ISSUE DATE: 04/29/10 11:30




ISSUE DATE: 04/29/10 11:30



ISSUE DATE: 04/29/10 11:30



ISSUE DATE: 04/29/10 11:30



ISSUE DATE: 04/29/10 11:30

