

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: June 17, 2010

For the Period: 06/17/2010 to 07/05/2010 (10-168 – 10-186)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (15) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhupl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Poynter, R.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.

*odivers1@san.rr.com

OTHER


* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND:


∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (17 – Dist/N: Paper Copies)
 04/02/09


ISSUE DATE: 06/22/10 21:37








ISSUE DATE: 06/22/10 21:37




ISSUE DATE: 06/22/10 21:37

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
MONDAY JUNE 21, 2010 172-173																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 31h 19m 26s CCSL: A075 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	█ 1200 RTLT 31h 19m 34s												█ 0000 RTLT 31h 19m 40s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
31 DSN COVERAGE	15 [DA] ———— 1135 24 [DAR] ———— 1135 1040..... 60.....												15 [DA] 0700 24 [DAR] 0700 10 0205 ——— 63 [D] ——— 0530													
32 DSN COVERAGE	1220 ——— 34 [o] ——— 143040.....												1745 ——— 45 [D] ——— 2020													
S/C 32 INITIAL CONDITIONS RTLT: 25h 25m 24s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	█ 1200 RTLT 25h 25m 26s												█ 0000 RTLT 25h 25m 28s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	JUN 21												JUN 22													


ISSUE DATE: 06/22/10 21:37




ISSUE DATE: 06/22/10 21:37





ISSUE DATE: 06/22/10 21:37







ISSUE DATE: 06/22/10 21:37










ISSUE DATE: 06/22/10 21:37




ISSUE DATE: 06/22/10 21:37









ISSUE DATE: 06/22/10 21:37

