

# VOYAGER

## Space Flight Operations Schedule (SFOS)

Issue Date: September 15, 2010

For the Period: 09/16/2010 to 10/04/2010 (10-259 – 10-277)

**DSN OPSCHIEF (1) 230-102**

**SCIENCE**

**FLIGHT TEAM (14) 600-100**

**DSOT (1) 230-102**

- \*Zsarina.Bulchand@jpl.nasa.gov
- \*gdyke@airmail.ftops.jpl.nasa.gov
- \*John.M.Grant@jpl.nasa.gov
- \*dmcclena@airmail.ftops.jpl.nasa.gov
- \*pquach@airmail.ftops.jpl.nasa.gov
- \*mrobles@airmail.ftops.jpl.nasa.gov
- \*rwilliam@airmail.ftops.jpl.nasa.gov

- CRS \*bryant@mail630.gsfc.nasa.gov
- LECP \*r.decker@jhupl.edu
- UVS \*holberg@argus.lpl.arizona.edu
- MAG \*u2mha@lepvox.gsfc.nasa.gov
- PLS \*vgr@space.mit.edu
- PWS \*wsk@space.physics.uiowa.edu
- \*Leonard.F.Burlaga@nasa.gov
- \*Donald-Gurnett@uiowa.edu

- Dodd, S.
- Hall, J.
- Howard, S. (3)
- Ludwig, R. (2)
- Matsumoto, S.
- Medina, E.
- Peralta, F.
- Weeks, T.
- Wong, R.
- Yang, L
- Zottarelli, L.
- \*odivers1@san.rr.com

**OTHER**


- \* KMassej@jgld.gdscc.nasa.gov
- \* Belinda.Arroyo@jpl.nasa.gov
- \* !DL-DSN-MPSETA@dsn.nasa.gov

- LEGEND:**
- ▽ = R/T Command (Last chance or Contingency)
  - ▼ = R/T Command (Scheduled)
  - \* = Result of R/T Command
  - n = (where n = 1,2,3 ..) Special Note, see bottom of page
  - A = Arrayed station
  - B = 7-Point BLF
  - D = Downlink only pass
  - H = High Power Transmitter
  - R = Array Reference Antenna
  - T = TLC Uplink
  - U = Uplink only pass
  - [o] = Ramp-through


\*Electronic Copy Only  
(16 – Dist/N: Paper Copies)  
09/08/10








ISSUE DATE: 09/16/10 14:44




ISSUE DATE: 09/16/10 14:44




PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY SEPTEMBER 21, 2010 264-265	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 31h 51m 2s CCSL: A076 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 31h 51m 14s												0000 RTLTL 31h 51m 24s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	40												10												
	1815												63 [T]												
	60												2230												
32 DSN COVERAGE	43 [o]												1340												
	40												1700												
	43 [D]												1920												
	40												34 [D] 0630												
S/C 32 INITIAL CONDITIONS RTLTL: 25h 46m 54s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: HIGH PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 25h 47m 6s												0000 RTLTL 25h 47m 16s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL												VGR						ON CALL						
NOTES	[1] S/C 31=GS-4B @ 0438 XB=2.8K(41) NOT RECOVERABLE																								
UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	SEP 21												SEP 22												

ISSUE DATE: 09/16/10 14:44








ISSUE DATE: 09/16/10 14:44




ISSUE DATE: 09/16/10 14:44












PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY SEPTEMBER 28, 2010 271-272																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 31h 53m 44s CCSL: A076 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLTL 31h 53m 54s												0000 RTLTL 31h 54m 6s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	..... 40 .....												..... 10 .....												
	..... 1730  ----- 63 [D] -----  2245												..... 40 .....												
32 DSN COVERAGE	..... 1130  ----- 43 [B] -----  1825												..... 40 .....												
S/C 32 INITIAL CONDITIONS RTLTL: 25h 49m 30s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: HIGH PYR: .05/10/25 GYROS: OFF	1200 RTLTL 25h 49m 42s												0000 RTLTL 25h 49m 52s												
	▼ 1612 DUMMY (5 MIN BRACKETED 18:02)																								
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL						VGR						ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0415 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	SEP 28												SEP 29												









ISSUE DATE: 09/16/10 14:44







ISSUE DATE: 09/16/10 14:44

