

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: March 16, 2011

For the Period: 03/17/2011 to 04/04/2011 (11-076 – 11-094)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (14) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhupl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Dodd, S.
 Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.
 *odivers1@san.rr.com

OTHER

* KMassej@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * !DL-DSN-MPSETA@dsn.nasa.gov

LEGEND:


▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 09/08/10

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
THURSDAY MARCH 17, 2011 076-077																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 32h 14m 4s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 32h 14m 2s														█ 0000 RTLTL 32h 14m 0s													
----- TLC (SHORT-FORM) -----																												
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLTL: 26h 22m 52s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 26h 22m 50s														█ 0000 RTLTL 26h 22m 48s													
▼ 1452 DUMMY (5 MIN BRACKETED 17:15)																												
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
VGR COVERAGE	ON CALL							VGR							ON CALL													
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 17														MAR 18													

ISSUE DATE: 03/16/11 16:54


PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
FRIDAY MARCH 18, 2011 077-078																												
S/C 31 INITIAL CONDITIONS RTLTL: 32h 14m 0s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 32h 13m 58s														0000 RTLTL 32h 13m 56s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)														CR-5T 160(32)													
31 DSN COVERAGE	14 [D] 1240 40														0000 63 [D] 0425 60													
32 DSN COVERAGE	1310 43 [o] 1715 40																											
S/C 32 INITIAL CONDITIONS RTLTL: 26h 22m 48s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 26h 22m 46s														0000 RTLTL 26h 22m 44s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																											
VGR COVERAGE	ON CALL																											
NOTES	[1] S/C 31=GS-4B @ 0049 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 18														MAR 19													



PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
SUNDAY MARCH 20, 2011 079-080																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLT: 32h 13m 52s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 32h 13m 50s													0000 RTLT 32h 13m 48s													
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
31 DSN COVERAGE																											
32 DSN COVERAGE																											
S/C 32 INITIAL CONDITIONS RTLT: 26h 22m 38s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	1200 RTLT 26h 22m 36s													0000 RTLT 26h 22m 34s													
	1537													COMMAND MORATORIUM													
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
VGR COVERAGE	ON CALL																										
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 20													MAR 21													

ISSUE DATE: 03/16/11 16:54

PDT:		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1							
MONDAY																																	
MARCH 21, 2011																																	
080-081																																	
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
S/C 31 INITIAL CONDITIONS		█ 1200 RTLT 32h 13m 46s													█ 0000 RTLT 32h 13m 44s																		
RTLT: 32h 13m 48s																																	
CCSL: A078																																	
FDSL: 11AF																																	
TWNC: ON																																	
SB: OFF																																	
XB: LOW																																	
PYR: .05/.10/.25																																	
GYROS: OFF																																	
FDS MODE															CR-5T																		
XB DATA RATE(MI)															160(32)																		
31 DSN COVERAGE		0925 ----- 14 [D] ----- 1445													0700 14 [D]																		
	 ----- 10 ----- 40 -----												 ----- 10																		
	 ----- 60 -----													2350 ----- 65 [DA] ----- 0530																		
	 -----													2350 ----- 55 [DAR] ----- 0530																		
	 -----												 ----- 60																		
32 DSN COVERAGE		1245 ----- 43 [D] ----- 1850												 ----- 40																		
	 -----																															
S/C 32 INITIAL CONDITIONS		█ 1200 RTLT 26h 22m 32s													█ 0000 RTLT 26h 22m 28s																		
RTLT: 26h 22m 34s		----- COMMAND MORATORIUM -----																															
CCSL: B151		↓ 1500 MEMUPD REENA BL MAGROL - ECR 110285																															
FDSL: 11AF		↓ 1515 CCS SID MRO																															
TWNC: ON		1615 1622 CCS DMRO																															
SB: OFF		↓ 1630 X/B LOW POWER																															
XB: HI		↓ 1634 BAY 1 HTR ON																															
PYR: .05/.10/.25																																	
GYROS: OFF																																	
FDS MODE															CR-5T																		
XB DATA RATE(MI)															160(32)																		
VGR COVERAGE		ON CALL													VGR						ON CALL												
NOTES																																	
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
UTC:		MAR 21													MAR 22																		



ISSUE DATE: 03/16/11 16:54

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
WEDNESDAY MARCH 23, 2011 082-083																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 32h 13m 40s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 32h 13m 38s												█ 0000 RTLT 32h 13m 38s															
FDS MODE	CR-5T												▼ 0030 DUMMY (08:44)															
XB DATA RATE(MI)	160(32)												U/L 0200 - - - - - - TLC (SHORT-FORM) - - - - -															
31 DSN COVERAGE	14 [D] 1100												15 [DAR] 0740 25 [DA] 0740															
32 DSN COVERAGE	1235 43 [B] 1620 1600 45 [D] 1855												2355 63 [T] 0525															
S/C 32 INITIAL CONDITIONS RTLT: 26h 22m 24s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 26h 22m 22s												█ 0000 RTLT 26h 22m 20s															
FDS MODE	CR-5T												▼ 1452 DUMMY (5 MIN BRACKETED 17:15)															
XB DATA RATE(MI)	160(32)																											
VGR COVERAGE	ON CALL				VGR				ON CALL				VGR				ON CALL											
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 23														MAR 24													

PDT: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1



THURSDAY
MARCH 24, 2011
083-084 UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

S/C 31
INITIAL CONDITIONS
RTLTL: 32h 13m 38s
CCSL: A078
FDSL: 11AF
TWNC: ON
SB: OFF
XB: LOW
PYR: .05/.10/.25
GYROS: OFF

1200 RTLTL 32h 13m 36s 0000 RTLTL 32h 13m 34s

TLC (SHORT-FORM)

FDS MODE CR-5T
XB DATA RATE(MI) 160(32)



S/C 32
INITIAL CONDITIONS
RTLTL: 26h 22m 20s
CCSL: B151
FDSL: 11AF
TWNC: ON
SB: OFF
XB: LOW
PYR: .05/.10/.25
GYROS: OFF

1200 RTLTL 26h 22m 16s 0000 RTLTL 26h 22m 14s

FDS MODE CR-5T
XB DATA RATE(MI) 160(32)

VGR COVERAGE ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

UTC: MAR 24 Page 8 of 19 MAR 25

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
FRIDAY MARCH 25, 2011 084-085																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS	1200 RTLT 32h 13m 32s													0000 RTLT 32h 13m 30s												
RTLT: 32h 13m 34s														2123 2137 TAPPOS												
CCSL: A078														0025 0026 PWS/RH												
FDSL: 11AF														0232 - 0300 TAPPOS												
TWNC: ON	----- TLC (SHORT-FORM)																									
SB: OFF	- D/L - 1142																									
XB: LOW																										
PYR: .05/10/25																										
GYROS: OFF																										
FDS MODE	CR-5T													CR-5T												
XB DATA RATE(MI)	160(32)													160(32)												
31 DSN COVERAGE	24 [DA] 1340													0650 14 [D]												
	26 [DAR] 1340													10												
	----- 10													----- 40												
	----- 60													0020 63 [D] 0520												
	----- 60													----- 60												
32 DSN COVERAGE	1415 45 [D] 2205													----- 40												
S/C 32 INITIAL CONDITIONS	1200 RTLT 26h 22m 12s													0000 RTLT 26h 22m 8s												
RTLT: 26h 22m 14s																										
CCSL: B151																										
FDSL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .05/10/25																										
GYROS: OFF																										
FDS MODE														CR-5T												
XB DATA RATE(MI)														160(32)												
VGR COVERAGE														ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0025 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 25													MAR 26												


PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SATURDAY MARCH 26, 2011 085-086																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 32h 13m 30s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 32h 13m 28s												0000 RTLT 32h 13m 26s													
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
31 DSN COVERAGE	14 [D] 1300												0640 14 [D]													
	10												10													
													40													
	60												2330 63 [D] 0420													
													60													
32 DSN COVERAGE	1345 43 [o] 1840												1820 34 [D] 2035													
													40													
S/C 32 INITIAL CONDITIONS RTLT: 26h 22m 8s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 26h 22m 6s												0000 RTLT 26h 22m 4s													
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 26												MAR 27													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SUNDAY MARCH 27, 2011 086-087																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS	1200 RTLT 32h 13m 24s												0000 RTLT 32h 13m 22s													
RTLT: 32h 13m 26s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	14 [D] 1300												0640 14 [D]													
	10												10													
													40													
													2325 63 [D] 0510													
	60												60													
32 DSN COVERAGE	1435 43 [D] 1835																									
	40																									
S/C 32 INITIAL CONDITIONS	1200 RTLT 26h 22m 0s												0000 RTLT 26h 21m 58s													
RTLT: 26h 22m 4s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 27													MAR 28												

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
MONDAY MARCH 28, 2011 087-088																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 32h 13m 22s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 32h 13m 22s												█ 0000 RTLT 32h 13m 20s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	14 [D] ————— 1445												0650 24 [DA] 25 [DAR] 0650 ————— 10													
	----- 10 -----												----- 40 -----													
	----- 60 -----												2300 ----- 63 [D] ----- 0525													
	----- 60 -----												----- 60 -----													
32 DSN COVERAGE	1230 ----- 43 [B] ----- 1625												----- 40 -----													
S/C 32 INITIAL CONDITIONS RTLT: 26h 21m 58s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 26h 21m 56s												█ 0000 RTLT 26h 21m 54s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE	ON CALL					VGR					ON CALL															
NOTES	▼ 1547 DUMMY (5 MIN BRACKETED 18:09)																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 28												MAR 29													


PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
TUESDAY MARCH 29, 2011 088-089																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 32h 13m 20s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 32h 13m 18s												█ 0000 RTLTL 32h 13m 16s													
	1800 1801 PWS/RH																									
	↓ 1800 GS-4B 1801																									
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	24 [DA] 1100 25 [DAR] 1100 10 40 60 2255 63 [D] 0510 60 60												0650 15 [DA] 24 [DAR] 0650 10													
32 DSN COVERAGE	1400 34 [D] 1855 40																									
S/C 32 INITIAL CONDITIONS RTLTL: 26h 21m 54s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 26h 21m 50s												█ 0000 RTLTL 26h 21m 48s													
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
VGR COVERAGE	ON CALL																									
NOTES	[1] S/C 31=GS-4B @ 1800 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 29												MAR 30													


ISSUE DATE: 03/16/11 16:54



PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
THURSDAY MARCH 31, 2011 090-091																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLT: 32h 13m 14s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	█ 1200 RTLT 32h 13m 12s												█ 0000 RTLT 32h 13m 10s														
----- TLC (SHORT-FORM) -----																											
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
31 DSN COVERAGE	24 [DA] ————— 1235 26 [DAR] ————— 1235 10 40 60													2320 ————— 55 [DA] ————— 0510 2320 ————— 54 [DAR] ————— 0510 60													
32 DSN COVERAGE	1350 ————— 45 [D] ————— 2005 40																										
S/C 32 INITIAL CONDITIONS RTLT: 26h 21m 42s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	█ 1200 RTLT 26h 21m 40s												█ 0000 RTLT 26h 21m 36s														
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
VGR COVERAGE	ON CALL																										
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 31													APR 01													

ISSUE DATE: 03/16/11 16:54





PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2		
SUNDAY APRIL 3, 2011 093-094																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	9		
S/C 31 INITIAL CONDITIONS RTLT: 32h 13m 4s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 32h 13m 2s													0000 RTLT 32h 13m 2s														
FDS MODE	CR-5T													CR-5T														
XB DATA RATE(MI)	160(32)													160(32)														
31 DSN COVERAGE	14 [D] 1130										0625 14 [D]																	
 10 40 10							
 60																				2255 65 [DA] 0400 2255 55 [DAR] 0400 60							
32 DSN COVERAGE	1320 43 [D] 1850												 40														
S/C 32 INITIAL CONDITIONS RTLT: 26h 21m 26s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 26h 21m 22s													0000 RTLT 26h 21m 20s														
FDS MODE	CR-5T													CR-5T														
XB DATA RATE(MI)	160(32)													160(32)														
VGR COVERAGE	ON CALL													ON CALL														
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	9		
UTC:	APR 03														APR 04													

PDT:	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
MONDAY APRIL 4, 2011 094-095																								
UTC:	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 32h 13m 2s CCSL: A078 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	<p>1200 RTLT 32h 13m 0s</p>																							
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																							
31 DSN COVERAGE	<p>14 [D] 1255</p> <p>..... </p> <p>10</p> <p> 40</p> <p> </p> <p>.....60</p>																							
32 DSN COVERAGE	<p>1145 43 [D] 1655</p> <p>1930 34 [D] 2210</p>																							
S/C 32 INITIAL CONDITIONS RTLT: 26h 21m 20s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	<p>1200 RTLT 26h 21m 18s</p>																							
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																							
VGR COVERAGE	ON CALL																							
NOTES																								
UTC:	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	APR 04												APR 05											