

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: May 25, 2011

For the Period: 05/26/2011 to 06/13/2011 (11-146 – 11-164)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (14) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhupl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Dodd, S.
 Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.
 *odivers1@san.rr.com

OTHER

* KMassej@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * !DL-DSN-MPSETA@dsn.nasa.gov


LEGEND: ∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through


*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 09/08/10


PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY MAY 26, 2011 146-147																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 32h 14m 30s CCSL: A079 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 32h 14m 34s												0000 RTLT 32h 14m 38s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
31 DSN COVERAGE	15 [DA] 0900 25 [DAR] 0900 1040 60												2215 65 [DAR] 0315 2215 55 [DA] 03156010												
32 DSN COVERAGE	1310 43 [B] 173540																								
S/C 32 INITIAL CONDITIONS RTLTL: 26h 17m 32s CCSL: B152 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 26h 17m 32s												0000 RTLT 26h 17m 30s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
VGR COVERAGE	ON CALL						VGR						ON CALL												
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAY 26												MAY 27												

ISSUE DATE: 05/31/11 15:28


PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
FRIDAY MAY 27, 2011 147-148																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLTL: 32h 14m 38s CCSL: A079 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 32h 14m 42s												0000 RTLT 32h 14m 46s													
	1747 1748 TAPPOS												2049 2050 PWS/RH													
													2257 2311 TAPPOS													
													↓ 2049 GS-4B 2050													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	0930 15 [DA] 1405 0930 26 [DAR] 140510.....												0310 15 [deleted] 0505 0310 26 [deleted] 0505 14 [DAR] 0550 10..... 0550 26 [DA]													
32 DSN COVERAGE	0815 43 [D] 1240 1220 45 [D] 142040.....												2315 65 [DAR] 0330 2315 54 [DA] 033060.....													
S/C 32 INITIAL CONDITIONS RTLTL: 26h 17m 30s CCSL: B152 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 26h 17m 30s												0000 RTLT 26h 17m 30s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												ON CALL													
NOTES	[1] S/C 31=GS-4B @ 2049 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	MAY 27													MAY 28												










ISSUE DATE: 05/31/11 15:28








ISSUE DATE: 05/31/11 15:28



















ISSUE DATE: 05/31/11 15:28




ISSUE DATE: 05/31/11 15:28

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY JUNE 10, 2011 161-162	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 32h 16m 44s CCSL: A079 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 32h 16m 50s												0000 RTLT 32h 16m 56s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	15 [DAR] 1240 25 [DA] 1005 1005 24 [DA] 1240 10 40 60												0320 15 [DAR] 0320 24 [DA] 10												
32 DSN COVERAGE	43 [D] 0715-1635 40																								
S/C 32 INITIAL CONDITIONS RTLTL: 26h 17m 30s CCSL: B152 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: AC ON	1200 RTLT 26h 17m 30s												0000 RTLT 26h 17m 32s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
VGR COVERAGE	ON CALL												ON CALL												
NOTES	[1] S/C 31=GS-4B @ 2002 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	JUN 10												JUN 11												

ISSUE DATE: 05/31/11 15:28





ISSUE DATE: 05/31/11 15:28

