

# VOYAGER

## Space Flight Operations Schedule (SFOS)

Issue Date: September 21, 2011

For the Period: 09/22/2011 to 10/10/2011 (11-265 – 11-283)

**DSN OPSCHIEF (1) 230-102**

**SCIENCE**

**FLIGHT TEAM (14) 600-100**

**DSOT (1) 230-102**

- \*Zsarina.Bulchand@jpl.nasa.gov
- \*gdyke@airmail.ftops.jpl.nasa.gov
- \*John.M.Grant@jpl.nasa.gov
- \*dmcclena@airmail.ftops.jpl.nasa.gov
- \*pquach@airmail.ftops.jpl.nasa.gov
- \*mrobles@airmail.ftops.jpl.nasa.gov
- \*rwilliam@airmail.ftops.jpl.nasa.gov

- CRS \*bryant@mail630.gsfc.nasa.gov
- LECP \*r.decker@jhupl.edu
- UVS \*holberg@argus.lpl.arizona.edu
- MAG \*u2mha@lepvox.gsfc.nasa.gov
- PLS \*vgr@space.mit.edu
- PWS \*wsk@space.physics.uiowa.edu
- \*Leonard.F.Burlaga@nasa.gov
- \*Donald-Gurnett@uiowa.edu

- Dodd, S.
- Hall, J.
- Howard, S. (3)
- Ludwig, R. (2)
- Matsumoto, S.
- Medina, E.
- Peralta, F.
- Weeks, T.
- Wong, R.
- Yang, L
- Zottarelli, L.
- \*odivers1@san.rr.com

**OTHER**

- \* KMassej@jgld.gdscc.nasa.gov
- \* Belinda.Arroyo@jpl.nasa.gov
- \* !DL-DSN-MPSETA@dsn.nasa.gov

- LEGEND:**
- ▽ = R/T Command (Last chance or Contingency)
  - ▼ = R/T Command (Scheduled)
  - \* = Result of R/T Command
  - n = (where n = 1,2,3 ..) Special Note, see bottom of page
  - A = Arrayed station
  - B = 7-Point BLF
  - D = Downlink only pass
  - H = High Power Transmitter
  - R = Array Reference Antenna
  - T = TLC Uplink
  - U = Uplink only pass
  - [o] = Ramp-through

\*Electronic Copy Only  
(16 – Dist/N: Paper Copies)  
09/08/10

ISSUE DATE: 09/22/11 14:29

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
SEPTEMBER 22, 2011

265-266 UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

S/C 31  
INITIAL CONDITIONS  
RTLT: 32h 50m 48s  
CCSL: A080  
FDSL: 11AF  
TWNC: ON  
SB: OFF  
XB: LOW  
PYR: .05/.10/.25  
GYROS: OFF


1200 RTLT 32h 51m 0s

0000 RTLT 32h 51m 12s


FDS MODE  
XB DATA RATE(MI)

CR-5T  
160(32)

31 DSN COVERAGE



32 DSN COVERAGE



S/C 32  
INITIAL CONDITIONS  
RTLT: 26h 39m 40s  
CCSL: B153  
FDSL: 11AF  
TWNC: ON  
SB: OFF  
XB: LOW  
PYR: .05/.10/.25  
GYROS: OFF

1200 RTLT 26h 39m 50s

0000 RTLT 26h 40m 2s

1521 || 1522 2 MEMUPDS ECR 109884 BL & HPT TIMING

1526 || 1529 2 CCS SID MRO'S

1626 || 1629 2 REDUNDANT CCS SID MRO'S

FDS MODE  
XB DATA RATE(MI)

CR-5T  
160(32)

VGR COVERAGE

ON CALL

VGR

ON CALL


NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

UTC: SEP 22 Page 1 of 19 SEP 23

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
FRIDAY SEPTEMBER 23, 2011 266-267																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 32h 51m 12s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█																					
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
31 DSN COVERAGE																											
32 DSN COVERAGE																											
S/C 32 INITIAL CONDITIONS RTLT: 26h 40m 2s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█																					
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
VGR COVERAGE													ON CALL														
NOTES																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	SEP 23														SEP 24												

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY SEPTEMBER 24, 2011 267-268	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 32h 51m 34s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 32h 51m 46s												0000 RTLTL 32h 51m 58s												
	0742- 0756 TAPPOS 1044   1045 PWS/RH 1251   1252 TAPPOS																								
	↓ 1044 GS-4B 1045																								
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	.....40.....												.....10.....0145  ----- 14 [D] -----  0530 .....40.....0600   43 [D] .....												
	.....60.....1840  ----- 65 [DA] -----  2150 1840  ----- 55 [DAR] -----  2150																								
32 DSN COVERAGE	0810  ----- 43 [o] -----  1245 .....40.....												.....40.....												
S/C 32 INITIAL CONDITIONS RTLTL: 26h 40m 24s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 26h 40m 36s												0000 RTLTL 26h 40m 46s												
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
VGR COVERAGE													ON CALL												
NOTES	[1] S/C 31=GS-4B @ 1044 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	SEP 24												SEP 25												




ISSUE DATE: 09/22/11 14:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
MONDAY SEPTEMBER 26, 2011 269-270																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 32h 52m 22s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█ 1200																			
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLT: 26h 41m 8s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█ 1200																			
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE	ON CALL												VGR	ON CALL											
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	SEP 26												SEP 27												

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY SEPTEMBER 27, 2011 270-271	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 32h 52m 44s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 32h 52m 56s												0000 RTLT 32h 53m 8s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	40												0145   14 [D]   0610												
	1830   63 [T]   2155												40												
32 DSN COVERAGE	0835   45 [D]   1700												40												
S/C 32 INITIAL CONDITIONS RTLT: 26h 41m 32s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 26h 41m 42s												0000 RTLT 26h 41m 54s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL												VGR ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0420 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	SEP 27												SEP 28												

ISSUE DATE: 09/22/11 14:29





ISSUE DATE: 09/22/11 14:29


PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY SEPTEMBER 29, 2011 272-273																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 32h 53m 30s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 32h 53m 42s												0000 RTLT 32h 53m 52s												
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
31 DSN COVERAGE	.....40.....												.....10.....												
	.....60.....												.....40.....												
32 DSN COVERAGE	0825  -----45 [D]-----  1655												.....40.....												
S/C 32 INITIAL CONDITIONS RTLT: 26h 42m 16s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 26h 42m 28s												0000 RTLT 26h 42m 38s												
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	SEP 29												SEP 30												

ISSUE DATE: 09/22/11 14:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
FRIDAY SEPTEMBER 30, 2011 273-274																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 32h 53m 52s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█ 1200 RTLT 32h 54m 4s															█ 0000 RTLT 32h 54m 16s						
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
31 DSN COVERAGE																					0135	----- 14 [D] -----		0600			
32 DSN COVERAGE																											
S/C 32 INITIAL CONDITIONS RTLT: 26h 42m 38s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█ 1200 RTLT 26h 42m 50s																					
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
VGR COVERAGE													ON CALL														
NOTES																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	SEP 30																OCT 01										

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
SATURDAY OCTOBER 1, 2011 274-275																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLTL: 32h 54m 16s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 32h 54m 26s												0000 RTLTL 32h 54m 38s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	.....40.....												.....10.....  0245   14 [D]   0445   .....40.....													
	.....60.....  1830   63 [D]   2215																									
32 DSN COVERAGE	.....40.....  1225   34 [D]   1650												.....40.....													
S/C 32 INITIAL CONDITIONS RTLTL: 26h 43m 2s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 26h 43m 12s												0000 RTLTL 26h 43m 24s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE													ON CALL													
NOTES	[1] S/C 31=GS-4B @ 1021 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	OCT 01														OCT 02											

ISSUE DATE: 09/22/11 14:29



ISSUE DATE: 09/22/11 14:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
MONDAY OCTOBER 3, 2011 276-277																												
S/C 31 INITIAL CONDITIONS RTLTL: 32h 55m 0s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 32h 55m 12s												0000 RTLT 32h 55m 22s															
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)															
31 DSN COVERAGE	<p>0220   15 [DAR]   0440 0220   24 [DA]   0440</p> <p>40   1850   63 [D]   2220   40</p> <p>60</p>																											
32 DSN COVERAGE	<p>0815   34 [D]   1350</p> <p>40   40</p>																											
S/C 32 INITIAL CONDITIONS RTLTL: 26h 43m 46s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 26h 43m 58s												0000 RTLT 26h 44m 10s															
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)															
VGR COVERAGE	ON CALL																											
NOTES																												
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	OCT 03														OCT 04													

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
TUESDAY OCTOBER 4, 2011 277-278																												
S/C 31 INITIAL CONDITIONS RTLT: 32h 55m 22s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 32h 55m 34s												0000 RTLT 32h 55m 46s															
													▼ 1720 DUMMY (02:16) ▼ 1725 EL-40 (02:21) ▼ 1747 CCSL A081 (02:43) ▼ 1821 AHELIO CCS SID MRO'S, CR-5T (03:16)															
													U/L 1915   -   ----- TLC (SHORT-FORM) -----															
													0358   0359 PWS/RH ↓ 0358 GS-4B 0358															
FDS MODE	CR-5T												CR-5T															
XB DATA RATE(MI)	160(32)												160(32)															
31 DSN COVERAGE	..... 40 ..... ..... 1610  ----- 63 -----  2215 ..... ..... 60 .....																											
32 DSN COVERAGE	..... 1050  ----- 43 [B] -----  1635 ..... ..... 40 .....																											
S/C 32 INITIAL CONDITIONS RTLT: 26h 44m 10s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 26h 44m 20s												0000 RTLT 26h 44m 32s															
													▼ 1417 DUMMY (17:02)															
FDS MODE	CR-5T												CR-5T															
XB DATA RATE(MI)	160(32)												160(32)															
VGR COVERAGE	ON CALL							VGR							VGR							ON CALL						
NOTES	[1] S/C 31=GS-4B @ 0358 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	OCT 04														OCT 05													

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
WEDNESDAY OCTOBER 5, 2011 278-279																											
S/C 31 INITIAL CONDITIONS RTLT: 32h 55m 46s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<p>1200 RTLT 32h 55m 56s</p>													<p>0000 RTLT 32h 56m 8s</p>													
FDS MODE	CR-5T													EL-40													
XB DATA RATE(MI)	160(32)													40(30)													
31 DSN COVERAGE	<p>0115   14 [D]   0540</p> <p>40   1845   63 [D]   2210</p> <p>60</p>																										
32 DSN COVERAGE	<p>1000   34 [D]   1400</p> <p>40   40</p>																										
S/C 32 INITIAL CONDITIONS RTLT: 26h 44m 32s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<p>1200 RTLT 26h 44m 44s</p>													<p>0000 RTLT 26h 44m 54s</p>													
FDS MODE	CR-5T																										
XB DATA RATE(MI)	160(32)																										
VGR COVERAGE	ON CALL													VGR ON CALL													
NOTES	<p>[1] SC 31=EL-40 XB=40(30) @ 0222</p> <p>[2] SC 32=CR-5T XB=160(32) @ 0322</p>																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	OCT 05													OCT 06													

ISSUE DATE: 09/22/11 14:29


PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
THURSDAY OCTOBER 6, 2011 279-280																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 32h 56m 8s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 32h 56m 18s												0000 RTLT 32h 56m 30s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	-----40-----												-----40-----													
	-----60-----												-----40-----													
32 DSN COVERAGE	-----40-----												-----40-----													
S/C 32 INITIAL CONDITIONS RTLT: 26h 44m 54s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 26h 45m 6s												0000 RTLT 26h 45m 18s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												ON CALL													
NOTES	[1] A081 U/L BACKUP TRACK																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	OCT 06													OCT 07												




ISSUE DATE: 09/22/11 14:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
FRIDAY OCTOBER 7, 2011 280-281																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 32h 56m 30s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 32h 56m 40s												0000 RTLT 32h 56m 52s													
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
31 DSN COVERAGE	1055  -----63 [D]-----  1845												0110  -----14 [D]-----  0530													
32 DSN COVERAGE	0945  -----43 [o]-----  1630																									
S/C 32 INITIAL CONDITIONS RTLT: 26h 45m 18s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 26h 45m 30s												0000 RTLT 26h 45m 40s													
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	OCT 07														OCT 08											

ISSUE DATE: 09/22/11 14:29





ISSUE DATE: 09/22/11 14:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY OCTOBER 10, 2011 283-284																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 32h 57m 34s CCSL: A080 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 32h 57m 46s																										
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
31 DSN COVERAGE	<p>..... 40 .....</p> <p>1605  ----- 63 [D] -----  2150</p> <p>..... 60 .....</p>																										
32 DSN COVERAGE	<p>0755  ----- 34 [D] -----  1255</p> <p>..... 40 .....</p>																										
S/C 32 INITIAL CONDITIONS RTLT: 26h 46m 26s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 26h 46m 38s																										
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
VGR COVERAGE	ON CALL																										
NOTES																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	OCT 10													OCT 11													