

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: October 19, 2011

For the Period: 10/20/2011 to 11/07/2011 (11-293 – 11-311)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (14) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhupl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Dodd, S.
 Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.
 *odivers1@san.rr.com

OTHER

* KMassej@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * !DL-DSN-MPSETA@dsn.nasa.gov


LEGEND:

▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 09/08/10

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY OCTOBER 20, 2011 293-294																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 33h 1m 4s CCSL: A081 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF						█ 1200													█ 0000						
FDS MODE XB DATA RATE(MI)																									
31 DSN COVERAGE																			0040		14 [D]			0440	
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLTL: 26h 50m 14s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF						█ 1200													█ 0000						
FDS MODE XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:																									

ISSUE DATE: 10/14/11 19:46




ISSUE DATE: 10/14/11 19:46

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY OCTOBER 22, 2011 295-296																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 33h 1m 44s CCSL: A081 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 33h 1m 54s												█ 0000 RTLTL 33h 2m 4s												
	--- 0747 TAPPOS 0913 0914 PWS/RH 1120 - TAPPOS - 1311 ↓ 0913 GS-4B 0914																								
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE40.....												1725 ----- 14 [D] ----- 2115 ----- 10 ----- ----- 60 -----												
32 DSN COVERAGE40.....												45 [D] ----- 1525 ----- 40 -----												
S/C 32 INITIAL CONDITIONS RTLTL: 26h 51m 0s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	█ 1200 RTLTL 26h 51m 12s												█ 0000 RTLTL 26h 51m 24s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE													ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0913 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	OCT 22												OCT 23												

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY OCTOBER 23, 2011 296-297																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 33h 2m 4s CCSL: A081 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLTL 33h 2m 14s												0000 RTLTL 33h 2m 24s												
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
31 DSN COVERAGE 40 60												
 1935 ----- 14 [D] ----- 0120											 0200 ----- 43 [D] ----- 0515												
 40 40												
32 DSN COVERAGE 0915 ----- 43 [D] ----- 1615											 40												
S/C 32 INITIAL CONDITIONS RTLTL: 26h 51m 24s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: BC ON	1200 RTLTL 26h 51m 34s												0000 RTLTL 26h 51m 46s												
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	OCT 23												OCT 24												


ISSUE DATE: 10/14/11 19:46




PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
TUESDAY OCTOBER 25, 2011 298-299																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS	1200 RTLT 33h 2m 52s												0000 RTLT 33h 3m 2s													
RTLT: 33h 2m 42s																										
CCSL: A081																										
FDSL: 11AF	----- TLC (SHORT-FORM) -----																									
TWNC: ON	D/L 0416																									
SB: OFF	0249 0250 PWS/RH																									
XB: LOW	↓ 0249 GS-4B 0250																									
PYR: .05/10/25																										
GYROS: OFF																										
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE40..... 60..... 1845 63 [D] 2055 10..... 0115 14 [D] 0420 40.....																									
32 DSN COVERAGE	0955 43 [D] 1555 40..... 40..... 0350 43 [D] 40.....																									
S/C 32 INITIAL CONDITIONS	1200 RTLT 26h 52m 20s												0000 RTLT 26h 52m 30s													
RTLT: 26h 52m 8s																										
CCSL: B153																										
FDSL: 11AF	----- COMMAND MORATORIUM -----																									
TWNC: ON	BAY 1 HTR OFF 0412 ↓																									
SB: OFF	X/B HI POWER 0416 ↓ ↓ 0438 AAI																									
XB: LOW	0440 - - MAGROL - -																									
PYR: .05/10/25																										
GYROS: BC ON																										
FDS MODE	CR-5T																									
XB DATA RATE(MI)	160(32)																									
VGR COVERAGE	ON CALL												VGR													
NOTES	[1] S/C 31=GS-4B @ 0249 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=D/L AGC & SNR VARIATIONS EXPECTED DURING MAGROL (0440-1036)																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	OCT 25												OCT 26													


PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
WEDNESDAY																									
OCTOBER 26, 2011																									
299-300																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS	1200 RTLT 33h 3m 12s												0000 RTLT 33h 3m 22s												
RTLTL: 33h 3m 2s													1643 ----- 1754 TAPPOS												
CCSL: A081													↓ 1827 BAY 1 HTR OFF ↓ 1831 X/B HI POWER												
FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF													↓ 1927 YAW=.05 1935 ----- PLAYBACK ----- 0211 ↓ 0225 YAW=.10												
FDS MODE	CR-5T												PB-14												
XB DATA RATE(MI)	160(32)												1.4K(39)												
31 DSN COVERAGE	40												1805 ----- 14 [DA] ----- 0235 1805 ----- 15 [DA] ----- 0210 1805 ----- 26 [DAR] ----- 0210 10												
32 DSN COVERAGE	43 [D] ----- 1120 1120 ----- 34 [D] ----- 1505 40												40												
S/C 32 INITIAL CONDITIONS	1200 RTLT 26h 52m 42s												0000 RTLT 26h 52m 54s												
RTLTL: 26h 52m 30s	----- COMMAND MORATORIUM -----																								
CCSL: B153	MAGROL ----- 1036																								
FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON	↓ 1029 RAI ↓ 1036 CRU ↓ 1036 GYROS OFF												↓ 1052 X/B LOW POWER ↓ 1056 BAY 1 HTR ON												
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
VGR COVERAGE	VGR						ON CALL						VGR						ON CALL						
NOTES	[1] S/C 31=PB-14 @ 1935 XB=1.4K(39)																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	OCT 26												OCT 27												

ISSUE DATE: 10/14/11 19:46



ISSUE DATE: 10/14/11 19:46






ISSUE DATE: 10/14/11 19:46

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
SUNDAY OCTOBER 30, 2011 303-304																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6
S/C 31 INITIAL CONDITIONS	1200 RTLT 33h 4m 26s												0000 RTLT 33h 4m 36s											
RTLT: 33h 4m 18s	TLC (SHORT-FORM) ----- D/L - 0347																							
CCSL: A081	1632 1633 AACS MRO ↓ 1634 AAI												2141 2142 AACS MRO ↓ 2143 AAI											
FDSL: 11AF	1644 - LECP OBS - 1852 RAI 1932 ↓												2153 - - - - - LECP OBS - - - - - 0209 RAI 0249 ↓											
TWNC: ON	AACS MRO 1947 1948												AACS MRO 0304 0305											
SB: OFF	GYRO FAULT TEST 1949 ↓												GYRO FAULT TEST 0306 ↓											
XB: HI																								
PYR: .05/.10/.25																								
GYROS: BC ON																								
FDS MODE	CR-5T												CR-5T											
XB DATA RATE(MI)	160(32)												160(32)											
31 DSN COVERAGE	<p>.....40..... -----2125----- -----14 [D]----- -----0400----- </p> <p>.....60..... -----1615----- -----63 [D]----- -----2015----- </p>																							
32 DSN COVERAGE	<p>.....0950----- -----45 [D]----- -----1455----- </p> <p>.....40..... -----40.....</p>																							
S/C 32 INITIAL CONDITIONS	1200 RTLT 26h 54m 12s												0000 RTLT 26h 54m 22s											
RTLT: 26h 54m 0s																								
CCSL: B153																								
FDSL: 11AF																								
TWNC: ON																								
SB: OFF																								
XB: LOW																								
PYR: .05/.10/.25																								
GYROS: OFF																								
FDS MODE	CR-5T												CR-5T											
XB DATA RATE(MI)	160(32)												160(32)											
VGR COVERAGE	ON CALL						VGR						VGR						ON CALL					
NOTES																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6
UTC:	OCT 30												OCT 31											

PDT:	23	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY OCTOBER 31, 2011 304-305																												
UTC:	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 33h 4m 36s CCSL: A081 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON	1200 RTLT 33h 4m 44s												0000 RTLT 33h 4m 54s															
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)															
31 DSN COVERAGE	<p>40 ----- 60 ----- 10 ----- 2330 ----- 14 [D] ----- 0350 ----- 40</p>																											
32 DSN COVERAGE	<p>0955 ----- 40 ----- 45 [D] ----- 1445 ----- 40</p>																											
S/C 32 INITIAL CONDITIONS RTLT: 26h 54m 22s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 26h 54m 34s												0000 RTLT 26h 54m 44s															
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)															
VGR COVERAGE	ON CALL												VGR						ON CALL									
NOTES																												
UTC:	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	OCT 31																		NOV 01									

ISSUE DATE: 10/14/11 19:46



ISSUE DATE: 10/14/11 19:46

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
WEDNESDAY NOVEMBER 2, 2011 306-307																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 33h 5m 12s CCSL: A081 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON						█ 1200 RTLT 33h 5m 20s												█ 0000 RTLT 33h 5m 30s							
FDS MODE XB DATA RATE(MI)																									
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLT: 26h 55m 8s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF						█ 1200 RTLT 26h 55m 18s												█ 0000 RTLT 26h 55m 30s							
FDS MODE XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:																									

ISSUE DATE: 10/14/11 19:46

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
THURSDAY NOVEMBER 3, 2011 307-308																												
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
S/C 31 INITIAL CONDITIONS RTLT: 33h 5m 30s CCSL: A081 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON						█ 1200 RTLT 33h 5m 38s												█ 0000 RTLT 33h 5m 46s										
FDS MODE												CR-5T																
XB DATA RATE(MI)												160(32)																
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLT: 26h 55m 30s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF						█ 1200 RTLT 26h 55m 40s												█ 0000 RTLT 26h 55m 50s										
FDS MODE												CR-5T																
XB DATA RATE(MI)												160(32)																
VGR COVERAGE												ON CALL							VGR					ON CALL				
NOTES																												
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	NOV 03														NOV 04													

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY NOVEMBER 4, 2011 308-309																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 33h 5m 46s CCSL: A081 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON						█ 1200												█ 0000							
FDS MODE XB DATA RATE(MI)																									
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLTL: 26h 55m 50s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█ 1200												█ 0000							
FDS MODE XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:																									

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY NOVEMBER 5, 2011 309-310																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 33h 6m 4s CCSL: A081 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	1200 RTLTL 33h 6m 12s												0000 RTLTL 33h 6m 22s												
	0827 0828 PWS/RH 1034 1049 TAPPOS ↓ 0827 GS-4B 0828																								
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE 40												2205 ----- 15 [DA] ----- 0200 2205 ----- 26 [DAR] ----- 0200 10												
	----- 60												1720 ----- 63 [D] ----- 2005 ----- 40												
32 DSN COVERAGE	1010 ----- 43 [D] ----- 1630 40												----- 40												
S/C 32 INITIAL CONDITIONS RTLTL: 26h 56m 12s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLTL 26h 56m 24s												0000 RTLTL 26h 56m 34s												
	* TBD-TBD B154A CCS CHKSUM																								
	EL-40 1351 ↓ ↓ 1451 CR-5T																								
FDS MODE	CR-5T						EL-40						CR-5T												
XB DATA RATE(MI)	160(32)						40(30)						160(32)												
VGR COVERAGE	ON CALL																								
NOTES	[1] S/C 31=GS-4B @ 0827 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=EL-40 XB=40(30) @ 1351 [2] S/C 32=CR-5T XB=160(32) @ 1451																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	NOV 05												NOV 06												

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
SUNDAY NOVEMBER 6, 2011 310-311																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 33h 6m 22s CCSL: A081 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	1200 RTLTL 33h 6m 30s												0000 RTLTL 33h 6m 38s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE													-----10-----												
	-----40-----												-----40-----												
	0840 -----63 [D]----- 1030																								
	-----60-----																								
32 DSN COVERAGE													-----40-----												
	1040 -----34----- 1425																								
S/C 32 INITIAL CONDITIONS RTLTL: 26h 56m 34s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLTL 26h 56m 46s												0000 RTLTL 26h 56m 56s												
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE													ON CALL												
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	NOV 06												NOV 07												

ISSUE DATE: 10/14/11 19:46

PST:	23	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
MONDAY NOVEMBER 7, 2011 311-312																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLT: 33h 6m 38s CCSL: A081 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	1200 RTLT 33h 6m 46s																										
FDS MODE	CR-5T																										
XB DATA RATE(MI)	160(32)																										
31 DSN COVERAGE	<div style="display: flex; justify-content: space-between;"> <div>..... 40</div> <div>1645 ----- 25 [DA] ----- 2000 1645 ----- 26 [DAR] ----- 2000</div> </div> <div style="margin-top: 10px;"> ----- 60 ----- </div>																										
32 DSN COVERAGE	<div style="display: flex; justify-content: space-between;"> <div>..... 40</div> <div>1200 45 [D] 1310 1250 ----- 43 [D] ----- 1615</div> </div> <div style="margin-top: 10px;"> ----- 40 ----- </div>																										
S/C 32 INITIAL CONDITIONS RTLT: 26h 56m 56s CCSL: B153 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 26h 57m 6s																										
FDS MODE	CR-5T																										
XB DATA RATE(MI)	160(32)																										
VGR COVERAGE	ON CALL																										
NOTES																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	NOV 07																		NOV 08								