

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: February 8, 2012

For the Period: 02/09/12 to 02/27/12 (12-040 – 12-058)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (14) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhupl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Dodd, S.
 Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.
 *odivers1@san.rr.com


OTHER


* KMassej@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * !DL-DSN-MPSETA@dsn.nasa.gov

LEGEND:


∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 09/08/10






ISSUE DATE: 02/13/12 19:42



ISSUE DATE: 02/13/12 19:42



ISSUE DATE: 02/13/12 19:42

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
WEDNESDAY FEBRUARY 15, 2012 046-047																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 33h 15m 46s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 33h 15m 44s														█ 0000 RTLT 33h 15m 42s													
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLT: 27h 16m 32s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 27h 16m 32s														█ 0000 RTLT 27h 16m 32s													
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
VGR COVERAGE	ON CALL														VGR				ON CALL									
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	FEB 15														FEB 16													


ISSUE DATE: 02/13/12 19:42

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY FEBRUARY 16, 2012 047-048																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 33h 15m 42s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF					█ 1200												█ 0000								
FDS MODE XB DATA RATE(MI)																									
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLT: 27h 16m 32s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF					█ 1200												█ 0000								
FDS MODE XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:																									

ISSUE DATE: 02/13/12 19:42

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY FEBRUARY 17, 2012 048-049	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 33h 15m 40s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 33h 15m 38s												█ 0000 RTLTL 33h 15m 36s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	63 1140												10 40 0155 63 [D] 0700												
32 DSN COVERAGE	40 1940 43 [D] 2340												40												
S/C 32 INITIAL CONDITIONS RTLTL: 27h 16m 32s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 27h 16m 32s												█ 0000 RTLTL 27h 16m 32s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL												ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0231 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	FEB 17												FEB 18												

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0					
SATURDAY FEBRUARY 18, 2012 049-050	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8					
S/C 31 INITIAL CONDITIONS RTLT: 33h 15m 36s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 15m 34s												0000 RTLT 33h 15m 32s																	
	* TBD-TBD A082A CHKSUM												* 1628 1629 2 AHELIO SID MRO'S																	
	* EL-40 1532 ↓						* ↓ 1632 CR-5T																							
FDS MODE	CR-5T												EL-40						CR-5T											
XB DATA RATE(MI)													160(32)																	
31 DSN COVERAGE	1055 15 [DA] 1730 1055 25 [DAR] 1730												10 40 0220 63 [D] 0620 60 60																	
32 DSN COVERAGE	40 ..												40 0020 43 [D] 0420 40																	
S/C 32 INITIAL CONDITIONS RTLT: 27h 16m 32s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 27h 16m 32s												0000 RTLT 27h 16m 32s																	
FDS MODE													CR-5T																	
XB DATA RATE(MI)													160(32)																	
VGR COVERAGE													ON CALL																	
NOTES	[1] S/C 31=EL-40 XB=40(30) @ 1532												[2] S/C 31=CR-5T XB=160(32) @ 1632																	
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8					
UTC:	FEB 18												Page 10 of 19						FEB 19											




ISSUE DATE: 02/13/12 19:42

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY FEBRUARY 20, 2012 051-052																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLTL: 33h 15m 28s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF					█ 1200																					█ 0000	
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
31 DSN COVERAGE					1000																						
					1000																						
32 DSN COVERAGE																											
S/C 32 INITIAL CONDITIONS RTLTL: 27h 16m 32s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF					█ 1200																						█ 0000
FDS MODE													CR-5T														
XB DATA RATE(MI)													160(32)														
VGR COVERAGE													ON CALL														
NOTES	JPL HOLIDAY!																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	FEB 20													FEB 21													

ISSUE DATE: 02/13/12 19:42

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
WEDNESDAY FEBRUARY 22, 2012 053-054																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 33h 15m 20s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 33h 15m 18s														█ 0000 RTLT 33h 15m 16s													
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLT: 27h 16m 30s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 27h 16m 30s														█ 0000 RTLT 27h 16m 28s													
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
VGR COVERAGE	ON CALL														VGR							ON CALL						
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	FEB 22														Page 14 of 19							FEB 23						


ISSUE DATE: 02/13/12 19:42




ISSUE DATE: 02/13/12 19:42

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
FRIDAY FEBRUARY 24, 2012 055-056																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 33h 15m 12s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 33h 15m 10s														█ 0000 RTLTL 33h 15m 8s													
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
31 DSN COVERAGE	0900 ----- 14 [D] ----- 1315 ----- 10 ----- ----- 40 ----- ----- 60 -----																											
32 DSN COVERAGE	40 ----- 1415 ----- 43 [D] ----- 1830 ----- 40 -----																											
S/C 32 INITIAL CONDITIONS RTLTL: 27h 16m 28s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 27h 16m 26s														█ 0000 RTLTL 27h 16m 26s													
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
VGR COVERAGE	ON CALL																											
NOTES	[1] S/C 31=GS-4B @ 0207 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	FEB 24														FEB 25													

ISSUE DATE: 02/13/12 19:42



ISSUE DATE: 02/13/12 19:42



ISSUE DATE: 02/13/12 19:42

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
MONDAY FEBRUARY 27, 2012 058-059	UTC: 8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 33h 14m 58s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 33h 14m 56s																								
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
31 DSN COVERAGE	<p>1025 ----- 24 [DAR] ----- 1505 1025 ----- 25 [DA] ----- 1505 ----- 10 ----- ----- 60 ----- </p>																								
32 DSN COVERAGE 40																								
S/C 32 INITIAL CONDITIONS RTLT: 27h 16m 22s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 27h 16m 22s																								
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	FEB 27												FEB 28												