

# VOYAGER

## Space Flight Operations Schedule (SFOS)

Issue Date: February 28, 2012

For the Period: 03/01/12 to 03/19/12 (12-061 – 12-079)

**DSN OPSCHIEF (1) 230-102**

**SCIENCE**

**FLIGHT TEAM (14) 600-100**

**DSOT (1) 230-102**

\*Zsarina.Bulchand@jpl.nasa.gov  
 \*gdyke@airmail.ftops.jpl.nasa.gov  
 \*John.M.Grant@jpl.nasa.gov  
 \*dmcclena@airmail.ftops.jpl.nasa.gov  
 \*pquach@airmail.ftops.jpl.nasa.gov  
 \*mrobles@airmail.ftops.jpl.nasa.gov  
 \*rwilliam@airmail.ftops.jpl.nasa.gov

CRS \*bryant@mail630.gsfc.nasa.gov  
 LECP \*r.decker@jhupl.edu  
 UVS \*holberg@argus.lpl.arizona.edu  
 MAG \*u2mha@lepvox.gsfc.nasa.gov  
 PLS \*vgr@space.mit.edu  
 PWS \*wsk@space.physics.uiowa.edu  
 \*Leonard.F.Burlaga@nasa.gov  
 \*Donald-Gurnett@uiowa.edu

Dodd, S.  
 Hall, J.  
 Howard, S. (3)  
 Ludwig, R. (2)  
 Matsumoto, S.  
 Medina, E.  
 Peralta, F.  
 Weeks, T.  
 Wong, R.  
 Yang, L  
 Zottarelli, L.  
 \*odivers1@san.rr.com

**OTHER**

\* KMassej@jgld.gdscc.nasa.gov  
 \* Belinda.Arroyo@jpl.nasa.gov  
 \* !DL-DSN-MPSETA@dsn.nasa.gov


**LEGEND:**


▽ = R/T Command (Last chance or Contingency)  
 ▼ = R/T Command (Scheduled)  
 \* = Result of R/T Command  
 n = (where n = 1,2,3 ..) Special Note, see bottom of page  
 A = Arrayed station  
 B = 7-Point BLF  
 D = Downlink only pass  
 H = High Power Transmitter  
 R = Array Reference Antenna  
 T = TLC Uplink  
 U = Uplink only pass  
 [o] = Ramp-through

\*Electronic Copy Only  
 (16 – Dist/N: Paper Copies)  
 09/08/10


ISSUE DATE: 03/01/12 15:19

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
THURSDAY MARCH 1, 2012 061-062																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 33h 14m 46s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	█ 1200 RTLT 33h 14m 44s														█ 0000 RTLT 33h 14m 42s													
FDS MODE XB DATA RATE(MI)															CR-5T 160(32)													
31 DSN COVERAGE	0845  ----- 14 [D] -----  1155  ----- 10 -----   ----- 40 -----   ----- 60 -----																											
32 DSN COVERAGE	1450  ----- 43 [D] -----  2040  ----- 40 40 -----																											
S/C 32 INITIAL CONDITIONS RTLT: 27h 16m 16s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 27h 16m 14s														█ 0000 RTLT 27h 16m 14s													
FDS MODE XB DATA RATE(MI)															CR-5T 160(32)													
VGR COVERAGE	ON CALL														VGR				ON CALL									
NOTES	----- COMMAND MORATORIUM ----- ↓ 1811 GYROS AC ON ↓ 1811 GYRO INIT ↓ 1820 GYRO FAULT TEST																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 01														MAR 02													





ISSUE DATE: 03/01/12 15:19



PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0	
MONDAY MARCH 5, 2012 065-066	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
S/C 31 INITIAL CONDITIONS RTLTL: 33h 14m 28s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	<p>1200 RTLTL 33h 14m 26s</p> <p>0000 RTLTL 33h 14m 24s</p> <p>↓ 1327 GYRO INIT</p>
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)
31 DSN COVERAGE	<p>1010  -----  14 [D]  -----  1510</p> <p>..... -----  10  -----  40  ----- </p> <p>..... 60  -----  60  ----- </p>
32 DSN COVERAGE	<p>1645  -----  43 [B]  -----  2040</p> <p>..... -----  40  -----  0445  -----  43 [D]  ----- </p>
S/C 32 INITIAL CONDITIONS RTLTL: 27h 16m 6s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: AC ON	<p>1200 RTLTL 27h 16m 4s</p> <p>0000 RTLTL 27h 16m 2s</p> <p>▼ 1727 DUMMY (5 MIN BRACKETED 20:44)</p> <p>↓ 1811 GYRO INIT</p>
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)
VGR COVERAGE	ON CALL   VGR   ON CALL
NOTES	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
UTC:	MAR 05   Page 5 of 19   MAR 06


PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
TUESDAY MARCH 6, 2012 066-067	UTC: 8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 33h 14m 24s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON	1200 RTLTL 33h 14m 22s												0000 RTLTL 33h 14m 20s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	1130   25 [DA]   1530 1130   26 [DAR]   1530												1919   1920 PWS/RH ↓ 1919 GS-4B 1920												
32 DSN COVERAGE	0810 43 [D]												1925   43 [D]   0050												
S/C 32 INITIAL CONDITIONS RTLTL: 27h 16m 2s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: AC ON	1200 RTLTL 27h 16m 0s												0000 RTLTL 27h 15m 58s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
VGR COVERAGE	ON CALL												ON CALL												
NOTES	[1] S/C 31=GS-4B @ 1919 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 06												MAR 07												

ISSUE DATE: 03/01/12 15:19

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
WEDNESDAY MARCH 7, 2012 067-068																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS	1200 RTLT 33h 14m 18s														0000 RTLT 33h 14m 16s													
RTLT: 33h 14m 20s	↓ 0951 BAY 1 HTR OFF																											
CCSL: A082	↓ 0955 X/B HI POWER																											
FDSL: 11AF	↓ 1031 AAI																											
TWNC: ON	1034  ----- MAGROL -----  1630																											
SB: OFF															↓ 1622 RAI													
XB: LOW															↓ 1630 CRU													
PYR: .05/.10/.25															↓ 1630 GYROS OFF													
GYROS: BC ON																												
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE	0945  ----- 14 [D] -----  1705																											
	----- 10 -----														----- 40 -----													
	----- 60 -----														----- 60 -----													
32 DSN COVERAGE																												
															1740  ----- 43 [D] -----  2040													
															2020  ----- 45 [D] -----  2235													
															----- 40 -----													
S/C 32 INITIAL CONDITIONS	1200 RTLT 27h 15m 58s														0000 RTLT 27h 15m 56s													
RTLT: 27h 15m 58s																												
CCSL: B155																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/.10/.25																												
GYROS: AC ON																												
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
VGR COVERAGE	ON CALL								VGR								ON CALL											
NOTES	[1] S/C 31=D/L AGC & SNR VARIATIONS EXPECTED DURING MAGROL (1034-1630)																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 07														MAR 08													




ISSUE DATE: 03/01/12 15:19



ISSUE DATE: 03/01/12 15:19

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY MARCH 9, 2012 069-070																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 33h 14m 10s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	█ 1200 RTLTL 33h 14m 8s												█ 0000 RTLTL 33h 14m 6s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	1010  ----- 26 [D] -----  1440  ----- 10 -----   ----- 40 -----   ----- 60 -----												2217   2217 TAPPOS 0119   0120 PWS/RH 0326   0340 TAPPOS TAPPOS 0708   - - - D/L -   2342 ↓ 0119 GS-4B 0120												
32 DSN COVERAGE	1810  ----- 34 [D] -----  2210  ----- 40 -----																								
S/C 32 INITIAL CONDITIONS RTLTL: 27h 15m 52s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: BC ON	█ 1200 RTLTL 27h 15m 50s												█ 0000 RTLTL 27h 15m 48s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL												ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0119 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 09												MAR 10												


ISSUE DATE: 03/01/12 15:19



	PST:	0	1	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
SUNDAY MARCH 11, 2012 071-072	UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 33h 14m 2s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF						1200																							
FDS MODE XB DATA RATE(MI)																													
31 DSN COVERAGE																													
32 DSN COVERAGE																													
S/C 32 INITIAL CONDITIONS RTLTL: 27h 15m 44s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: BC ON																													
FDS MODE XB DATA RATE(MI)																													
VGR COVERAGE																													
NOTES																													
UTC:																													
UTC:																													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1							
MONDAY MARCH 12, 2012 072-073																																
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
S/C 31 INITIAL CONDITIONS RTLTL: 33h 13m 58s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: OFF	1200 RTLTL 33h 13m 56s												0000 RTLTL 33h 13m 54s																			
FDS MODE	CR-5T												CR-5T																			
XB DATA RATE(MI)	160(32)												160(32)																			
31 DSN COVERAGE	1145  ----- 26 [D] -----  1445  ----- 10 -----												----- 40 -----   ----- 60 -----																			
32 DSN COVERAGE	1650  ----- 43 [D] -----  2040												----- 40 -----  0530  ----- 43 [D] -----																			
S/C 32 INITIAL CONDITIONS RTLTL: 27h 15m 40s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: BC ON	1200 RTLTL 27h 15m 38s												0000 RTLTL 27h 15m 36s																			
FDS MODE	CR-5T												EL-40				CR-5T															
XB DATA RATE(MI)	160(32)												40(30)				160(32)															
VGR COVERAGE	ON CALL												VGR				ON CALL															
NOTES	[1] S/C 32 - D/L AGC & SNR VARIATIONS EXPECTED DURING ASCAL (1943-2020) [2] S/C 32=EL-40 @ 1911 XB=40(30)																															
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8							
UTC:	MAR 12														MAR 13																	

ISSUE DATE: 03/01/12 15:19



ISSUE DATE: 03/01/12 15:19

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
WEDNESDAY MARCH 14, 2012 074-075																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS	1200 RTLT 33h 13m 46s												0000 RTLT 33h 13m 44s															
RTLT: 33h 13m 50s	↓ 1205 MEMUPD - ECR 111384																											
CCSL: A082	↓ 1206 ENA NEXT 30 AHELIO RECORDS																											
FDSL: 11AF	1207   1208 SID MRO - ECR 111384																											
TWNC: ON	1208   1209 SID MRO - AHELIO ENA																											
SB: OFF	1307   1308 REDUNDANT SID MRO - ECR 111384																											
XB: HI	1308   1309 REDUNDANT SID MRO - AHELIO ENA																											
PYR: .05/.10/.25	↓ 1313 X/B LOW POWER																											
GYROS: OFF	↓ 1317 BAY 1 HTR ON																											
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE	<p>0845  ----- 15 [DA] -----  1355  0845  ----- 25 [DAR] -----  1355  ..... 10 .....  ..... 40 .....  ..... 60 .....  ..... 60 .....</p>																											
32 DSN COVERAGE	<p>..... 1840  ----- 45 [D] -----  2045  ..... 40 .....</p>																											
S/C 32 INITIAL CONDITIONS	1200 RTLT 27h 15m 30s												0000 RTLT 27h 15m 28s															
RTLT: 27h 15m 32s													2233  ----- COMMAND MORATORIUM -----															
CCSL: B155																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: HI																												
PYR: .05/.10/.25																												
GYROS: BC ON																												
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
VGR COVERAGE	ON CALL							VGR							ON CALL													
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 14														MAR 15													

ISSUE DATE: 03/01/12 15:19

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
THURSDAY MARCH 15, 2012 075-076																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 33h 13m 44s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 33h 13m 42s												█ 0000 RTLTL 33h 13m 40s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																									
31 DSN COVERAGE	0920	25 [DA]		1350																						
	0920	26 [DAR]		1350																						
	.....10										.....40										10					
	.....60						.....60						.....60													
32 DSN COVERAGE													1850  ----- 43 [D] -----  0205 .....40													
S/C 32 INITIAL CONDITIONS RTLTL: 27h 15m 28s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON	█ 1200 RTLTL 27h 15m 26s												█ 0000 RTLTL 27h 15m 24s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																									
VGR COVERAGE	ON CALL												VGR						ON CALL							
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 15												Page 15 of 19						MAR 16							



ISSUE DATE: 03/01/12 15:19

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
FRIDAY MARCH 16, 2012 076-077																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLT: 33h 13m 40s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 33h 13m 38s												█ 0000 RTLT 33h 13m 36s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	0930  ----- 25 [DAR] -----  1350 0930  ----- 26 [DA] -----  1350 ..... ----- 10 -----  ..... ----- 40 -----  ..... 10 .....60 .....  .....  .....60 .....																								
32 DSN COVERAGE													..... ----- 1810  ----- 43 [D] -----  2210 ..... ----- 40 -----  .....												
S/C 32 INITIAL CONDITIONS RTLT: 27h 15m 24s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 27h 15m 22s												█ 0000 RTLT 27h 15m 20s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL												ON CALL												
NOTES	----- COMMAND MORATORIUM -----  2225																								
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 16												MAR 17												

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
SATURDAY MARCH 17, 2012 077-078																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 33h 13m 36s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	█ 1200 RTLTL 33h 13m 34s												█ 0000 RTLTL 33h 13m 32s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	25 [DAR] —————   0815 - 1355   10 15 [DA] —————   0815 - 1100   1100 —————   26 [DA] —————   1355   ..... 10 .....   ..... 40 .....   ..... 60 .....   ..... 0000 .....   63 [D] .....   0650   ..... 60 .....   ..... 60 .....												1315   ..... 43 [o] .....   2220   ..... 40 .....   .....													
32 DSN COVERAGE	█ 1200 RTLTL 27h 15m 18s												█ 0000 RTLTL 27h 15m 16s													
S/C 32 INITIAL CONDITIONS RTLTL: 27h 15m 20s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	█ 1200 RTLTL 27h 15m 18s												█ 0000 RTLTL 27h 15m 16s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												ON CALL													
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 17												MAR 18													

ISSUE DATE: 03/01/12 15:19

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
SUNDAY MARCH 18, 2012 078-079																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS	1200 RTLT 33h 13m 30s												0000 RTLT 33h 13m 28s															
RTLT: 33h 13m 32s																												
CCSL: A082																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/10/25																												
GYROS: OFF																												
FDS MODE														CR-5T														
XB DATA RATE(MI)														160(32)														
31 DSN COVERAGE	.....										.....										.....							
											40										10							
	60																				60							
32 DSN COVERAGE																												
											1455  -----  45 [D]  -----  2000										40							
S/C 32 INITIAL CONDITIONS	1200 RTLT 27h 15m 14s												0000 RTLT 27h 15m 12s															
RTLT: 27h 15m 16s																												
CCSL: B155																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/10/25																												
GYROS: OFF																												
FDS MODE														CR-5T														
XB DATA RATE(MI)														160(32)														
VGR COVERAGE	ON CALL																											
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 18													MAR 19														

ISSUE DATE: 03/01/12 15:19

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
MONDAY MARCH 19, 2012 079-080																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLT: 33h 13m 28s CCSL: A082 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	<div style="text-align: center;"> <p>1200 RTLT 33h 13m 26s</p> </div>																										
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
31 DSN COVERAGE	<div style="text-align: center;"> <p>15 [DAR] 0810 - 1405 26 [DA] 0810 - 1405</p> </div>																										
32 DSN COVERAGE	<div style="text-align: center;"> <p>1805 43 [D] 2235</p> </div>																										
S/C 32 INITIAL CONDITIONS RTLT: 27h 15m 12s CCSL: B155 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	<div style="text-align: center;"> <p>1200 RTLT 27h 15m 8s</p> </div>																										
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
VGR COVERAGE	ON CALL																										
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	MAR 19													MAR 20													