

# VOYAGER

## Space Flight Operations Schedule (SFOS)

Issue Date: October 17, 2012

For the Period: 10/18/12 to 11/05/12 (12-292 – 12-310)

**DSN OPSCHIEF (1) 230-102**

**SCIENCE**

**FLIGHT TEAM (14) 600-100**

**DSOT (1) 230-102**

\*Zsarina.Bulchand@jpl.nasa.gov  
 \*gdyke@airmail.ftops.jpl.nasa.gov  
 \*John.M.Grant@jpl.nasa.gov  
 \*dmcclena@airmail.ftops.jpl.nasa.gov  
 \*pquach@airmail.ftops.jpl.nasa.gov  
 \*mrobles@airmail.ftops.jpl.nasa.gov  
 \*rwilliam@airmail.ftops.jpl.nasa.gov

CRS \*bryant@mail630.gsfc.nasa.gov  
 LECP \*r.decker@jhupl.edu  
 UVS \*holberg@argus.lpl.arizona.edu  
 MAG \*u2mha@lepvox.gsfc.nasa.gov  
 PLS \*vgr@space.mit.edu  
 PWS \*wsk@space.physics.uiowa.edu  
 \*Leonard.F.Burlaga@nasa.gov  
 \*Donald-Gurnett@uiowa.edu

Dodd, S.  
 Hall, J.  
 Howard, S. (3)  
 Ludwig, R. (2)  
 Matsumoto, S.  
 Medina, E.  
 Peralta, F.  
 Weeks, T.  
 Wong, R.  
 Yang, L  
 Zottarelli, L.  
 \*odivers1@san.rr.com

**OTHER**


\* KMassej@jgld.gdscc.nasa.gov  
 \* Belinda.Arroyo@jpl.nasa.gov  
 \* !DL-DSN-MPSETA@dsn.nasa.gov

**LEGEND:**


▽ = R/T Command (Last chance or Contingency)  
 ▼ = R/T Command (Scheduled)  
 \* = Result of R/T Command  
 n = (where n = 1,2,3 ..) Special Note, see bottom of page  
 A = Arrayed station  
 B = 7-Point BLF  
 D = Downlink only pass  
 H = High Power Transmitter  
 R = Array Reference Antenna  
 T = TLC Uplink  
 U = Uplink only pass  
 [o] = Ramp-through

\*Electronic Copy Only  
 (16 – Dist/N: Paper Copies)  
 09/08/10

ISSUE DATE: 10/18/12 00:36



ISSUE DATE: 10/18/12 00:36



ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
SATURDAY OCTOBER 20, 2012 294-295	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLTL: 34h 0m 48s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.05/.25 GYROS: OFF	1200 RTLTL 34h 0m 58s												0000 RTLTL 34h 1m 8s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
31 DSN COVERAGE	.....40.....												.....2245 -----14 [D]----- 0245..... .....1820 -----63 [D]----- 2110.....													
32 DSN COVERAGE	.....1225 -----43 [o]----- 1740.....												.....40.....													
S/C 32 INITIAL CONDITIONS RTLTL: 27h 43m 2s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: BC ON	1200 RTLTL 27h 43m 14s												0000 RTLTL 27h 43m 24s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
VGR COVERAGE													ON CALL													
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	OCT 20													OCT 21												

ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY OCTOBER 21, 2012 295-296																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 34h 1m 8s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.05/.25 GYROS: OFF	1200 RTLTL 34h 1m 18s												0000 RTLTL 34h 1m 28s												
FDS MODE	CR-5T												U/L 0200   -   - - - TLC (SHORT-FORM) - - -												
XB DATA RATE(MI)	160(32)																								
31 DSN COVERAGE	.....40.....												.....10.....  0130  -----14 [T]-----  0435												
	.....60.....												.....40.....												
	.....												.....1900  -----63 [D]-----  2110												
32 DSN COVERAGE	.....40.....												.....40.....												
	.....1335  -----43 [D]-----  1735																								
S/C 32 INITIAL CONDITIONS RTLTL: 27h 43m 24s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: BC ON	1200 RTLTL 27h 43m 36s												0000 RTLTL 27h 43m 48s												
FDS MODE	CR-5T																								
XB DATA RATE(MI)	160(32)																								
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	OCT 21												OCT 22												

ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
MONDAY OCTOBER 22, 2012 296-297																												
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
S/C 31 INITIAL CONDITIONS RTLTL: 34h 1m 28s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.05/.25 GYROS: OFF	1200 RTLTL 34h 1m 38s												0000 RTLTL 34h 1m 48s															
----- TLC (SHORT-FORM) -----																												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)															
31 DSN COVERAGE	.....  40 .....												.....  40 .....															
	.....  60 .....												.....  60 .....															
32 DSN COVERAGE	.....  40 .....												.....  40 .....															
S/C 32 INITIAL CONDITIONS RTLTL: 27h 43m 48s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: BC ON	1200 RTLTL 27h 43m 58s												0000 RTLTL 27h 44m 10s 0052  ----- COMMAND MORATORIUM -----															
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)															
VGR COVERAGE	ON CALL												VGR						ON CALL									
NOTES																												
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	OCT 22																OCT 23											

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
TUESDAY OCTOBER 23, 2012 297-298																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 34h 1m 48s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.05/.25 GYROS: OFF	1200 RTLT 34h 1m 58s												0000 RTLT 34h 2m 8s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	..... 40 .....												0140   14 [D]   0425													
	..... 40 .....												..... 40 .....													
	..... 60 .....												1900   63 [D]   2100													
32 DSN COVERAGE	1025   43 [D]   1435												0355   43 [D]													
	..... 40 .....												..... 40 .....													
S/C 32 INITIAL CONDITIONS RTLT: 27h 44m 10s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: BC ON	1200 RTLT 27h 44m 22s												0000 RTLT 27h 44m 32s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												VGR													
NOTES	[1] S/C 31=GS-4B @ 0255 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32 D/L AGC & SNR VARIATIONS EXPECTED DURING MAGROL (0433-1028)																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	OCT 23												OCT 24													

ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
WEDNESDAY OCTOBER 24, 2012 298-299																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 34h 2m 8s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.05/.25 GYROS: OFF	1200 RTLTL 34h 2m 16s												0000 RTLTL 34h 2m 26s												
FDS MODE	CR-5T												PB-14												
XB DATA RATE(MI)	160(32)												1.4K(39)												
31 DSN COVERAGE	.....40.....												1820  ----- 15 [DAR] -----  0220 1820  ----- 24 [DA] -----  0220 1910  ----- 14 [DA] -----  0220 .....10.....  .....40.....												
32 DSN COVERAGE	-----43 [D]----- 1125												.....40.....  .....40.....												
S/C 32 INITIAL CONDITIONS RTLTL: 27h 44m 32s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: BC ON	1200 RTLTL 27h 44m 44s												0000 RTLTL 27h 44m 56s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	VGR						ON CALL						VGR						ON CALL						
NOTES	[1] S/C 31=PB-14 @ 1941 XB=1.4K(39) [2] S/C 31=CR-5T @ 0216 XB=160(32)																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	OCT 24												OCT 25												



ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY																									
OCTOBER 25, 2012																									
299-300																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS						1200												0000							
RTLT: 34h 2m 26s																									
CCSL: A085																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: HI																									
PYR: .05/.10/.25																									
GYROS: OFF																									
FDS MODE																									
XB DATA RATE(MI)																									
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS						1200												0000							
RTLT: 27h 44m 56s																									
CCSL: B157																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: HI																									
PYR: .05/.10/.25/																									
GYROS: OFF																									
FDS MODE																									
XB DATA RATE(MI)																									
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:																									

1804 | -- TAPPOS -- | 2019


CR-5T  
160(32)


2330 |----- 14 [D] -----| 0345

1220 |----- 43 [D] -----| 1625

↓ 1237 CLT = 36 WEEKS  
1251 | - | 1316 DMRO  
1351 | - | 1416 DMRO  
1451 | - | 1516 DMRO  
1551 | - | 1616 DMRO

ISSUE DATE: 10/18/12 00:36





ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
SUNDAY OCTOBER 28, 2012 302-303																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLTL: 34h 3m 24s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON	1200 RTLT 34h 3m 32s												0000 RTLT 34h 3m 42s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	.....40.....												.....10.....  0115   14 [D]   0405													
	.....60.....												.....1855   63 [D]   2035													
32 DSN COVERAGE	.....1145   43 [D]   1610												.....0055   34 [D]   0325													
S/C 32 INITIAL CONDITIONS RTLTL: 27h 46m 2s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF	1200 RTLT 27h 46m 14s												0000 RTLT 27h 46m 24s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL												ON CALL													
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	OCT 28												OCT 29													

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
MONDAY OCTOBER 29, 2012 303-304																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 34h 3m 42s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON						█ 1200 RTLT 34h 3m 52s															█ 0000 RTLT 34h 4m 0s					
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	.....40.....												.....10.....2345 -----14 [D]----- 0400													
	.....60.....												.....40.....													
32 DSN COVERAGE	1010 -----43 [o]----- 1250												.....40.....													
S/C 32 INITIAL CONDITIONS RTLT: 27h 46m 24s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF						█ 1200 RTLT 27h 46m 36s																				
																						█ 0000 RTLT 27h 46m 46s				
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE													ON CALL													
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	OCT 29													OCT 30												

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0					
TUESDAY																															
OCTOBER 30, 2012																															
304-305																															
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7					
S/C 31 INITIAL CONDITIONS		1200 RTLT 34h 4m 10s												0000 RTLT 34h 4m 18s																	
RTLT: 34h 4m 0s														↓ 2007 ALL DB=.05 ↓ 2023 AAI 2024   - -   2101 ASCAL ↓ 2058 FAI ↓ 2101 CRU ↓ 2109 YAW=.10 ↓ 2109 ROLL=.25 ↓ 2111 GYRO FAULT TEST																	
CCSL: A085														0232   0233 PWS/RH																	
FDSL: 11AF														1952 ↓   ↓ 2104   ↓ 0232 GS-4B 0233																	
TWNC: ON																															
SB: OFF																															
XB: HI																															
PYR: .05/.10/.25																															
GYROS: BC ON																															
FDS MODE		CR-5T												EL-40						CR-5T						CR-5T					
XB DATA RATE(MI)		160(32)												40(30)						160(32)						160(32)					
31 DSN COVERAGE		..... 40 .....   ..... 1800   ..... 14 [D] .....   ..... 2200 ..... ..... 40 .....   ..... 60 .....   ..... 40 .....																													
32 DSN COVERAGE		..... 1150   ..... 43 [D] .....   ..... 1605 ..... ..... 40 .....   ..... 40 .....																													
S/C 32 INITIAL CONDITIONS		1200 RTLT 27h 46m 58s												0000 RTLT 27h 47m 8s																	
RTLT: 27h 46m 46s																															
CCSL: B157																															
FDSL: 11AF																															
TWNC: ON																															
SB: OFF																															
XB: HI																															
PYR: .05/.10/.25/																															
GYROS: OFF																															
FDS MODE		CR-5T																													
XB DATA RATE(MI)		160(32)																													
VGR COVERAGE		ON CALL												VGR						ON CALL											
NOTES		[1] S/C 31 - D/L AGC & SNR VARIATIONS EXPECTED DURING ASCAL (2023-2100)												[3] S/C 31=CR-5T XB=160(32) @ 2104																	
		[2] S/C 31=EL-40 @ 1951 XB=40(30)												[4] S/C 31=GS-4B @ 0232 XB=2.8K(41) NOT RECOVERABLE																	
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7					
UTC:		OCT 30												OCT 31																	

ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
WEDNESDAY OCTOBER 31, 2012 305-306																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 34h 4m 18s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON						█ 1200 RTLT 34h 4m 28s												█ 0000 RTLT 34h 4m 36s							
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLT: 27h 47m 8s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF						█ 1200 RTLT 27h 47m 20s												█ 0000 RTLT 27h 47m 32s							
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE	ON CALL												VGR						ON CALL						
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	OCT 31												Page 14 of 19						NOV 01						

ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
THURSDAY NOVEMBER 1, 2012 306-307																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS RTLTL: 34h 4m 36s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON						█ 1200												█ 0000									
FDS MODE												CR-5T															
XB DATA RATE(MI)												160(32)															
31 DSN COVERAGE																											
32 DSN COVERAGE																											
S/C 32 INITIAL CONDITIONS RTLTL: 27h 47m 32s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF						█ 1200												█ 0000									
FDS MODE												CR-5T															
XB DATA RATE(MI)												160(32)															
VGR COVERAGE												ON CALL						VGR						ON CALL			
NOTES																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	NOV 01														NOV 02												



ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY NOVEMBER 2, 2012 307-308																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 34h 4m 54s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON						█ 1200 RTLT 34h 5m 4s															█ 0000 RTLT 34h 5m 12s				
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)											
31 DSN COVERAGE														1925											
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS RTLT: 27h 47m 52s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF						█ 1200 RTLT 27h 48m 4s																█ 0000 RTLT 27h 48m 14s			
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)											
VGR COVERAGE																									
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:																									

[1] S/C 31 - D/L AGC & SNR VARIATIONS EXPECTED DURING MAGROL (2004-0159)

ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
SATURDAY NOVEMBER 3, 2012 308-309																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 34h 5m 12s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 34h 5m 20s												0000 RTLT 34h 5m 30s													
	0720 TAPPOS												0832 0833 PWS/RH													
	1040 TAPPOS 1216												0832 GS-4B 0833													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	40												2235 14 [D] 0155 10													
	60												1815 63 [D] 2015													
32 DSN COVERAGE	1115 43 [D] 1550 40												40													
S/C 32 INITIAL CONDITIONS RTLT: 27h 48m 14s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF	1200 RTLT 27h 48m 26s												0000 RTLT 27h 48m 36s													
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE													ON CALL													
NOTES	[1] S/C 31=GS-4B @ 0832 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	NOV 03														NOV 04											

ISSUE DATE: 10/18/12 00:36

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
SUNDAY NOVEMBER 4, 2012 309-310																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6
S/C 31 INITIAL CONDITIONS RTLT: 34h 5m 30s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF						1200 RTLT 34h 5m 38s												0000 RTLT 34h 5m 46s						
FDS MODE XB DATA RATE(MI)																								
31 DSN COVERAGE																			2335   14 [D]   0335					
32 DSN COVERAGE																								
S/C 32 INITIAL CONDITIONS RTLT: 27h 48m 36s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF						1200 RTLT 27h 48m 48s													0000 RTLT 27h 48m 58s					
FDS MODE XB DATA RATE(MI)																								
VGR COVERAGE																								
NOTES																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6
UTC:																								

2353 | 2354 AACS MRO  
 ↓ 2355 AAI  
 0005 | -- LECB OBS -- | 0241  
 ↓ 0253 RAI  
 AACS MRO 0308 | 0309  
 GYRO FAULT TEST 0310 ↓

ISSUE DATE: 10/18/12 00:36

	PST:	22	23	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
MONDAY NOVEMBER 5, 2012 310-311	UTC:	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 34h 5m 46s CCSL: A085 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF								1200																				
FDS MODE XB DATA RATE(MI)																												
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLT: 27h 48m 58s CCSL: B157 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25/ GYROS: OFF																												
FDS MODE XB DATA RATE(MI)																												
VGR COVERAGE																												
NOTES																												
UTC:		6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:		NOV 05														NOV 06												