

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: May 28, 2014

For the Period: 05/29/14 to 06/16/21 (14-149 – 14-167)

DSN OPSCHIEF (1) 230-102

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 *DL-DSSN-MPSETA@dsn.nasa.gov

SCIENCE

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holburg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu


FLIGHT TEAM (14) 600-100


Dodd, S.
 Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Matsumoto, S.
 Medina
 Peralta, F.
 Weeks, T.
 Wong, R.
 Yang, L.
 Zottarelli, L.
 *odivers@san.rr.com

LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 09/08/10

ISSUE DATE: 06/04/14 16:11







ISSUE DATE: 06/04/14 16:11


PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY MAY 31, 2014 151-152	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 35h 13m 46s CCSL: A091 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 35h 13m 50s												0000 RTLT 35h 13m 54s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	14 [D] 1405 10												1545 43 [D] 1855 40												
32 DSN COVERAGE	1505 45 [D] 2000 40												1940 43 [D] 2240 60												
S/C 32 INITIAL CONDITIONS RTLTL: 28h 55m 24s CCSL: B164 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: AC ON	1200 RTLT 28h 55m 24s												0000 RTLT 28h 55m 24s												
FDS MODE XB DATA RATE(MI)	VGR 160(32)												VGR 160(32)												
VGR COVERAGE	ON CALL												ON CALL												
NOTES	[1] S/C 31=GS-4B @ 2356 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAY 31												JUN 01												

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY JUNE 1, 2014 152-153	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 35h 13m 54s CCSL: A091 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 35h 13m 58s												0000 RTLT 35h 14m 4s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
31 DSN COVERAGE	0800 ----- 24 [DA] ----- 1205 0800 ----- 25 [DAR] ----- 1205 ----- 10 ----- ----- 40 -----												0445 ----- 14 [D] ----- ----- 10 ----- 2245 ----- 63 [D] ----- 0505 ----- 60 -----												
32 DSN COVERAGE	0850 ----- 43 [o] ----- 1520 ----- 40 -----												1920 ----- 43 [D] ----- 2240 ----- 40 -----												
S/C 32 INITIAL CONDITIONS RTLTL: 28h 55m 24s CCSL: B164 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: AC ON	1200 RTLT 28h 55m 24s												0000 RTLT 28h 55m 24s												
FDS MODE XB DATA RATE(MI)	VGR 160(32)																								
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	JUN 01												JUN 02												


ISSUE DATE: 06/04/14 16:11










PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
FRIDAY JUNE 6, 2014 157-158	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 35h 14m 40s CCSL: A091 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 35h 14m 44s												0000 RTLT 35h 14m 50s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
31 DSN COVERAGE	14 [D] 125040.....												0035 63 [D] 0440 60.....												
32 DSN COVERAGE	1215 45 [D] 1715 1730 43 [D] 2240 40.....																								
S/C 32 INITIAL CONDITIONS RTLT: 28h 55m 24s CCSL: B164 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25/ GYROS: AC ON	1200 RTLT 28h 55m 26s												0000 RTLT 28h 55m 26s												
FDS MODE XB DATA RATE(MI)													VGR 160(32)												
VGR COVERAGE	ON CALL						VGR						ON CALL												
NOTES	----- COMMAND MORATORIUM ----- ↓ 1233 GYRO SWAP BC ON ↓ 1234 GYRO INIT ↓ 1243 GYRO FAULT TEST ↓ 1300 BAY 1 HTR OFF ↓ 1304 X/B HI POWER 1337 1343 CCSTIM(B)																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	JUN 06												JUN 07												











ISSUE DATE: 06/04/14 16:11





ISSUE DATE: 06/04/14 16:11

