


VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: March 27, 2019

For the Period: 03/28/19 to 04/15/19 (19/087 – 19/105)



Posted at <https://voyager.jpl.nasa.gov/mission/status/>

LEGEND:

- ▽ = R/T Command (Last chance or Contingency)
- ▼ = R/T Command (Scheduled)
- * = Result of R/T Command
- n = (where n = 1,2,3 ..) Special Note, see bottom of page
- A = Arrayed station
- B = BLF
- D = Downlink only pass
- H = High Power Transmitter
- R = Array Reference Antenna
- T = TLC Uplink
- U = Uplink only pass
- [o] = Ramp-through

02/27/19

ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
THURSDAY MARCH 28, 2019 087-088																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 40h 9m 26s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 9m 26s												0000 RTLT 40h 9m 24s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
31 DSN COVERAGE	14 [D] 1530												63 [D] 0620													
32 DSN COVERAGE													40													
S/C 32 INITIAL CONDITIONS RTLT: 33h 23m 24s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 23m 20s												0000 RTLT 33h 23m 18s													
FDS MODE	CR-5T												CR-5T													
XB DATA RATE(MI)	160(32)												160(32)													
VGR COVERAGE	ON CALL																									
NOTES	[1] S/C 31=GS-4B @ 0011 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	MAR 28												MAR 29													


ISSUE DATE: 03/27/19 09:29

PDT:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
FRIDAY																													
MARCH 29, 2019																													
088-089																													
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
S/C 31 INITIAL CONDITIONS		█ 1200 RTLT 40h 9m 22s											█ 0000 RTLT 40h 9m 20s																
RTLT: 40h 9m 24s																													
CCSL: A110																													
FDSL: 11AF																													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .05/.10/.25																													
GYROS: OFF																													
FDS MODE																CR-5T													
XB DATA RATE(MI)																160(32)													
31 DSN COVERAGE																													
32 DSN COVERAGE																													
S/C 32 INITIAL CONDITIONS		█ 1200 RTLT 33h 23m 16s											█ 0000 RTLT 33h 23m 14s																
RTLT: 33h 23m 18s																													
CCSL: B183																													
FDSL: 11AF																													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .05/.10/.25																													
GYROS: OFF																													
FDS MODE																CR-5T													
XB DATA RATE(MI)																160(32)													
VGR COVERAGE		ON CALL											VGR						ON CALL										
NOTES		[1] DSS-43 HP TXR ON > 14:05:10																											
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:		MAR 29														MAR 30													

ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY MARCH 30, 2019 089-090	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 40h 9m 20s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 9m 18s												0000 RTLT 40h 9m 16s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	0750 14 [D]												1010 40 60 0130 54 [DA] 0245 0130 0245 65 [DAR] 60												
32 DSN COVERAGE	1410 36 [DAR] 1810 1410 35 [DA] 1810												0200 - 0645 43 [D]												
S/C 32 INITIAL CONDITIONS RTLT: 33h 23m 14s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 23m 12s												0000 RTLT 33h 23m 8s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL												VGR ON CALL												
NOTES	[1] S/C 31=GS-4B @ 0311 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAR 30												MAR 31												

ISSUE DATE: 03/27/19 09:29




ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
MONDAY APRIL 1, 2019 091-092	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 40h 9m 14s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 9m 12s 0730 DUMMY (23:39) 0748 EL-40 (23:57) 0809 CCSL A111 (00:18) 0851 CCSTIM F/C (01:00) 0919 AHEL12 CCS SID MRO'S CR-5T (01:28) U/L 1000 - - - - - - TLC (SHORT-FORM) - - - - - 0000 RTLT 40h 9m 10s																									
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																									
31 DSN COVERAGE	14 [T] 1045104060 2305 63 [D] 030560																									
32 DSN COVERAGE	1240 43 [o] 204040																									
S/C 32 INITIAL CONDITIONS RTLT: 33h 23m 4s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 23m 2s 0000 RTLT 33h 23m 0s																									
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																									
VGR COVERAGE	VGR ON CALL																									
NOTES																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	APR 01													APR 02												


PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
TUESDAY APRIL 2, 2019 092-093																										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 40h 9m 10s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 9m 10s 1734 1735 PWS/RH TLC (SHORT-FORM)												0000 RTLT 40h 9m 8s 0032 * 0036 A111 CHKSUM 0101 * 0108 CCSTIM FINE 0120 0123 COARSE 0131 * 0133 2 AHEL12 SID MRO'S D/L - 0327 EL-40 2358 * ↓ 2358 * ↓ 0133 CR-5T ↓ 1734 GS-4B 1735													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)						CR-5T 160(32)						EL-40 40(30)			CR-5T 160(32)										
31 DSN COVERAGE	14 [D] 0905 10 40 60												2300 63 [D] 0350 60													
32 DSN COVERAGE	1230 43 [D] 1355 40												1925 43 [D] 0045 40													
S/C 32 INITIAL CONDITIONS RTLT: 33h 23m 0s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 22m 56s												0000 RTLT 33h 22m 54s 1925 PLSCAL - 2107 1925 --- MAGCAL --- 2227 1925 --- PESCAL --- 2245													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																									
VGR COVERAGE	ON CALL												VGR			ON CALL										
NOTES	[1] S/C 31=GS-4B @ 1734 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=EL-40 @ 2358 XB=40(30) [3] S/C 31=CR-5T @ 0133 XB=160(32)																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
UTC:	APR 02															APR 03										

ISSUE DATE: 03/27/19 09:29



ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
THURSDAY APRIL 4, 2019 094-095																												
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
S/C 31 INITIAL CONDITIONS RTLTL: 40h 9m 4s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 40h 9m 4s												0000 RTLTL 40h 9m 2s															
FDS MODE	CR-5T												CR-5T															
XB DATA RATE(MI)	160(32)												160(32)															
31 DSN COVERAGE	0730 14 [D]										14 [D] 0625																	
32 DSN COVERAGE	1430 43 [D] 1830										40																	
S/C 32 INITIAL CONDITIONS RTLTL: 33h 22m 50s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 33h 22m 46s												0000 RTLTL 33h 22m 44s															
FDS MODE	CR-5T												CR-5T															
XB DATA RATE(MI)	160(32)												160(32)															
VGR COVERAGE	ON CALL												ON CALL															
NOTES	[1] S/C 31=GS-4B @ 2347 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	APR 04														APR 05													



PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
SATURDAY APRIL 6, 2019 096-097	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
S/C 31 INITIAL CONDITIONS RTLTL: 40h 9m 0s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 40h 8m 58s												0000 RTLTL 40h 8m 56s															
FDS MODE	CR-5T												CR-5T															
XB DATA RATE(MI)	160(32)												160(32)															
31 DSN COVERAGE	0720 14 [D]																							14 [D] 0620		
 40						2245 63 [D] 0250					
32 DSN COVERAGE	1340 35 [DA] 1850												1340 34 [DAR] 1850														
S/C 32 INITIAL CONDITIONS RTLTL: 33h 22m 40s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 33h 22m 36s												0000 RTLTL 33h 22m 34s															
FDS MODE	CR-5T												CR-5T															
XB DATA RATE(MI)	160(32)												160(32)															
VGR COVERAGE	ON CALL												ON CALL															
NOTES	[1] S/C 31=GS-4B @ 0247 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	APR 06														APR 07													

ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY APRIL 7, 2019 097-098																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 40h 8m 56s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 8m 56s												0000 RTLT 40h 8m 54s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
31 DSN COVERAGE	14 [D] 0850												14 [T1] 0615 10												
 60 40												
 2245 63 [D] 0135											 60												
32 DSN COVERAGE	1340 36 [DA] 1740																								
	1340 34 [DAR] 1740											 40												
S/C 32 INITIAL CONDITIONS RTLT: 33h 22m 34s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 22m 32s												0000 RTLT 33h 22m 30s												
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)												
VGR COVERAGE	ON CALL																					VGR			
NOTES	[1] A111 BACKUP U/L SUPPORT																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	APR 07												APR 08												

ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0											
MONDAY APRIL 8, 2019 098-099																																				
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7											
S/C 31 INITIAL CONDITIONS RTLTL: 40h 8m 54s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 40h 8m 54s												0000 RTLTL 40h 8m 52s																							
U/L - 0705 -	----- TLC (SHORT-FORM) -----																																			
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)																							
31 DSN COVERAGE	14 [T1] ----- 1025										----- 10 -----										14 [D] 0605						----- 10 -----									
	----- 60 -----										----- 40 -----										----- 60 -----															
32 DSN COVERAGE	1330 ----- 36 [DAR] ----- 1735												1330 ----- 34 [DA] ----- 1735												----- 40 -----											
S/C 32 INITIAL CONDITIONS RTLTL: 33h 22m 30s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 33h 22m 26s												0000 RTLTL 33h 22m 24s																							
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)																							
VGR COVERAGE	ON CALL																																			
NOTES																																				
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7											
UTC:	APR 08												APR 09																							

ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
TUESDAY APRIL 9, 2019 099-100																												
S/C 31 INITIAL CONDITIONS RTLT: 40h 8m 52s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 8m 50s												0000 RTLT 40h 8m 50s															
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)															
31 DSN COVERAGE	<p>14 [D] 1005 10 40 2235 63 [D] 0235 60</p>																											
32 DSN COVERAGE	<p>1200 43 [Bo] 1615 40 2335 43 [D] 0135</p>																											
S/C 32 INITIAL CONDITIONS RTLT: 33h 22m 24s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 22m 22s												0000 RTLT 33h 22m 18s															
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																											
VGR COVERAGE	ON CALL							VGR							ON CALL													
NOTES	[1] S/C 31=GS-4B @ 1710 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	APR 09														APR 10													


ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0								
WEDNESDAY APRIL 10, 2019 100-101																																	
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7								
S/C 31 INITIAL CONDITIONS RTLTL: 40h 8m 50s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█ 1200																											
FDS MODE													CR-5T																				
XB DATA RATE(MI)													160(32)																				
31 DSN COVERAGE												10																			
												60																			
												40																			
												2335	-----			63 [D]	-----			0335											
												60																			
32 DSN COVERAGE												2055	-----			43 [D]	-----			0315											
												40																			
S/C 32 INITIAL CONDITIONS RTLTL: 33h 22m 18s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF						█ 1200																											
FDS MODE													CR-5T																				
XB DATA RATE(MI)													160(32)																				
VGR COVERAGE													ON CALL																				
NOTES																																	
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7								
UTC:	APR 10													APR 11																			

ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
THURSDAY APRIL 11, 2019 101-102	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLTL: 40h 8m 48s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 8m 46s												0000 RTLT 40h 8m 46s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	14 [D] 093010..... 40..... 60.....												2021 --- 2115 TAPPOS 2323 2324 PWS/RH 2335 ---- 0043 TAPPOS ↓ 2323 GS-4B 2324 0055 63 [D]60.....												
32 DSN COVERAGE	1150 43 [D] 162040.....																								
S/C 32 INITIAL CONDITIONS RTLTL: 33h 22m 14s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 22m 12s												0000 RTLT 33h 22m 8s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
VGR COVERAGE													ON CALL												
NOTES	[1] S/C 31=GS-4B @ 2323 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	APR 11												APR 12												


ISSUE DATE: 03/27/19 09:29



ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SATURDAY APRIL 13, 2019 103-104	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 40h 8m 44s CCSL: A110 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 40h 8m 44s												0000 RTLT 40h 8m 42s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	14 [D] 0955												0550 14 [D]												
32 DSN COVERAGE	1145 43 [o] 1545																								
S/C 32 INITIAL CONDITIONS RTLT: 33h 22m 4s CCSL: B183 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 33h 22m 2s												0000 RTLT 33h 21m 58s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																								
VGR COVERAGE	ON CALL																								
NOTES	[1] S/C 31=GS-4B @ 0223 XB=2.8K(41) NOT RECOVERABLE																								
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	APR 13												APR 14												

ISSUE DATE: 03/27/19 09:29



ISSUE DATE: 03/27/19 09:29

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY APRIL 15, 2019 105-106																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
S/C 31 INITIAL CONDITIONS	█ 1200 RTLT 40h 8m 40s																										
RTLT: 40h 8m 42s																											
CCSL: A110																											
FDSL: 11AF																											
TWNC: ON																											
SB: OFF																											
XB: LOW																											
PYR: .05/.10/.25																											
GYROS: OFF																											
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
31 DSN COVERAGE																											
32 DSN COVERAGE																											
S/C 32 INITIAL CONDITIONS	█ 1200 RTLT 33h 21m 52s																										
RTLT: 33h 21m 54s																											
CCSL: B183																											
FDSL: 11AF																											
TWNC: ON																											
SB: OFF																											
XB: LOW																											
PYR: .05/.10/.25																											
GYROS: OFF																											
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
VGR COVERAGE														ON CALL													
NOTES																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:	APR 15													APR 16													